



2.0

Klindex was founded by Ercole and Enio Bibiano in 1988. The Bibiano brothers, with over 10 years of experience in the sale of machines for the cleaning industry, perfected and patented their new system for polishing natural stone using the synthetic diamond pads technology. At first it wasn't easy to introduce this new technology, because the customers were reluctant to believe that such innovation could improve upon the tried and proved method geared around the traditional heavy grinding machines. After a few years, however, thanks to the results and testimonials coming in from early customers, scepticism began fading to the point that the KLINDEX SYSTEM is now recognized as arguably "the best system for grinding and polishing all kinds of natural stones." In a remarkably short period of time, contractors and fabricators from all over the world have been having a great deal of success with the Klindex floor care systems. Official recognition of the Bibiano's achievement came in the form of the coveted NOMINATION FOR THE MOST INNOVATIVE PRODUCT AWARD conferred to Klindex at the Amsterdam Inter-Clean 2000 Convention for the monobrush UNIKA. This nomination has been acknowledged again on 2004 with "IDRAULIKUS". Our company is still working very hard to improve its products, and it continually invests time and money in research and development in order to offer the best machines available to a world-wide customers.



#### THE FLOOR TREATMENT SPECIALIST SINCE 1988




Klindex s.r.I designs and produces machines for cleaning and restoration of all surfaces. Thanks to its competence, KLINDEX assures to its customers efficient and good services. Moreover, thanks to the cooperation between Klindex and its customers, all the market demands are satisfied. All the projects are studied and supported by KLINDEX with up-to-date programs. KLINDEX has already achieved the certification UNI EN ISO 9001: 2000 for "DESIGN, PRODUCTION, SALE OF CLEANING AND GRINDING MACHINES". Klindex is famous for its vivacity in the design and new projects. Klindex regularly collaborate with the University of L'Aquila and with its department of Energy for researches activities. Every year creates new Engineers. Klindex is very sensible to the ecological impact. For this reason, all the researches are finalized to use ecological materials with no noxious residue.



Made in Italy 3 31 YEARS

### FREE TRAINING COURSE










### TO LEARN HOW TO GRIND AND POLISH FLOORS



Klindex offers TWO DAYS OF FREE TRAINING COURSE to learn how to grind and polish floors such as: marbles, granites, stones and concrete.

KLINDEX SYSTEM is having a lot of success worldwide because it is easier, faster and more economic than any other system available on the market.

If you are interested in learning the latest technology do not hesitate to contact us. You are welcome to Italy at anytime.

Training courses are held every Thursdays and Fridays.

We only need 2 weeks notice before your coming.









## SPECIAL MACHINES



Rafter M & Rafter T



#### THE FLOOR TREATMENT SPECIALIST SINCE 1988











Made in Italy 7 31 YEARS











#### THE FLOOR TREATMENT SPECIALIST SINCE 1988












Made in Italy 9 31 YEARS

### Klindex SLFF "SUPER LASER FLAT FLOOR" Auto Levelling floor with Laser System

### **START**







### The easiest and most accurate way to achieve a planar surface.

The system Klindex SLFF consists of a rotating laser and a signal receiver mounted on the grinder. The system automatically controls the pressure of the machine when grinding.

"The receiver axially mounted on the planetary improves the accuracy of the planarity."

#### **ADVANTAGES:**

- One can level a surface in a very simple and effective way.
- Extraordinary saving of time and energy.
- Environmentally friendly because the floor does not require additional coatings.
- Impressive quality-price ratio.
- · Perfect for warehouses with high shelving.



Klindex "SLFF"


### New AT (Auto Pilot) Technology

FINALLY THE GRINDING AND POLISHING MACHINE THAT DOES IT ALL ON ITS OWN!



#### Features:


- Automatic planetary lifting with remote control
- Easy transportation
- Great driving power
- Automatic swinging function
- Automatic reverse
- Automatic grinding of the whole working surface
- Precision edge grinding
- Extreme maneuverability















#### ALL IN THE PALM OF YOUR HAND

START

Klindex has developed a new and exclusive technology of remote automatic control for grinding and polishing machines. With this amazing system called AT (Auto Pilot) Klindex machines can grind on their own the entire area moving forward, turning and coming back, crossing the grinding tracks leaving no untreated parts. Without any interruption, it is also possible to modify all the variables of the machine with a comfortable, handy and intuitive remote control.



# main features of the different versions.

	SX	RX	AT
Battery on-board for an easy transportation		<b>~</b>	V
Basic remote control	<b>~</b>	<u> </u>	
Advanced remote control			V
Automatic advancement	<b>✓</b>	<u> </u>	V
Automatic swinging function	<b>✓</b>	<u> </u>	V
Automatic reverse			V
Automatic overlap			V
Automatic grinding of the whole working surface			V
Upgrade to AT (auto-pilot) version	<b>✓</b>	<u> </u>	
220V socket		<b>~</b>	V

Made in Italy 3I YEARS

#### AT/RX/SX











The biggest floor grinder radio controlled Klindex 6 heads counterrotating, adjustable work pressure and variable speed.






Self powered transport system



No belt to break



Semi-automatic planetary lifting





Anti-Shock System





Remote-controlled



Electronic control of the working pressure.

DATA FOR SHIPPING											
Vol. Packaging	Size Packaging	Weight									
3,80 m³	200x160x120 cm	1340 kg									

Expander 1000 with the best quality/price relation is the best **fully automatic** 6 headed grinding machines in the world. With the included **remote control** it is possible to adjust working functions such as: • Speed and directions of the machine. • Speed of the planetary. • Planetary turning directions. • Drift control. • Emergency safety stop.

**Main features**: One button system to rotate the planetary of 90° to allow a fast and easy change of tools. • Strong gear box with thermo-hardened steel gears for a longer life. • Adjustable working pressure from 500 up to 1250 kg. • Adjustable inclination of the Planetary to allow a bigger frontal cutting. • No noise during the work. • Third insertable front wheel for easy transport and to load into the van. • Battery powered for independent tractions when unplugged. • Auto levelling Planetary System. • Powered planetary lifting. **Additional features**: • To prevent working emergencies the machine is engineered to be operated also manually with included special handle and independent manual hydraulic pump.

ESTIMATED PRODUCTION												
Superconcrete 7 step	40-45m <sup>2</sup> /h											
Concrete Grinding 1 step	160-220m²/h											
Terrazzo Polishing 5 step	45-60m²/h											
Resin Removing 1 step	200-300m <sup>2</sup> /h											
Varnish Removing 1 step	200-300m <sup>2</sup> /h											
Marble Polishing 5 step	30-50m <sup>2</sup> /h											
Granite Polishing 7 step	20-30m²/h											

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

	TECHNICAL DATA													
Model	Motor	Volt	Hertz	Amp	Speed Tools	Working Width	Pressure Work	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price		
EXPANDER 1000 SX	25 HP	380-480	50/60	35	300-1300 rpm	1000mm	500-1200Kg	6x240mm	46 lt	170x150x105	1313 Kg	n.a.		
EXPANDER 1000 RX	25 HP	380-480	50/60	35	300-1300 rpm	1000mm	500-1200Kg	6x240mm	46 lt	170x150x105	1313 Kg	n.a.		
EXPANDER 1000 AT	25 HP	380-480	50/60	35	300-1300 rpm	1000mm	500-1200Kg	6x240mm	46 lt	170x150x105	1313 Kg	n.a.		



Suitable for heavy-duty use



Front wheel for transport



Adjustable work pressure

Made in Italy 15 31 YEARS

















**Led lights** 



No belt to break



Remote control easy, smart and safe



Auto-Levelling Planetary System



Anti-Shock System

Remote-controlled






EXPANDER 999, with the powerful 6-head planetary and a brand new more compact and lightweight frame. The 6 offset rotating heads guarantee perfect flatness of the polished surface and the perfect machine balance.

- Easy to transport thanks to the on board batteries, even on steep ramps.
- The new frame guarantees smaller overall dimensions and less weight for the load on the van.
- Working with radio control guarantees increased productivity for the operator thereby reducing stress and fatigue thanks to the absence of vibrations.
- The automatic shift allows the operator to easily perform all the supporting activities.
- Helical and very quiet gears made of thermo-hardened steel
- Electronically adjustable planetary pressure.
- New version with Autopilot system.

ESTIMATED PRO	DUCTION
Superconcrete 7 step	40-45m <sup>2</sup> /h
Concrete Grinding 1 step	160-220m²/h
Terrazzo Polishing 5 step	45-60m²/h
Resin Removing 1 step	200-300m <sup>2</sup> /h
Varnish Removing 1 step	200-300m <sup>2</sup> /h
Marble Polishing 5 step	30-50m <sup>2</sup> /h
Granite Polishing 7 step	20-30m <sup>2</sup> /h

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA												
Model	Motor	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price	
EXPANDER 999 SX	25 HP	380-480	50/60	35	300-1300 rpm	1000mm	6x240mm	46 It	215x168x105	950 Kg	€ n.a.	
EXPANDER 999 RX	25 HP	380-480	50/60	35	300-1300 rpm	1000mm	6x240mm	46 lt	215x168x105	950 Kg	€ n.a.	
EXPANDER 999 AT	25 HP	380-480	50/60	35	300-1300 rpm	1000mm	6x240mm	46 It	215x168x105	950 Kg	€ n.a.	







Made in Italy 17 31 YEARS

### AT/RX/SX













Expander 950: Big grinding machine with remote control designed to work on large

Main features: With the included remote control it is possible to control all the working functions such as: • Speed and directions of the machine. • Speed of the planetary. • Planetary turning directions. • Control of grinding head pressure. • Drift control. • Emergency safety stop.

Additional features: • Working width 950 mm with 3 large size 340 mm tools. • Speed of tools ranging from 300 to 1300 rpm. • Automatic adjustment of the working pressure. • Strong gear box with thermo-hardened steel gears for a longer life. • Adjustable inclination of the Planetary to allow a bigger frontal cutting. • No noise during the work. · Third insertable front wheel for easy transport and to load into the van. · Battery powered for independent tractions when unplugged. • Auto levelling Planetary System. · To prevent working emergencies the machine is engineered to be driven manually using the included handle and unlocking traction wheels.

ESTIMATED PRODUCTION												
Superconcrete 7 step	30-35m <sup>2</sup> /h											
Concrete Grinding 1 step	100-130m²/h											
Terrazzo Polishing 5 step	35-45m <sup>2</sup> /h											
Resin Removing 1 step	150-180m²/h											
Varnish Removing 1 step	150-180m²/h											
Marble Polishing 5 step	25-35m <sup>2</sup> /h											
Granite Polishing 7 step	15-20m <sup>2</sup> /h											

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA													
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price	
EXPANDER 950 SX	25 HP	18,5 kW	380-480	50/60	32	300-1300 rpm	950mm	3x340mm	46 It	150x150x95	484 Kg	€ n.a.	
EXPANDER 950 RX	25 HP	18,5 kW	380-480	50/60	32	300-1300 rpm	950mm	3x340mm	46 lt	150x150x95	484 Kg	€ 41.195,00	
EXPANDER 950 AT	25 HP	18,5 kW	380-480	50/60	32	300-1300 rpm	950mm	3x340mm	46 lt	150x150x95	484 Kg	€ 44.695,00	



Adjustable working pressure



Self powered transport system

DATA FOR SHIPPING											
Vol. Packaging	Size Packaging	Weight									
2,75 m³	160x160x110 cm	510 kg									



Tool size 340mm

## Expander 950











Expander 950: Big grinding machine designed to work on large area.

Main features: • Working width 950 mm with 3 large size 340 mm tools. • Speed of tools ranging from 300 to 1300 rpm. • Automatic adjustment of the working pressure.

• Strong gear box with thermo-hardened steel gears for a longer life. • Adjustable inclination of the Planetary to allow a bigger frontal cutting. • No noise during the work.

• Third insertable front wheel for easy transport and to load into the van. • Auto levelling Planetary System.

ESTIMATED PRODUCTION											
Superconcrete 7 step	30-35m <sup>2</sup> /h										
Concrete Grinding 1 step	100-130m <sup>2</sup> /h										
Terrazzo Polishing 5 step	35-45m <sup>2</sup> /h										
Resin Removing 1 step	150-180m <sup>2</sup> /h										
Varnish Removing 1 step	150-180m <sup>2</sup> /h										
Marble Polishing 5 step	25-35m <sup>2</sup> /h										
Granite Polishing 7 step	15-20m²/h										

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA												
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
EXPANDER 950	25 HP	18,5 kW	380-480	50/60	32	300-1300 rpm	950mm	3x340mm	46 I	150x150x95	421 kg	€ 28.495,00



_			
Third	front	wheel	

DATA FOR SHIPPING						
Vol. Packaging	Size Packaging	Weight				
2,75 m³	160x160x110 cm	460 kg				



Intuitive control panel

Third front wheel

Made in Italy 19 31 YEARS

### 













Remote controlled grinding and polishing machine for medium-big sized surfaces. Main features: With the included remote control it is possible to control all the working functions such as: • Speed and directions of the machine. • Speed of the planetary. • Planetary turning directions. • Control of grinding head pressure. • Drift control. • Emergency safety stop.

Additional features: • Working width 850 mm with 3 large size 240 mm tools. • Speed of tools ranging from 300 to 1300 rpm. • Automatic adjustment of the working pressure. • Strong gear box with thermo-hardened steel gears for a longer life. • Adjustable inclination of the Planetary to allow a bigger frontal cutting. • No noise during the work. • Third insertable front wheel for easy transport and to load into the van. • Battery powered for independent tractions when unplugged. • Auto levelling Planetary System. • To prevent working emergencies the machine is engineered to be driven manually using the included handle and unlocking traction wheels.

#### **ESTIMATED PRODUCTION**

Superconcrete 7 step	25-30m <sup>2</sup> /h
Concrete Grinding 1 step	100-130m <sup>2</sup> /h
Terrazzo Polishing 5 step	30-40m <sup>2</sup> /h
Resin Removing 1 step	100-150m <sup>2</sup> /h
Varnish Removing 1 step	100-150m <sup>2</sup> /h
Marble Polishing 5 step	20-30m <sup>2</sup> /h
Granite Polishing 7 step	10-15m <sup>2</sup> /h

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

DATA FOR SHIPPING

160x160x110 cm

Weight

510 kg

Vol. Packaging Size Packaging

TECHNICAL DATA												
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
EXPANDER 850 SX	25 HP	18,5 kW	380-480	50/60	32	300-1300 rpm	850mm	3x240mm	46 It	150x150x95	484 Kg	€ 36.500,00
EXPANDER 850 RX	25 HP	18,5 kW	380-480	50/60	32	300-1300 rpm	850mm	3x240mm	46 It	150x150x95	484 Kg	€ 39.650,00
EXPANDER 850 AT	25 HP	18,5 kW	380-480	50/60	32	300-1300 rpm	850mm	3x240mm	46 It	150x150x95	484 Kg	€ 42.650,00





2,75 m<sup>3</sup>

Self powered transport system Powerful traction motors

## Expander 850











Expander 850: Floor grinding and polishing machine for medium and big sized surfaces available into two versions of 20 and 25 HP.

Main features: • Working width 850 mm with 3 large size 240 mm tools. • Speed of tools ranging from 300 to 1300 rpm. • Automatic adjustment of the working pressure.

- Strong gear box with thermo-hardened steel gears for a longer life. Adjustable inclination of the Planetary to allow a bigger frontal cutting. No noise during the work.
- Third insertable front wheel for easy transport and to load into the van. Auto levelling Planetary System.

ESTIMATED PRODUCTION					
Superconcrete 7 step	25-30m <sup>2</sup> /h				
Concrete Grinding 1 step	100-130m <sup>2</sup> /h				
Terrazzo Polishing 5 step	30-40m <sup>2</sup> /h				
Resin Removing 1 step	100-150m <sup>2</sup> /h				
Varnish Removing 1 step	100-150m <sup>2</sup> /h				
Marble Polishing 5 step	20-30m <sup>2</sup> /h				
Granite Polishing 7 step	10-15m <sup>2</sup> /h				

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA												
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
EXPANDER 850	20 HP	15 kW	380-480	50/60	32	300-1300 rpm	850mm	3x240mm	46 It	150x150x95	441 Kg	€ 25.995,00
EXPANDER 850	25 HP	18,5 kW	380-480	50/60	32	300-1300 rpm	850mm	3x240mm	46 It	150x150x95	451 Kg	€ 26.650,00



Full metal gear box



Adjustable and removable handle

DATA FOR SHIPPING						
Vol. Packaging	Size Packaging	Weight				
1,40m³	160x160x110 cm	455 kg				



Intuitive control panel

Made in Italy 21

3I YEARS

# ar 850 Propana 🚱 🧸 🔼 🚫











Expander 850 propane with 850 mm working section is the most versatile and selling machine among the Expander series.

#### Main advantages

- No performance drop and loss of time caused by the power grid.
- Free from the hassle and costs of extension cords in the yard.
- No need of generator.
- Accurate and reliable adjustable planetary speed.
- Low operating vibrations.
- Accommodation.
- Light and easy to maneuver.
- Ideal for both indoor and outdoor applications.
- Dry or wet grinding.
- Standard 46 liters water tank 46 liters.
- Tempered steel gear transmission.

Recommended batteries: battery 12V 550 ACC Class.

ESTIMATED PRODUCTION					
Superconcrete 7 step	30-35m <sup>2</sup> /h				
Concrete Grinding 1 step	110-140m <sup>2</sup> /h				
Terrazzo Polishing 5 step	35-40 m <sup>2</sup> /h				
Resin Removing 1 step	110-160m <sup>2</sup> /h				
Varnish Removing 1 step 110-160m²/h					
*Production numbers may vary according to surface conditions,					

TECHNICAL DATA										
Model	Motor	Power	Propano tank	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
EXPANDER 850 Propano	Kawasaki FX921V	21,6kW	20lbs/9kg	500-900	800mm	3x240mm	46 It	150x150x95	560 Kg	€ 28.950,00







Vol. Packaging Size Packaging

2,75m<sup>3</sup>

DATA FOR SHIPPING

160x160x110 cm

Weight

575 Kg

Adjustable working pressure

Powerful motor

# **Expander 750 Propa**










SINGLE DISC

**S**JOOL

SPECIAL





• No performance drop and loss of time caused by the power grid.

• Free from the hassle and costs of extension cords in the yard.

• No need of generator.

• Accurate and reliable adjustable planetary speed.

selling machine among the Expander series.

- Low operating vibrations.
- Accommodation.
- Light and easy to maneuver.
- Ideal for both indoor and outdoor applications.
- Dry or wet grinding.

**EXPANDER 750 Propano** 

Model

- Standard 46 liters water tank 46 liters.
- Tempered steel gear transmission.

Recommended batteries: battery 12V 550 ACC Class.

Kawasaki FX850V

19,9kW

20lbs/9kg

#### **ESTIMATED PRODUCTION** Superconcrete 7 step 30-35m<sup>2</sup>/h Concrete Grinding 1 step 110-140m<sup>2</sup>/h Terrazzo Polishing 5 step 30-35m<sup>2</sup>/h Resin Removing 1 step 110-160m<sup>2</sup>/h Varnish Removing 1 step 110-160m<sup>2</sup>/h \*Production numbers may vary according to surface conditions,

diamonds used, equipment operator, etc.

		TECH	INICAL D	ATA					
Motor	Power	Propano tank	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price

750mm





500-900

-		-
<b>Adjustable</b>	working	pressure

DATA FOR SHIPPING					
Vol. Packaging	Size Packaging	Weight			
1,40m³	160x160x110 cm	570 Kg			

542 Kg

€ 28.150,00

145x145x80



Powerful motor

3x240mm 46 lt

3I YEARS

VACUUM

MARKETING









## AT/RX/SX













Expander 750: Remote controlled grinding and polishing machine for medium and big sized surfaces.

Main features: With the included remote control it is possible to control all the working functions such as: • Speed and directions of the machine. • Speed of the planetary. • Planetary turning directions. • Control of grinding head pressure. • Drift control. • Emergency safety stop. Additional features: • Working width 750 mm with 3 large size 240 mm tools. • Speed of tools ranging from 300 to 1300 rpm. • Automatic adjustment of the working pressure. • Strong gear box with thermo-hardened steel gears for a longer life. • Adjustable inclination of the Planetary to allow a bigger frontal cutting. • No noise during the work. • Third insertable front wheel for easy transport and to load into the van. • Battery powered for independent tractions when unplugged.• Auto levelling Planetary System. • To prevent working emergencies the machine is engineered to be driven manually using the included handle and unlocking traction wheels.

ESTIMATED PRODUCTION					
Superconcrete 7 step	25-30m <sup>2</sup> /h				
Concrete Grinding 1 step	100-130m <sup>2</sup> /h				
Terrazzo Polishing 5 step	30-40m <sup>2</sup> /h				
Resin Removing 1 step	100-150m <sup>2</sup> /h				
Varnish Removing 1 step	100-150m²/h				
Marble Polishing 5 step	20-30m <sup>2</sup> /h				
Granite Polishing 7 step	9-12m²/h				
*D dti					

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

					TEC	HNICAL DA	TA					
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
EXPANDER 750 SX	20 HP	15 kW	380-480	50/60	25	300-1300 rpm	750mm	3x240mm	46 lt	145x145x80	423 Kg	€ 33.800,00
EXPANDER 750 RX	20 HP	15 kW	380-480	50/60	25	300-1300 rpm	750mm	3x240mm	46 lt	145x145x80	423 Kg	€ 36.995,00
EXPANDER 750 AT	20 HP	15 kW	380-480	50/60	25	300-1300 rpm	750mm	3x240mm	46 It	145x145x80	423 Kg	€ 39.995,00



Powerful traction motors



Remote-controlled





Full metal gear box

### Expander 750









Planetary floor grinder with variable speed and adjustable working pressure



Expander 750 with 750 mm working section is the most versatile and selling machine among the Expander series. It is available into two versions of 15 and 20 HP.

Main features: • Working width 750 mm with 3 large size 240 mm tools. • Speed of tools ranging from 300 to 1300 rpm. • Automatic adjustment of the working pressure.
• Strong gear box with thermo-hardened steel gears for a longer life. • Adjustable inclination of the Planetary to allow a bigger frontal cutting. • No noise during the work.

Third insertable front wheel for easy transport and to load into the van.
 Auto levelling Planetary System.

50/60

25

ESTIMATED PRODUCTION						
Superconcrete 7 step	25-30m <sup>2</sup> /h					
Concrete Grinding 1 step	100-130m <sup>2</sup> /h					
Terrazzo Polishing 5 step	30-40m <sup>2</sup> /h					
Resin Removing 1 step	100-150m <sup>2</sup> /h					
Varnish Removing 1 step	100-150m <sup>2</sup> /h					
Marble Polishing 5 step	20-30m <sup>2</sup> /h					
Granite Polishing 7 step	9-12m²/h					
*Production numbers may vary according to surface conditions,						

diamonds used, equipment operator, etc.

		7	TECHNICAL I	DATA						
Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price	

3x240mm

46 I

750mm



20 HP

Drive

15 kW

Inverter

380-480

Full metal gear box

Model

**EXPANDER 750** 



300-1300 rpm

Adjustable and removable handle

DATA FOR SHIPPING							
Vol. Packaging	Size Packaging	Weight					
1,80 m <sup>3</sup>	150x145x85 cm	394 kg					

145x145x80 360 kg



Intuitive control panel

Made in Italy 25 31 YEARS

TOOLS

SINGLE DISC

GRINDING

SPECIAL

VACUUM

€ 24.495,00

### Expender 650 AT /RXV SX













Expander 650: Remote controlled grinding and polishing machine for medium sized surfaces available into two versions of 10 and 15 HP.

Main features: With the included remote control it is possible to control all the working functions such as: • Speed and directions of the machine. • Speed of the planetary. • Planetary turning directions. • Control of grinding head pressure. • Drift control. • Emergency safety stop. Additional features: • Working width 650 mm with 3 large size 240 mm tools. • Speed of tools ranging from 300 to 1300 rpm. • Automatic adjustment of the working pressure. • Strong gear box with thermo-hardened steel gears for a longer life. • Adjustable inclination of the Planetary to allow a bigger frontal cutting. • No noise during the work. • Third insertable front wheel for easy transport and to load into the van. • Battery powered for independent tractions when unplugged. • Auto levelling Planetary System. • To prevent working emergencies the machine is engineered to be driven manually using the included handle and unlocking traction wheels.

ESTIMATED PRO	DUCTION
Superconcrete 7 step	20-25m <sup>2</sup> /h
Concrete Grinding 1 step	50-100m <sup>2</sup> /h
Terrazzo Polishing 5 step	20-30m <sup>2</sup> /h
Resin Removing 1 step	80-120m <sup>2</sup> /h
Varnish Removing 1 step	80-120m <sup>2</sup> /h
Marble Polishing 5 step	12-25m <sup>2</sup> /h
Granite Polishing 7 step	8-10m <sup>2</sup> /h

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA												
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
EXPANDER 650RX	10 HP	11 kW	380-480	50/60	25	300-1300 rpm	650mm	3x240mm	46 It	140x145x68	320 Kg	€ 27.975,00
EXPANDER 650RX	15 HP	11 kW	380-480	50/60	25	300-1300 rpm	650mm	3x240mm	46 lt	140x145x68	370 Kg	€ 30.950,00
EXPANDER 650AT	15 HP	11 kW	380-480	50/60	25	300-1300 rpm	650mm	3x240mm	46 It	140x145x68	370 Kg	€ 34.495,00



Adjustable working pressure



240mm tool size



DATA FOR SHIPPING

Weight

Full metal gear box

Vol. Packaging Size Packaging







GRINDING

SINGLE DISC

SPECIAL

VACUUM

**CHEMICALS** 

MARKETING

3I YEARS



Expander 650 with 650 mm working section for medium sized surfaces. It is available into two versions of 10 and 15 HP.

Main features: • Working width 650 mm with 3 large size 240 mm tools. • Speed of tools ranging from 300 to 1300 rpm. • Automatic adjustment of the working pressure.

- Strong gear box with thermo-hardened steel gears for a longer life. Adjustable inclination of the Planetary to allow a bigger frontal cutting. • No noise during the work.
- Third insertable front wheel for easy transport and to load into the van. Auto levelling Planetary System.

ESTIMATED PRO	DUCTION
Superconcrete 7 step	20-25m <sup>2</sup> /h
Concrete Grinding 1 step	50-100m <sup>2</sup> /h
Terrazzo Polishing 5 step	20-30m <sup>2</sup> /h
Resin Removing 1 step	80-120m <sup>2</sup> /h
Varnish Removing 1 step	80-120m <sup>2</sup> /h
Marble Polishing 5 step	12-25m²/h
Granite Polishing 7 step	8-10m <sup>2</sup> /h

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA												
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
EXPANDER 650	10 HP	11 kW	380-480	50/60	25	300-1300 rpm	650mm	3x240mm	46 I	140x145x68	320 kg	€ 19.995,00
EXPANDER 650	15 HP	11 kW	380-480	50/60	25	300-1300 rpm	650mm	3x240mm	46 I	140x145x68	330 kg	€ 20.995,00



Full metal gear box



Adjustable and removable handle





Intuitive control panel

## ar 530 Propana









Klindex propane powered grinding and polishing machine with patented geared mono-rotating planetary system. Expander 530 Propane combines performance and reliability of Klindex grinding and polishing machines with the flexibility of propane motor. Propane Expander 530 allows independence from generators or power lines. This robust grinder combines hits weight with a working section of 530mm, providing high productivity rates and constant performances. Main advantages: • No performance drop and loss of time caused by the power grid. • Very aggresive tanks to the mono-rotating planetary. • Free from the hassle and costs of extension cords in the yard. • No need of generator. • Accurate and reliable adjustable planetary speed. • Low operating vibrations. • Light and easy to maneuver. • Ideal for both indoor and outdoor applications. • Dry or wet grinding. • Standard water tank 46 liters. • Tempered steel gear transmission.

ESTIMATED PRODUCTION						
Superconcrete 7 step	12-17m²/h					
Concrete Grinding 1 step	50-90m <sup>2</sup> /h					
Terrazzo Polishing 5 step	12-17m <sup>2</sup> /h					
Resin Removing 1 step	50-70m <sup>2</sup> /h					
Varnish Removing 1 step	50-70m <sup>2</sup> /h					
*Production numbers may vary according to surface conditions,						

Recommended batteries: battery 12V 550 ACC Class.

			TEC	HNICAL DA	ГА					
Model	Motor	Power	Propane tank	Speed tools	Working width	Tools Size	Water tank	Dimensions WxHxD cm	Weight	Price
EXPANDER 530 PROPANE	Kawasaki FS603V	12,7kW	9Kg/20lbs	500-1000rpm	530mm	3x240mm	46 I	120x125x60 cm	255 kg	€ n.a.





240mm Q.A. diamond tools

DATA	FOR SHIPP	ING
Vol. Packaging	Size Packaging	Weight
0,73 m <sup>3</sup>	120x80x75 cm	275 Kg



Intuitive control panel











Floor grinder with planetary counter-rotating and variable speed.

Expander with 580 mm and 530 mm working section for medium sized surfaces.

Main features: • Working width 580 with 3 large size 240 mm tools or 530 with 3 large size 200 mm tools • Speed of tools ranging from 300 to 1300 rpm. • Strong gear box with thermo-hardened steel gears for a longer life. • No noise during the work. • Auto levelling Planetary System.

KODOCIII	אוכ
530	580
10-12m <sup>2</sup> /h	10-15m <sup>2</sup> /h
40-70m <sup>2</sup> /h	40-80m <sup>2</sup> /h
9-12m <sup>2</sup> /h	9-15m <sup>2</sup> /h
40-70m <sup>2</sup> /h	40-80m <sup>2</sup> /h
40-70m <sup>2</sup> /h	40-80m <sup>2</sup> /h
7-10m <sup>2</sup> /h	7-12m <sup>2</sup> /h
5-7m <sup>2</sup> /h	5-7m <sup>2</sup> /h
	530 10-12m²/h 40-70m²/h 9-12m²/h 40-70m²/h 40-70m²/h 7-10m²/h

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

					TECHNICAL	L DATA					
Model	Motor	Drive Inverter	Volt	Hertz	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
EXPANDER 530	2900 Watt Max		220-240	50/60	900 rpm	530mm	3x200mm	18 I	118x125x57	135 kg	€ 7.995,00
EXPANDER 530VS	3000 Watt Max		220-240	50/60	300-1300 rpm	530mm	3x200mm	18	118x125x57	145 kg	€ 9.295,00
EXPANDER 530 T4	4 HP		380	50/60	900 rpm	530mm	3x200mm	18	118x125x57	135 kg	€ 7.995,00
EXPANDER 530VS T4	4 HP		380	50/60	300-1300 rpm	530mm	3x200mm	18	118x125x57	145 kg	€ 9.450,00
EXPANDER 530VS T5	5,5 HP		380	50/60	300-1300 rpm	530mm	3x200mm	18	118x125x57	145 kg	€ 9.795,00
EXPANDER 580 T5	5,5 HP	5 kW	380-480	50/60	300-1300 rpm	580mm	3x240mm	18	118x125x63	155 kg	€ 9.995,00
EXPANDER 580 T7	7 HP	7,5 kW	380-480	50/60	300-1300 rpm	580mm	3x240mm	18 I	118x125x63	165 kg	€ 10.950,00





Easy to disassembly

DATA FOR SHIPPING									
	Vol. Packaging	Size Packaging	Weight						
530	1,23 m³	120x80x128 cm	222 Kg						
580	1,80 m³	150x145x85 cm	160 Kg						
NAME OF TAXABLE PARTY.									



Intuitive control panel

Made in Italy

3I YEARS

### hetor Max vs











LEVIGHETOR MAX SPEED CONTROL is the most performing machine of this segment. Thanks to its patented mono-rotating planetary system, no other machine can compete in terms of productivity for grinding and polishing floors. Ideal for grinding and polishing marble, terrazzo, granite and concrete, floor preparation, bush Hammering, old glues and resins removal, and Superconcrete effect.

Main features: • Working width 530 mm with 3 large size 240 mm tools. • Speed of tools ranging from 300 to 1300 rpm. • Automatic adjustment of the working pressure. • Strong gear box with thermo-hardened steel gears for a longer life. • Adjustable inclination of the Planetary to allow a bigger frontal cutting. • No noise during the work. • Third insertable front wheel for easy transport and to load into the van (optional). • Additional extra weights (optional).


ESTIMATED PRO	DUCTION
Superconcrete 7 step	10-15m <sup>2</sup> /h
Concrete Grinding 1 step	40-80m <sup>2</sup> /h
Terrazzo Polishing 5 step	9-15m <sup>2</sup> /h
Resin Removing 1 step	40-60m²/h
Varnish Removing 1 step	40-60m <sup>2</sup> /h
Marble Polishing 5 step	10-15m <sup>2</sup> /h
Granite Polishing 7 step	6-10m <sup>2</sup> /h
*Production numbers may vary according	no to surface conditions

diamonds used, equipment operator, etc.


	TECHNICAL DATA											
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
LEVIGHETOR MAX VS	7 HP	7,5 kW	380-480	50/60	16	300-1300 rpm	530mm	3x240mm	18 I	95x130x56	160 kg	€ 9.995,00
LEVIGHETOR MAX VS USA	7,5 Hp	11 kW	220 -1/3phase	50/60	30/20	300-1300 rpm	530mm	3x240mm	18 I	95x130x56	160 kg	€ 9.995,00







DATA FOR SHIPPING								
Vol. Packaging	Size Packaging	Weight						
0,98 m³	120x60x136 cm	194 Kg						



Anti-shok System



## Levighetor Max







Floor Grinder with patented MONO-ROTATING planetary.



LEVIGHETOR MAX is a high performance and reliable grinding and polishing machine. Perfect not only for polishing large surfaces of marble, terrazzo, granite and concrete, but also for the preparation of industrial floors, for bush hammering, for grinding, for the removal of old glues and resins and for concrete polishing with Super concrete system. Compact and easy to use also in narrow spaces. Thanks to the monorotating planetary with steel gears productivity increases by 2-3 times compared with a standard belt driven grinder.

Main features: • Working width 530 mm with 3 large size 240 mm tools. • Strong gear box with thermo-hardened steel gears for a longer life. • No noise during the work. • Third insertable front wheel for easy transport and to load into the van (optional).

• Additional extra weights (optional).

ESTIMATED PRO	DUCTION
Superconcrete 7 step	8-12m <sup>2</sup> /h
Concrete Grinding 1 step	40-60m²/h
Terrazzo Polishing 5 step	10-15m <sup>2</sup> /h
Resin Removing 1 step	40-60m <sup>2</sup> /h
Varnish Removing 1 step	40-60m²/h
Marble Polishing 5 step	10-15m <sup>2</sup> /h
Granite Polishing 7 step	5-8m²/h
*Duadwatian numbara may yawa asaardi	an to ourfood conditions

*Production numbers may vary according to surface conditions,
diamonds used, equipment operator, etc.

	TECHNICAL DATA											
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
LEVIGHETOR MAX	7 HP	5,5 kW	380-480	50/60	16	800 rpm	530mm	3x240mm	18 I	95x130x56	152 kg	€ 7.495,00





Vol. Packaging	Size Packaging	Weight
1,25 m³	120x130x80 cm	165 kg



Full metal gear box

Made in Italy











SINGLE DISC











### Floor grinder with "DCS System" and variable speed. Unique propane powered grinding and polishing machine with geared planetary and 4

headed DCS system. DCS system allows short time in surface preparation, even in the most severe environments. With its DCS system Hercules 800 Propane is considered as the most efficient surface preparation grinding machine in the market. Hercules 800 Propane combines performance and reliability of Klindex grinding and polishing machines with the flexibility of propane motor. Propane Hercules 800 allows independence from generators or power lines. This robust grinder combines hits weight with a working section of 800mm, providing high productivity rates and constant performances. Main advantages: • No performance drop and loss of time caused by the power grid. • Exclusive DCS system. • Free from the hassle and costs of extension cords in the yard. • No need of generator. • Accurate and reliable adjustable planetary speed. · Low operating vibrations. · Accommodation. · Light and easy to maneuver. · Ideal for both indoor and outdoor applications. • Dry or wet grinding. • Standard 46 liters water tank 46 liters. · Tempered steel gear transmission.


Recommended batteries: battery 12V 550 ACC Class.

#### Full metal gear box


ESTIMATED PRO	DUCTION
Superconcrete 7 step	30-35m <sup>2</sup> /h
Concrete Grinding 1 step	110-140m <sup>2</sup> /h
Terrazzo Polishing 5 step	30-35m <sup>2</sup> /h
Resin Removing 1 step	110-160m <sup>2</sup> /h
Varnish Removing 1 step	110-160m <sup>2</sup> /h
*Production numbers may vary according	ng to surface conditions,

diamonds used, equipment operator, etc.

TECHNICAL DATA										
Model	Motor	Power	Propano tank	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
HERCULES 800 PROPANE 4H	Kawasaki FX850V	19,9kW	20lbs/9kg	500-950	800mm	4x240mm	46 It	214x130x86	485 Kg	€ 22.750,00



DCS ON: Satellites rotation only



DCS OFF: Counter-rotating system

DATA FOR SHIPPING							
Vol. Packaging	Size Packaging	Weight					
1,80 m³	150x145x85 cm	500 kg					



Intuitive control panel

## Haravies 650 Propana













Floor grinder with "DCS System" and variable speed.

Unique propane powered grinding and polishing machine with geared planetary and 3 headed DCS system. DCS system with 3 heads, allows short time in surface preparation, even in the most severe environments. With its 3 heads DCS system Hercules 650 Propane is considered as the most efficient surface preparation grinding machine in the market. Hercules 650 Propane combines performance and reliability of Klindex grinding and polishing machines with the flexibility of propane motor. Hercules 650 Propane allows independence from generators or power lines. His robust grinder combines its weight with a working section of 650mm, providing high productivity rates and constant performances. Hercules 650 Propane is great for outdoor applications where there is limited or no power options. Of course you also use the machine indoors, with good ventilation. Main advantages: • No performance drop and loss of time caused by the power grid. • Exclusive DCS system. • Free from the hassle and costs of extension cords in the yard. • No need of generator. • Accurate and reliable adjustable planetary speed. • Low operating vibrations. • Accommodation. • Light and easy to maneuver. • Ideal for both indoor and outdoor applications. • Dry or wet grinding. • Standard 46 liters water tank 46 liters.• Tempered steel gear transmission. Recommended batteries: battery 12V 550 ACC Class.




#### **ESTIMATED PRODUCTION**


Superconcrete 7 step	15-20m²/h
Concrete Grinding 1 step	60-100m <sup>2</sup> /h
Terrazzo Polishing 5 step	15-20m <sup>2</sup> /h
Resin Removing 1 step	60-100m <sup>2</sup> /h
Varnish Removing 1 step	60-100m <sup>2</sup> /h

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA										
Model	Motor	Power	Propano tank	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
HERCULES 650 PROPANE	Kawasaki FX850V	19,9kW	20lbs/9kg	700-1300	6500mm	3x240mm	46 It	120x125x67	370 Kg	€ 18.395,00



DCS ON: Satellites rotation only



DCS OFF: Counter-rotating system

DATA FOR SHIPPING								
Vol. Packaging	Size Packaging	Weight						
1,27 m³	80x120x132 cm	397 kg						









GRINDING

SINGLE DISC

### Harcules 800











#### First grinding machine in the world with 4 Heads DCS System.

Hercules series introduces the innovative DCS System that puts in one machine only the features of two different ones.


- Using the Hercules in counter rotating modality it is a performing grinding and polishing machine for concrete, marble and natural stone floors.
- Using the machine in DCS System modality the speed of the satellites is increased turning the Hercules in to a high performance industrial floor preparation machine. Suitable for fast removal of resins and glues, for fast exposing of the aggregates and for fast levelling of very uneven surfaces.

Main features: • Working width 800 mm with 4 size 240 mm tools. • Speed of tools ranging from 400 to 1300 rpm. • Strong gear box with thermo-hardened steel gears for a longer life. • No noise during the work. • Auto levelling Planetary System. • Unmistakable Italian design.

ESTIMATED PRODUCTION						
Superconcrete 7 step	25-30m²/h					
Concrete Grinding 1 step	100-130m <sup>2</sup> /h					
Terrazzo Polishing 5 step	25-30m²/h					
Resin Removing 1 step	100-150m²/h					
Varnish Removing 1 step	100-150m <sup>2</sup> /h					
Marble Polishing 5 step	10-15m <sup>2</sup> /h					
Granite Polishing 7 step	6-10m <sup>2</sup> /h					
*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.						

TECHNICAL DATA											
Model	Motor	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
HERCULES 800 VS	15 Hp	380/480	50/60	32	400-1300 rpm	800 mm	4x240mm	46 I	214x130x86	385 kg	€ 16.975,00

#### DCS: DOUBLE CUTTING SYSTEM







DCS OFF: Counter-rotating system

#### DATA FOR SHIPPING Vol. Packaging Size Packaging Weight 1,80 m<sup>3</sup> 150x145x85 cm 450 kg



DCS System ON/OFF









SINGLE DISC

**TOOLS** 

SPECIAL

VACUUM



### First grinding machine in the world with DCS System.

Hercules series introduces the innovative DCS System that puts in one machine only the features of two different ones.

- Using the Hercules in counter rotating modality it is a performing grinding and polishing machine for concrete, marble and natural stone floors.
- Using the machine in DCS System modality the speed of the satellites is increased turning the Hercules in to a high performance industrial floor preparation machine. Suitable for fast removal of resins and glues, for fast exposing of the aggregates and for fast levelling of very uneven surfaces.

Main features: • Working width 750 mm with 3 size 340 mm tools. • Speed of tools ranging from 600 to 1300 rpm. • Strong gear box with thermo-hardened steel gears for a longer life. • No noise during the work. • Auto levelling Planetary System. • Unmistakable Italian design.




#### ESTIMATED PRODUCTION

CS I MATERIA ROBUSTION							
Superconcrete 7 step	20-30m <sup>2</sup> /h						
Concrete Grinding 1 step	90-110m <sup>2</sup> /h						
Terrazzo Polishing 5 step	20-25m <sup>2</sup> /h						
Resin Removing 1 step	80-130m <sup>2</sup> /h						
Varnish Removing 1 step	80-130m <sup>2</sup> /h						
Marble Polishing 5 step	8-13m <sup>2</sup> /h						
Granite Polishing 7 step	5-7m <sup>2</sup> /h						

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA												
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
HERCULES 750 VS	10 Hp	11 kW	380/480	50/60	32	600-1300 rpm	750 mm	3x340mm	461	186x126x77	380 kg	€ 13.995,00
HERCULES 750 VS	15 Hp	11 kW	380/480	50/60	32	600-1300 rpm	750 mm	3x340mm	46 I	186x126x77	390 kg	€ 14.995,00

#### DCS: DOUBLE CUTTING SYSTEM



DCS ON: Satellites rotation only

Made in Italy



DCS OFF: Counter-rotating system

#### DATA FOR SHIPPING Vol. Packaging Size Packaging Weight 1,80 m<sup>3</sup> 150x145x85 cm 400 kg



DCS System ON/OFF

3I YEARS

**CHEMICALS** 

### Hercules











#### First grinding machine in the world with DCS System.

Hercules series introduces the innovative DCS System that puts in one machine only the features of two different ones.

- Using the Hercules in counter rotating modality it is a performing grinding and polishing machine for concrete, marble and natural stone floors.
- Using the machine in DCS System modality the speed of the satellites is increased turning the Hercules in to a high performance industrial floor preparation machine. Suitable for fast removal of resins and glues, for fast exposing of the aggregates and for fast levelling of very uneven surfaces.

Main features: • Working width 650 mm with 3 size 240 mm tools. • Speed of tools ranging from 600 to 1300 rpm. • Strong gear box with thermo-hardened steel gears for a longer life. • No noise during the work. • Auto levelling Planetary System. • Unmistakable Italian design.



Full Metal gear box


Superconcrete 7 step	12-17m <sup>2</sup> /h
Concrete Grinding 1 step	50-90m²/h
Terrazzo Polishing 5 step	11-17m²/h
Resin Removing 1 step	45-85m²/h
Varnish Removing 1 step	45-85m²/h
Marble Polishing 5 step	8-13m <sup>2</sup> /h

**ESTIMATED PRODUCTION** 


\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

Granite Polishing 7 step 5-8m<sup>2</sup>/h

TECHNICAL DATA												
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
HERCULES 650 VS	10 Hp	7,5 kW	380/480	50/60	16	600-1300 rpm	650 mm	3x240mm	46 I	120x125x67	285 kg	€ 12.995,00
HERCULES 650 VS USA	10 Hp	11 kW 200 V Mono	200-240 1 or 3 Phase	50/60	30 Breaker	600-1300 rpm	650 mm	3x240mm	461	120x125x67	290 kg	€ 12.995,00



DCS ON: Satellites rotation only



DCS OFF: Counter-rotating system

DATA FOR SHIPPING								
Vol. Packagin	g Size Packaging	Weight						
1,31 m³	120x80x136 cm	320 Kg						



DCS System ON/OFF









SINGLE DISC

**TOOLS** 

SPECIAL

VACUUM

**CHEMICALS** 



First grinding machine in the world with DCS System.

Hercules series introduces the innovative DCS System that puts in one machine only the features of two different ones. • Using the Hercules in counter rotating modality it is a performing grinding and polishing machine for concrete, marble and natural stone floors. • Using the machine in DCS System modality the speed of the satellites is increased turning the Hercules in to a high performance industrial floor preparation machine. Suitable for fast removal of resins and glues, for fast exposing of the aggregates and for fast levelling of very uneven surfaces. Main features: • Working width 600 mm with 3 size 240 mm tools. • Variable speed of tools. • Strong gear box with thermo-hardened steel gears for a longer life. • No noise during the work. • Auto levelling Planetary System.



ESTIMATED PRODUCTION					
Superconcrete 7 step	10-15m <sup>2</sup> /h				
Concrete Grinding 1 step	40-80m <sup>2</sup> /h				
Terrazzo Polishing 5 step	9-15m <sup>2</sup> /h				
Resin Removing 1 step	40-80m <sup>2</sup> /h				
Varnish Removing 1 step	40-80m <sup>2</sup> /h				


\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

5-7m<sup>2</sup>/h


Marble Polishing 5 step 7-12m<sup>2</sup>/h

**Granite Polishing 7 step** 

TECHNICAL DATA												
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
HERCULES 601	2900 Watt max		230 mono	50		800 rpm	600 mm	3x240mm	46 I	120x125x62	140 kg	€ 6.595,00
HERCULES 601 VS	3000 Watt max	4 kW 230V	230 mono	50/60		600-1000 rpm	600 mm	3x240mm	46 I	120x125x62	155 kg	€ 8.145,00
HERCULES 601 T5 VS	5,5 Hp	4 kW 380V	380-480	50/60	16	600-1000 rpm	600 mm	3x240mm	46 I	120x125x62	160 kg	€ 8.650,00
HERCULES 601 T7 VS	7 Hp	7,5 kW	380-480	50/60	16	600-1000 rpm	600 mm	3x240mm	46 I	120x125x62	160 kg	€ 9.850,00



DCS ON: Satellites rotation only



DCS OFF: Counter-rotating system





DCS System ON/OFF

## Herevies 55












#### First grinding machine in the world with DCS System.

Hercules series introduces the innovative DCS System that puts in one machine only the features of two different ones. • Using the Hercules in counter rotating modality it is a performing grinding and polishing machine for concrete, marble and natural stone floors. • Using the machine in DCS System modality the speed of the satellites is increased turning the Hercules in to a high performance industrial floor preparation machine. Suitable for fast removal of resins and glues, for fast exposing of the aggregates and for fast levelling of very uneven surfaces. Main features: • Working width 550 mm with 3 size 200 mm tools. • Variable speed of tools. • Strong gear box with thermo-hardened steel gears for a longer life. • No noise during the work. • Auto levelling Planetary System. • Unmistakable Italian design.


ESTIMATED PRODUCTION					
Superconcrete 7 step	8-12m <sup>2</sup> /h				
Concrete Grinding 1 step	35-70m <sup>2</sup> /h				
Terrazzo Polishing 5 step	8-12m <sup>2</sup> /h				
Resin Removing 1 step	35-70m <sup>2</sup> /h				
Varnish Removing 1 step	35-70m <sup>2</sup> /h				
Marble Polishing 5 step	6-10m <sup>2</sup> /h				
Granite Polishing 7 step	5-6m²/h				

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA												
Model	Motor	Drive Inverter	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
HERCULES 551	2900 Watt max		220	50		800 rpm	550mm	3x200mm	46 I	120x125x57	135 kg	€ 5.795,00
HERCULES 551 VS	3000 Watt max	4 kW mono	220	50/60		400-1000 rpm	550mm	3x200mm	46 I	120x125x57	140 kg	€ 7.350,00
HERCULES 551 T5 VS	5,5 Hp	4 kW 3phase	380/480	50/60	16	600-1000 rpm	550mm	3x200mm	46 I	120x125x57	160 kg	€ 7.695,00



DCS ON: Satellites rotation only



DCS OFF: Counter-rotating system

DATA FOR SHIPPING					
Vol. Packaging	Size Packaging	Weight			
0,80 m <sup>3</sup>	90x70x128 cm	175 Kg			



DCS System ON/OFF











#### First grinding machine in the world with DCS System.


Hercules series introduces the innovative DCS System that puts in one machine only the features of two different ones. • Using the Hercules in counter rotating modality it is a performing grinding and polishing machine for concrete, marble and natural stone floors. • Using the machine in DCS System modality the speed of the satellites is increased turning the Hercules in to a high performance industrial floor preparation machine. Suitable for fast removal of resins and glues, for fast exposing of the aggregates and for fast levelling of very uneven surfaces. Main features: • Working width 450 mm with 3 size 200 mm tools. • Variable speed of tools. • Strong gear box with thermo-hardened steel gears for a longer life. • No noise during the work. • Auto levelling Planetary System. • Unmistakable Italian design.

#### ESTIMATED PRODUCTION Superconcrete 7 sten 7-10m2/h


Superconcrete / Step	7-10111-/11
Concrete Grinding 1 step	30-35m <sup>2</sup> /h
Terrazzo Polishing 5 step	6-9m <sup>2</sup> /h
Resin Removing 1 step	30-60m <sup>2</sup> /h
Varnish Removing 1 step	30-60m <sup>2</sup> /h
Marble Polishing 5 step	5-8m²/h
Granite Polishing 7 step	4-6m <sup>2</sup> /h

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc

	TECHNICAL DATA										
Model	Motor Watt max	Drive Inverter	Volt	Hertz	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
HERCULES 451	2900		220	50	800 rpm	450mm	3x200mm	46 I	120x125x47	130 kg	€ 4.995,00
HERCULES 451 VS	3000	4 kW	220	50/60	600-1000 rpm	450mm	3x200mm	46 I	120x125x47	135 kg	€ 6.395,00
HERCULES 451 USA	1900		115	60	600 rpm	450mm	3x200mm	46 I	120x125x47	120 kg	€ 4.995,00
HERCULES 451 VS USA	1900	Lenze	115	60	400-900 rpm	450mm	3x200mm	46 I	120x125x47	125 kg	€ 6.395,00




DCS ON: Satellites rotation only



DCS OFF: Counter-rotating system

DATA FOR SHIPPING				
Size Packaging	Weight			
120x80x75 cm	150 kg			
	Size Packaging			



DCS System ON/OFF



#### Extra weights kit for Expander series.

Extra weights kit for Expander 950-850-750-650. The kit includes: 6 supports and 2 weight 20 Kg each designed for modular use. 3 different functions:

- Working position.
- Transportation position.
- Tools changing position to overturn the machine effortlessly.

TE031001	Extra weights kit	Expander 950 850 750 650	€ 895,00
TE82101	Extra weight 20 Kg		€ 310,00







Working position

Transportation position

Tools changing position



#### Extra weights kit for Hercules series.

Extra weights kit for Hercules 800-750-650. The kit includes: 6 supports and 2 weight 20 Kg each designed for modular use. 3 different functions:

- Working position.
- · Transportation position.
- Tools changing position to overturn the machine effortlessly.

TE030901	Extra weights kit	Hercules 800-750-650	€ 895,00
TE82101	Extra weight 20 Kg		€ 310,00







Working position

Transportation position

Tools changing position



#### Extra weights kit for Expander 580-530

Extra weights kit for Expander 580 e 530. The kit includes: 4 supports and 2 weight 20 Kg each designed for modular use. 2 different functions:

- Working position.
- Transportation position.

TE031301	Extra weights kit	Expander 580-530	€ 710,00
TE82101	Extra weight 20 Kg		€ 310,00





Working position



Transportation position











LEVIGHETOR 650 is the ideal machine for grinding and polishing medium-large areas. Thanks to Planetary K1500 with a 20"/500mm working section and 8"/200mm tools it is particularly fast for polishing large areas. Very stable and easy to use. It can fit tools 8"/200mm or 3"/75mm. Thanks to the klindex' patented 360° directional wheels that allow to move the machine in any direction, the Levighetor 650 can work in both large and narrow areas like bathrooms and kitchens. With its powerful 4HP motor, the Levighetor 650 is the only mono-phase machine in the world that can work with additional weights for a total of up to 160kg (350lbs)

\* The TOP version includes: Planetary Head K1500, tank, pad holder, brush, directional wheels, standard wheels and kit pad holder velcro baked 200mm.

ESTIMATED PRODUCTION					
Superconcrete 7 step	8-12m <sup>2</sup> /h				
Concrete Grinding 1 step	40-60m²/h				
Terrazzo Polishing 5 step	10-15m <sup>2</sup> /h				
Resin Removing 1 step	40-60m²/h				
Varnish Removing 1 step	40-60m²/h				
Marble Polishing 5 step	8-12m <sup>2</sup> /h				
Granite Polishing 7 step	3-5m <sup>2</sup> /h				
*Production numbers may vary according to surface conditions.					

diamonds used, equipment operator, etc.

					TECH	NICAL DAT	Ά					
Model	Motor	Volt	Hertz	Amp	Speed motor	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
LEVIGHETOR 650 TOP	2900 Watt max	220	50/60		155 rpm	1000 rpm	500mm	3x200mm	18 I	65x135x52	122 kg	€ 5.775,00
LEVIGHETOR 650 VS TOP	3000 Watt max	220	50/60		120-250 rpm	600-1300 rpm	500mm	3x200mm	18	65x135x52	133 kg	€ 7.395,00
LEVIGHETOR 650T4 TOP	5,5 HP	380	50/60	10	155 rpm	1000 rpm	500mm	3x200mm	18	65x135x52	122 kg	€ 5.775,00
LEVIGHETOR 650T5 VS	5,5 HP	380	50/60	10	155 rpm	300-1300 rpm	500mm	3x200mm	18 I	65x135x52	122 kg	€ 5.875,00





Quick attack system

DATA FOR SHIPPING						
Vol. Packaging	Size Packaging	Weight				
0,72 m³	120x80x75cm	156 Kg				



Planetary Head KI500 included

# Levighetor 545













LEVIGHETOR 645 is the most versatile version of Levighetor series. Thanks to its Planetary Head K1200 and to 5.5  $^{\circ}\!/$  140mm tools, productivity increases. Levighetor 645 is the grinding and polishing machine for small to medium sized areas, ideal for apartments and civil applications. Perfect for all types of floor and processing such us: grinding and polishing of marble, granite, gres, terrazzo, concrete and industrial floors, the preparation of floors and surfaces, the removal of resins and glues and other type of treatments. Thanks to the klindex' patented 360° directional wheels that allow to move the machine in any direction, the Levighetor 645 can work in both large and narrow areas like bathrooms and kitchens. With its powerful 4HP motor, the Levighetor 645 is the only mono-phase machine in the world that can work with additional weights for a total of up to 160kg (350lbs)

\* The TOP version includes: Planetary Head K1200, tank, pad holder, brush, directional wheels and standard wheels.

ESTIMATED PRO	DUCTION
Superconcrete 7 step	6-9m²/h
Concrete Grinding 1 step	30-50m²/h
Terrazzo Polishing 5 step	6-9m²/h
Resin Removing 1 step	18-35m <sup>2</sup> /h
Varnish Removing 1 step	18-35m <sup>2</sup> /h
Marble Polishing 5 step	6-9m²/h
Granite Polishing 7 step	3-5m²/h

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

				TECH	INICAL DATA	4					
Model	Motor Watt max	Volt	Hertz	Speed motor	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
LEVIGHETOR 645 TOP	2900	220	50/60	155 rpm	1000 rpm	450mm	3x140mm	18	65x135x49	112 kg	€ 5.350,00
LEVIGHETOR 645 TOP VS	3000	220	50/60	120-250 rpm	600-1300 rpm	450mm	3x140mm	18 I	65x135x49	123 kg	€ 6.995,00





Quick attack system

DATA FOR SHIPPING						
Vol. Packaging	Size Packaging	Weight				
0,45m³	120x60x62cm	130 kg				



Planetary Head KI200 included

Made in Italy 3I YEARS

# Levighetor 540









LEVIGHETOR 640 is the best selling grinding and polishing machine in the world. It comes with Planetary K1000 for 4"/100mm tools to achieve the best finishing. Ideal to work in apartments. Thanks to the klindex' patented 360° directional wheels that allow to move the machine in any direction, the Levighetor 640 can work in both large and narrow areas like bathrooms and kitchens. With its powerful 4HP motor, the Levighetor 640 is the only mono-phase machine in the world that can work with additional weights for a total of up to 160kg (350lbs).

Easy to disassemble in 3 parts for transport.

\*The TOP version includes: Tank, pad holder, brush, directionable wheels and Planetary K1000 and standard wheels.

ESTIMATED PRO	DUCTION				
Superconcrete 7 step	5-8m²/h				
Concrete Grinding 1 step	25-45m²/h				
Terrazzo Polishing 5 step	5-8m²/h				
Resin Removing 1 step	15-30m²/h				
Varnish Removing 1 step	15-30m <sup>2</sup> /h				
Marble Polishing 5 step	5-8m²/h				
Granite Polishing 7 step	3-5m <sup>2</sup> /h				
*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.					

	1			TECHN	IICAL DATA				_		
Model	Motor Watt max	Volt	Hertz	Speed motor	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
LEVIGHETOR 640 TOP	2900	220	50/60	200 rpm	1000 rpm	430mm	3x100mm	18 I	65x135x43	109 kg	€ 4.950,00
LEVIGHETOR 640 VS TOP	3000	220	50/60	120-250 rpm	600-1300 rpm	430mm	3x100mm	18	65x135x43	120 kg	€ 6.550,00





Vol. Packagiı	ng Size Packaging	Weight
0,45m³	120x60x62cm	127 kg




Planetary Head KIOOO included











- \*BASIC version does not include any Accessories.
- \*The CPL version includes: Tank, pad holder and brush.

			7	ECHNI	CAL DATA					
Model	Motor	Volt	Hertz	Amp	Speed motor	Working Width	Water Tank	Dimensions WxHxD cm	Weight	Price
LEVIGHETOR 600 Basic	2900 Watt max	220	50/60		155 o 200 rpm	450mm	18 lt	60x121x38	59 Kg	€ 2.895,00
LEVIGHETOR 600 CPL	2900 Watt max	220	50/60		155 o 200 rpm	450mm	18 lt	60x121x38	63 Kg	€ 3.145,00
LEVIGHETOR 600 VS Basic	3000 Watt max	220	50/60		120-250 rpm	450mm	18 lt	60x121x38	68 Kg	€ 4.495,00
LEVIGHETOR 600 T4 Basic	4 HP	380	50/60	10	155 o 200 rpm	450mm	18 lt	60x121x38	75 Kg	€ 2.995,00
LEVIGHETOR 600 T5 Basic	5,5 HP	380	50/60	11	155 o 200 rpm	450mm	18 lt	60x121x38	78 Kg	€ 3.095,00
LEVIGHETOR 600 T5 VS Basic	5,5 HP	380	50/60	11	120-250 rpm	450mm	18 lt	60x121x38	80 Kg	€ 4.995,00





DATA FOR SHIPPING						
Vol. Packaging	Size Packaging	Weight				
0,45m³	120x60x62cm	90 kg				



Planetary Head not included

Made in Italy 3I YEARS

SINGLE DISC

**GRINDING** 

**TOOLS** 

SPECIAL

VACUUM

# Rotokin 320









ROTOKLIN is a special machine designed for:
• Grinding very uneven floors.
• Removal of resins, varnishes and glues.

- Smoothing of joints.
- Bush-Hammering concrete and stone floors.
- Grinding and polishing floors.
- Fast exposing of the aggregates.

ESTI	MATED	PROD	UCTION

5-45m²/h
5-85m²/h
:5-35m²/h
5-35m²/h

 $^\star Production$  numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

				Т	ECHNICAL	DATA					
Model	Motor	Volt	Hertz	Amp	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
ROTOKLIN 320	2900W max	220	50/60		1400 rpm	320mm	1x320mm	18 lt	75x120x35	77 Kg	€ 4.630,00
ROTOKLIN 320VS	3000W max	220	50/60		600-1600 rpm	320mm	1x320mm	18 It	75x120x35	87 Kg	€ 5.995,00





DATA FOR SHIPPING						
Vol. Packaging	Size Packaging	Weight				
0,45m³	120x60x62cm	100 Kg				



## Rotokin 240









SINGLE DISC

SOOLS



ROTOKLIN 240 is a single-disc grinder designed for the preparation of horizontal small and medium surfaces.

Rotoklin 240 is very easy and convenient to use because it reduces drastically the vibrations to the operator, thanks to the optional connection to a Supervak suction it makes possible to work without dust.

Rotoklin 240 is the perfect machine for small and medium sizes surfaces treatments such as the preparation of flat surfaces, the levelling, the preparation of the concrete before painting, the removing of coating defects or adhesives, mastic, paints, resins and more, the repairing of damaged concrete, the grinding of rough surfaces, the restoration of rain marks, etc...

## ESTIMATED PRODUCTION

Concrete Grinding 1 step	20-25m <sup>2</sup> /h
Terrazzo Grinding 1 step	45-75m <sup>2</sup> /h
Resin Removing 1 step	15-25m <sup>2</sup> /h
Varnish Removing 1 step	10-20m <sup>2</sup> /h

\*Production numbers may vary according to surface conditions, diamonds used, equipment operator, etc.

TECHNICAL DATA										
Model	Motor Watt max	Volt	Hertz	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
ROTOKLIN 240	2900	230	50	1400 rpm	240mm	1x240mm	18 I	70x110x25	53 kg	€ 2.675,00
ROTOKLIN 240VS	3000	230	50/60	800-2000 rpm	240mm	1x240mm	18	70x110x25	55 kg	€ 3.795,00
ROTOKLIN 240 USA	1900	110	60	1400 rpm	240mm	1x240mm	18 I	70x110x25	53 kg	€ 2.675,00
ROTOKLIN 240VS USA	1900	110	50/60	800-1600 rpm	240mm	1x240mm	18 I	70x110x25	55 kg	€ 3.795,00



Lateral inle	€t
--------------	----

DATA FOR SHIPPING						
Vol. Packaging	Size Packaging	Weight				
0,45 m <sup>3</sup>	120x60x62 cm	58 kg				



Made in Italy 47 31 YEARS

### DIAMOND TOOL FOR ROTOKLIN

		AMOND TOOL			
CTURE	COD€	NAME	SIZE	MACHINE	€ each
.0.	BUSH HAMN	IER			
	UT022402	Bush Hammer 240	9,5"/ø240mm	Rotoklin 240	€ 1.095,00
100	32030RTK	Bush Hammer 320	13"/ø320mm	Rotoklin 320	€ 995,00
5	40030RTK	Bush Hammer 400	16"/ø400mm	Rotoklin 400	€ 1.795,00
200	UT021101	Roller spare parts Spike			€ 295,00
		DER PLATE A3 (ATTACK dia		).	
	PD2701	Plate A3 - 240	9,5"/ø240mm	Rotoklin 240	€ 185,00
	UT34703	Plate A3 - 320	9,5 /ø240mm	Rotoklin 320	
-	UT34901	Plate A3 - 400	16"/ø400mm	Rotoklin 400	€ 235,00 € 375,00
				HOTOKIIII 400	€ 375,00
113		ING (complete of PCD SKR	•		
	700910	Skraper 240 -4pcd	9,5"/ø240mm	Rotoklin 240	€ 425,00
32	700911	Skraper 320 -6pcd	13"/ø320mm	Rotoklin 320	€ 435,00
1	700912	Skraper 400 -8pcd	16"/ø400mm	Rotoklin 400	€ 595,00
		d tools with TCK technology  10mm 12 Segments  TCK00S grit 12	9.5"/ø240mm	Rotoklin 240	€ 399,00
	240869	TCK00 grit 20	9,5"/ø240mm	Rotoklin 240	€ 355,00
1	240870	TCK0 grit 40	9,5"/ø240mm	Rotoklin 240	€ 260,00
		•	,		,
1		Omm 12 Segments	10"/~000~~~	Datablia 200	C 400 00
					€ 439,00 € 385,00
					€ 290,00
	320070	TORO grit 40	13/9320111111	HOLOKIIII 320	€ 230,00
F 30	TCK 16"/ø40	0mm 16 Segments			
	400868	TCK00S grit 12	16"/ø400mm	Rotoklin 400	€ 535,00
	400869	TCK00 grit 20	16"/ø400mm	Rotoklin 400	€ 495,00
1	400870	TCK0 grit 40	16"/ø400mm	Rotoklin 400	€ 395,00
	320868 320869 320870 TCK 16"/ø40 400868 400869	TCK00S grit 12 TCK00 grit 20 TCK0 grit 40  Omm 16 Segments TCK00S grit 12 TCK00 grit 20	16"/ø400mm	Rotoklin 400	€
A S€ri		ools for medium-hard con	crete. (Not for use o	n abrasive concrete).	
-	240825	DA00 grit 20	9,5"/ø240mm	Rotoklin 240	€ 285,00
	240826	DA0 grit 40	9,5"/ø240mm	Rotoklin 240	€ 198,00
	240827	DA1 grit 70	9,5"/ø240mm	Rotoklin 240	€ 198,00
	240828	DA2 grit 140	9,5"/ø240mm	Rotoklin 240	€ 198,00
	DA 13"/ø320	mm 12 Segments			
	320819	DA00 grit 20	13"/ø320mm	Rotoklin 320	€ 295,00
) -	320820	DA0 grit 40	13"/ø320mm	Rotoklin 320	€ 215,00
	320821	DA1 grit 70	13"/ø320mm	Rotoklin 320	€ 215,00
	320822	DA2 grit 140	13"/ø320mm	Rotoklin 320	€ 215,00
	DA 16"/ø400	mm 16 Segments			
	400819	DA00 grit 20	16"/ø400mm	Rotoklin 400	€ 345,00
	400820	DA0 grit 40	16"/ø400mm	Rotoklin 400	€ 275,00
					3=13,30

400821

400822

DA1 grit 70

DA2 grit 140

16"/ø400mm


16"/ø400mm

Rotoklin 400

Rotoklin 400

€ 275,00

€ 275,00



# TRIPLES PRODUCTION OF A SINGLE OPERATOR





GRINDING

SINGLE DISC

**S**100L

SPECIAL

3 heads innovative single disc machine





New Klindex® Triple K: tripled productivity.

Triple K

The 3-head single brush - Triple K - is a single-phase machine with variable speed. Thanks the extreme manoeuvrability, it is also a suitable solution to be used by an inexperienced operator, whose productivity is tripled thanks to 3 oscillating heads.

An ideal solution for polishing large surfaces, the New Triple K performs diamond grinding and polishing with polish. By mounting adjustable wheels that rest on the ground, crystallisation is performed effortlessly and moving the machine from one room to another is simple as it folds and goes through the normal doors in houses and offices.

TECHNICAL DATA									
Model	Motor Watt max	Volt	Hertz	Speed	Working width	Water tank	Dimensions WxHxD cm	Weight	Price
TRIPLE K	3x1500	220	50/60	80-170 rpm	3x430mm (3x17")	18 lt	123x132x100 (working position) 70x132x100 (storage position)	155 Kg	€ 8.995,00





DATA FOR SHIPPING  Vol. Packaging Size Packaging Weight							
0,94 m³	120x80x98 cm	170 kg					
	45						



## Tomado







HIGH SPEED MACHINE for buffing and polishing floors. Thanks to the "integrated vacuuming system" it cleans and polishes with high productivity. With the 4 HP motor it is the most powerful mono-phase high speed machine in the world.

\*Tornado includes dust control and pad holder.

	TECHNICAL DATA								
Model	Motor Watt max	Volt	Hertz	Speed	Working Width	Vacuum Tank	Dimensions WxHxD cm	Weight	Price
TORNADO 20"	2900	220	50/60	1500 o 1200 rpm	500mm (20")	8 It	85x125x53	67 Kg	€ 4.725,00
TORNADO VS 20"	3000	220 or 380	50/60	700-1600 rpm	500mm (20")	8 It	85x125x53	67 Kg	€ 5.750,00
TORNADO VS 24"	3000	220 or 380	50/60	700-1600 rpm	600mm (24")	8 It	85x125x63	71 Kg	€ 5.950,00

ACCESSORIES TORNADO							
UT023001	Kit Pad Holder	€ 470,00					
30206	Discolux 20"	€ 14,40					
04836	Emme2000	€ 90,00					
100	DIOCOL LIV	00"					



DATA FOR SHIPPING					
Vol. Packaging	Size Packaging	Weight			
0,72 m³	120x80x72 cm	85 kg			



#### **EMME 2000**

To be used with a regular or highspeed rotary cleaning machine and a red nylon pad.

**DISCOLUX 20"** For polishing with Tornado.







Propane High Speed Burnishing Machine.



The most powerful propane powered Klindex burnishing machine.

Main advantages: • Suitable for large surfaces. • No limitations due to cables or lack of electric power. • High reliability with Kawasaki engines. • Compact design. • Heavy duty transmission. • No performance drop and loss of time caused by the power grid. • Free from the hassle and costs of extension cords in the yard. • No need of generator. • Accurate and reliable adjustable speed. • Low operating vibrations. • Light and easy to maneuver. • Ideal for both indoor and outdoor applications. Recommended batteries: battery 12V 550 ACC Class.

TECHNICAL DATA											
Model	Motor	Power	Propane tank	Speed tools	Working width	Dimensions WxHxD cm	Weight	Price			
HURRIKANE 24" Propane	Kawasaki FS603V	12,7kW	9Kg/20lbs	1000-2000rpm	600mm	151x85x63 cm	157 Kg	€ n.a.			
HURRIKANE 26" Propane	Kawasaki FS603V	12,7kW	9Kg/20lbs	1000-2000rpm	650mm	151x85x67 cm	160 Kg	€ n.a.			
HURRIKANE 28" Propane	Kawasaki FS603V	12,7kW	9Kg/20lbs	1000-2000rpm	700mm	151x85x78 cm	164 Kg	€ n.a.			





Very compact design





Kawasaki motor

Mad∈ in Italy

3I YEARS



The first and the only one in the world! Powerful electric machine for polishing and buffing large areas. Advantages compared with propane buffing machines: easy to start, just plug it and work; no problem for safety, in many countries the "propane machines" are not allowed for indoor use. HURRIKANE can be used indoor our outdoor everywhere. No problem to work in any altitude like the propane machines. No need "to use and to transport propane". No need ADR for transport.

TECHNICAL DATA											
Model	Motor	Volt	Hertz	Amp	Speed	Working Width	Dimensions WxHxD cm	Weight	Price		
HURRIKANE 24" VS	5,5 HP	380/480	50/60	10	1000-1800 rpm	610mm (24")	151x85x63	75 Kg	€ 5.995,00		
HURRIKANE 28" VS	10 HP	380/480	50/60	16	1100-1600 rpm	710mm (28")	165x104x78	150 kg	€ 10.950,00		
HURRIKANE 28" VS	15 HP	380/480	50/60	20	1100-1600 rpm	710mm (28")	165x104x78	150 kg	€ 11.950,00		





DATA FOR SHIPPING								
Vol. Packaging	Size Packaging	Weight						
1,12 m³	120x117x80 cm	193 Kg						














\* The price does not include any accessories.

				TECHN	NICAL DATA				
Model	Motor Watt max	Volt	Hertz	Speed	Working Width	Water Tank	Dimensions WxHxD cm	Weight	Price
KROMA 17" HD	1900	220	50	150 rpm	430mm (17")	18 I	61x118x43	53 kg	€ 1.595,00
KROMA 18" HD	1900	220	50	150 rpm	450mm (18")	18	61x118x45	53 kg	€ 1.655,00
KROMA 21" HD	1900	220	50	150 rpm	530mm (21")	18 I	61x118x53	57 kg	€ 1.755,00
KROMA 17" TOP	2200	220	50/60	125/150/250 rpm	430mm (17")	18	61x118x43	53 kg	€ 2.395,00
KROMA 18" TOP	2200	220	50/60	125/150/250 rpm	450mm (18")	18 I	61x118x45	53 kg	€ 2.495,00
KROMA 21" TOP	2200	220	50/60	125/150/250 rpm	530mm (21")	18	61x118x53	65 kg	€ 2.595,00
KROMA 17" TOP	2900	220	50/60	125/150/250 rpm	430mm (17")	18	61x118x43	53 kg	€ 2.695,00
KROMA 18" TOP	2900	220	50/60	125/150/250 rpm	450mm (18")	18 I	61x118x45	53 kg	€ 2.695,00
KROMA 21" TOP	2900	220	50/60	125/150/250 rpm	530mm (21")	18 I	61x118x53	57 kg	€ 2.795,00
KROMA 17" VS TOP	3000	220	50/60	150 - 350 rpm	430mm (17")	18	61x118x43	53 kg	€ 4.195,00
KROMA 18" VS TOP	3000	220	50/60	150 - 350 rpm	450mm (18")	18 I	61x118x45	53 kg	€ 4.295,00
KROMA 21" VS TOP	3000	220	50/60	150 - 350 rpm	530mm (21")	18 I	61x118x53	57 kg	€ 4.395,00
* Also available with 2	20 Volt or 1	10 Volt motor							

<sup>\*</sup> Also available with 220 Volt or 110 Volt motor.





FOR SHIPF	PING
Size Packaging	Weight
120x60x62 cm	81 kg
	Size Packaging

Made in Italy 55 31 YEARS









FUTURA is the first variable speed mono-rotary floor machine from 50 to 500 rpm! Thanks to this technological innovation, with only one machine it is now possible to perform an incredible range of works including scrubbing, polishing, honing, crystallization, vitrification, etc. Futura is the most silent scrubber machine.

\*The basic price of machines does not include any accessories.

<sup>\*</sup>The CPL version includes: tank, pad holder, brush.

	TECHNICAL DATA											
Model	Motor Watt max	Volt	Hertz	Speed	Working Width	Water Tank	Dimensions WxHxD cm	Weight	Price			
FUTURA 17 BASIC	2200	220	50/60	50-450 rpm	430mm (17")	18 I	60x120x43	56 kg	€ 3.295,00			
FUTURA 18 BASIC	2200	220	50/60	50-450 rpm	450mm (18")	18 I	60x120x45	56 kg	€ 3.395,00			
FUTURA 21 BASIC	2200	220	50/60	50-450 rpm	530mm (21")	18	60x120x53	57 kg	€ 3.495,00			
FUTURA 17 CPL	2200	220	50/60	50-450 rpm	430mm (17")	18	60x120x43	56 kg	€ 3.550,00			
FUTURA 18 CPL	2200	220	50/60	50-450 rpm	450mm (18")	18	60x120x45	56 kg	€ 3.650,00			
FUTURA 21 CPL	2200	220	50/60	50-450 rpm	530mm (21")	18	60x120x53	57 kg	€ 3.795,00			






DATA FOR SHIPPING								
Vol. Packaging	Size Packaging	Weight						
0,45 m³	120x60x62 cm	68 kg						
-		1200						



**GRINDING** 





- \*The basic price of any machine does not include any accessories.
- \*The CPL version includes: tank, pad holder, brush.

TECHNICAL DATA												
Model	Motor Watt max	Volt	Hertz	Speed	Working Width	Water Tank	Dimensions WxHxD cm	Weight	Price			
UNIKA 17 BASIC	1450	220	50/60	125 or 150 or 250 rpm	430mm (17")	18	55x118x43	41 kg	€ 1.595,00			
UNIKA 18 BASIC	1450	220	50/60	125 or 150 or 250 rpm	450mm (18")	18	55x118x45	41 kg	€ 1.655,00			
UNIKA 21 BASIC	1450	220	50/60	125 or 150 or 250 rpm	530mm (21")	18	55x118x53	44 kg	€ 1.855,00			
UNIKA 17 CPL	1450	220	50/60	125 or 150 or 250 rpm	430mm (17")	18	55x118x43	41 kg	€ 1.795,00			
UNIKA 18 CPL	1450	220	50/60	125 or 150 or 250 rpm	450mm (18")	18	55x118x45	41 kg	€ 1.895,00			
UNIKA 21 CPL	1450	220	50/60	125 or 150 or 250 rpm	530mm (21")	18	55x118x53	44 kg	€ 1.995,00			





DATA FOR SHIPPING							
Vol. Packaging	ackaging Size Packaging Weight						
0,45 m³	120x60x62 cm	69 kg					
W/13	#XIVK	2764					







Rocky is the ideal rotary cleaner for cleaning and polishing any kind of floors. Thanks to its great range of available accessories it can solve any problem in the best and least expensive way. This new machine is available with very competitive prices.

\*The basic price of machines does not include any accessories.


\*The CPL version includes: tank, pad holder, brush.

TECHNICAL DATA												
Model	Motor Watt max	Volt	Hertz	Speed	Working Width	Water Tank	Dimensions WxHxD cm	Weight	Price			
ROCKY 13 BASIC	1300	220	50/60	155 rpm	330mm (13")	18	55x118x33	36 kg	€ 1.195,00			
ROCKY 17 BASIC	1300	220	50/60	155 rpm	430mm (17")	18	55x118x43	41 kg	€ 1.195,00			
ROCKY 18 BASIC	1300	220	50/60	155 rpm	450mm (18")	18	55x118x45	41 kg	€ 1.295,00			
ROCKY 21 BASIC	1300	220	50/60	155 rpm	530mm (21")	18	55x118x53	44 kg	€ 1.450,00			
ROCKY 13 CPL	1300	220	50/60	155 rpm	330mm (13")	18	55x118x33	36 kg	€ 1.365,00			
ROCKY 17 CPL	1300	220	50/60	155 rpm	430mm (17")	18	55x118x43	41 kg	€ 1.450,00			
ROCKY 18 CPL	1300	220	50/60	155 rpm	450mm (18")	18	55x118x45	41 kg	€ 1.550,00			
ROCKY 21 CPL	1300	220	50/60	155 rpm	530mm (21")	18	55x118x53	44 kg	€ 1.750,00			






DATA FOR SHIPPING								
Vol. Packaging	Size Packaging	Weight						
0,45 m³	120x60x62 cm	69 kg						





Innovative multi-purpose polishing machine.





Bella is the innovative multifunction single disc born in Klindex home. Available with powerful motors from 1300 Watt max up to 2900 Watt max also in Variable speed version. Bella is the ideal floor care machine for cleaning, treatment, grinding and polishing of any surface. BELLA features all the interchangeable accessories to overcome all challenges that occur at construction sites. Main Features: • Ergonomically designed handle with hand protection • Reinforced handle rod • Carter in shockproof and scratchproof polyurethane material. • Predisposition for vacuum hood. • Release water in the Centre of the pad holder. • New compact and modern Made in Italy design • Large wheels adjustable in height for different works and for an easy transport • Wide range of handle's adjusting positions to permit comfortable working. • Ergonomic carrying handle (standard for the Top version). • Big water thank: 18-liter tank. • Predisposition to the use of extra weights. • Power outlet for accessories (optional).• Led lamp for working in poorly lit environments (optional).

	TECHNICAL DATA											
Model	Motor Watt max	Volt	Hertz	Speed motor	Working Width	Water Tank	Dimensions WxHxD cm	Weight	Price			
BELLA BASIC 1300	1300	230	50	140 rpm	500mm (20")	18	70x126x50	34 kg	€ 1.795,00			
BELLA TOP 2200	2200	230	50	140 rpm	500mm (20")	18	70x126x50	42 kg	€ 2.095,00			
BELLA TOP 2900	2900	230	50	140 rpm	500mm (20")	18	70x126x50	49 kg	€ 2.395,00			
BELLA TOP 2900 VS	2900	230	50	95-165 rpm	500mm (20")	18	70x126x50	49 kg	€ 3.995,00			



Adjustable wheels

Led light optional



DATA FOR SHIPPING							
Vol. Packaging	Size Packaging	Weight					
0,45 m <sup>3</sup>	120x60x62 cm	69 Kg					



Handle for an easy transport

3I YEARS













Bella Stone K3 includes: adjustable wheels, water tank, carrying handle, K3 planetary, 3 pad holders 140mm, splash guard, pad holder 450mm, polishing brush 450mm.

Bella is the innovative multifunction single disc born in Klindex home. Available with powerful motors from 2200 Watt max up to 2900 Watt max also in Variable speed version. Bella is the ideal floor care machine for cleaning, treatment, grinding and polishing of any surface. BELLA features all the interchangeable accessories to overcome all challenges that occur at construction sites. Main Features: • Ergonomically designed handle with hand protection • Reinforced handle rod • Carter in shockproof and scratchproof polyurethane material. • Predisposition for vacuum hood. • Release water in the Centre of the pad holder. • New compact and modern Made in Italy design • Large wheels adjustable in height for different works and for an easy transport • Wide range of handle's adjusting positions to permit comfortable working. • Ergonomic carrying handle (standard for the Top version). • Big water thank: 18-liter tank. • Predisposition to the use of extra weights. • Power outlet for accessories (optional). • Led lamp for working in poorly lit environments (optional).

				,						
TECHNICAL DATA										
Model	Motor Watt max	Volt	Hertz	Speed motor	Working Width	Planetary Tools size	Water Tank	Dimensions WxHxD cm	Weight	Price
BELLA STONE 2200 K3	2200	230	50	140 rpm	450mm (18")	3x140mm	18	70x126x50	78 kg	€ 3.895,00
BELLA STONE 2900 K3	2900	230	50	140 rpm	450mm (18")	3x140mm	18	70x126x50	78 kg	€ 4.295,00
BELLA STONE 2900 K3 VS	2900	230	50	95-165 rpm	450mm (18")	3x140mm	18 I	70x126x50	78 kg	€ 5.695,00





DATA FOR SHIPPING							
Vol. Packaging	Size Packaging	Weight					
0,72 m <sup>3</sup>	80x12x72 cm	92 Kg					



Handle for an easy transport



dust and slurry





New K3 Planetary: is designed exclusively for the BELLA, allow to sand, grind and polishf any kind of surfaces. Thanks to its quick attach system the connection to the machine takes only few seconds. The gears are protected from the contact wuth dirt, sludge and dust ensuring optimum functionality and durability. The outlet at the center of the planetary reduces the use of water, improves the performance of diamond disks ensuring working homogeneity.

Easy to use, provides a perfectly flat and smooth surface. It is easy to use even in tight spaces.

#### **Applications:**

- Grinding and polishing of marble and granite
- Leveling of screeds.
- Grinding and polishing of concrete.
- Sanding of wooden floor and ideal for prefinished parquet.



**SPLASH GUARD** 

AP8403 K3, K4 Splash guard € 68,00



#### MARBLE PLANETARY

LU2501MARMO K3 - 3 heads € 1.350,00



**PAD HOLDER** 

Pad holder 18"/ø450mm € 98,00



**LIQUID TANK** 

SE4501 Liquid Tank € 131,00 18Lt



EXTRA WEIGHTS KIT - 8,5Kg

CA017502 Extra weight with support € 125,00



#### **LED LIGHT KIT**

TE026301 Led light Kit € 330,00

## Maxi Orbit





MaxiOrbit includes: pad holder and 2 extra weights.

Maxi Orbit, the advanced professional multipurpose single brush which makes it easy and quick working on all surfaces.

Suitable for treatments such as • polishing, • dewaxing, • crystallization • light grinding on marble, concrete, stone, parquet, terracotta and stoneware, Maxi Orbit is also ideal for cleaning delicate surfaces such as carpets and rugs.

The oscillating head adapts to all surfaces and allows to work easily even on uneven surfaces minimizing user fatigue. The great number of accessories and the big wheels on the ground make working simple and efficient. Thanks to its high-frequency oscillations roto-orbital principle, Maxi Orbit amazes for the excellent stability and manoeuvrability making the crystallization operations with steel wool fast, easy and effortless.

The robust and compact chassis, the reinforced rod's ergonomic handle, the large wheels, its low weight and the release system of the main components (optional), make of the Maxi Orbit a strong machine very easy to carry

				Т€СН	NICAL DATA				
Model	Motor Watt max	Volt	Hertz	Speed	Working width	Water tank	Dimensions WxHxD cm	Weight	Price
MAXI ORBIT 1500	1500	230	50	1400 rpm	430mm (17")	18 lt	70x43x128	40 Kg	€ 1.795,00
MAXI ORBIT 3000	3000	230	50	1400 rpm	430mm (17")	18 lt	70x43x128	52 Kg	€ 2.595,00





DATA FOR SHIPPING							
Vol. Packaging	Size Packaging	Weight					
0,45 m <sup>3</sup>	120x60x62 cm	69 Kg					



Kit Sprayer I5It. € 359,00

Extra weights kit 6Kg each

Handle for an easy lift



Cleaning fitted carpeting and rugs



Shampooing fitted carpeting and rugs



Crystallization



Micro-grinding of natural stone



Cleaning and polishing gres



De-waxing linoleum, PVC and rubber





Oil finishing for parquet with raised wheels

Made in Italy 3I YEARS

## Mini Orbit








Mini Orbit, the advanced professional multi-purpose single brush which makes it easy and quick working on all surfaces. Suitable for treatments such as • polishing, • de-waxing, • crystallization • light grinding on marble, concrete, stone, parquet, terracotta and stoneware, Mini Orbit is also ideal for cleaning delicate surfaces such as carpets and rugs. The oscillating head adapts to all surfaces and allows to work easily even on uneven surfaces minimizing user fatigue. The great number of accessories make working simple and efficient. Thanks to its high-frequency oscillations roto-orbital principle, Mini Orbit amazes for the excellent stability and manoeuvrability making the crystallization operations with steel wool fast, easy and effortless. The robust and compact chassis, the ergonomic handle and its low weight makes of the Mini Orbit a strong machine very easy to carry.

TECHNICAL DATA								
Model	Motor Watt	Volt	Hertz	Speed	Working width	Dimensions WxHxD cm	Weight	Price
MINI ORBIT	250	230	50	1400 rpm	280mm (11")	32x124x32	15 Kg	€ 950,00









Cleaning fitted carpeting and rugs





Crystallization



Micro-grinding of natural stone



Cleaning and polishing gres



De-waxing linoleum, PVC and rubber



Grinding and sanding parquet



Oil finishing for parquet

Made in Italy 3I YEARS 65

506140COM10

## BRUSHES, PAD HOLDERS AND ADATPER CLUTCH

	PICTURE	CODE	NAME	SIZE	MACHINE	€ each
--	---------	------	------	------	---------	--------



# CLUTCH: MODULAR ADAPTER506130NCM10Clutch - modular adapterUnika, Kroma Top, Levighetor, Timba€ 29,50506140KLM10Clutch - modular adapterFutura, Rocky, Kroma HD€ 33,50

Bella

€ 33,50



#### PAD HOLDER BASIC WITHOUT ADAPTER CLUTCH

Clutch - modular adapter

The prices of pad holders does not include the Adapeter Clutch. Please specify if you also want the Clutch.

526113	Pad Holder 13"	13"/ø330mm	For any machine 13"	€ 52,00
526117	Pad Holder 17"/18"	17"/ø430mm-18"/ø450mm	For any machine 17" and 18"	€ 82,00
526120	Pad Holder 20"	20"/ø500mm	For any machine 20"	€ 98,00
526121	Pad Holder 21"	21"/ø530mm	For any machine 21"	€ 105,00



#### STANDARD BRUSH WITHOUT ADAPTER CLUTCH - FOR MAINTENANCE

The prices of brushes does not include the Adapeter Clutch. Please specify if you also want the Clutch. The adapter clutch can be reused when the brush has worn out.

626113P1	Nylon Brush	13"/ø330mm	For any machine 13"	€ 42,50
626117P1	Nylon Brush	17"/ø430mm	For any machine 17" and 18"	€ 52,50
626120P1	Nylon Brush	20"/ø500mm	For any machine 20"	€ 78,50
626121P1	Nylon Brush	21"/ø530mm	For any machine 21"	€ 79,00



#### SOFT BRUSH WITHOUT ADAPTER CLUTCH - FOR CARPET CLEANING

The prices of brushes does not include the Adapeter Clutch. Please specify if you also want the Clutch. The adapter clutch can be reused when the brush has worn out.

626113P3	Soft Brush	13"/ø330mm	For any machine 13"	€ 46,50
626117P3	Soft Brush	17"/ø430mm	For any machine 17" and 18"	€ 57,50
626120P3	Soft Brush	20"/ø500mm	For any machine 20"	€ 85,50
626121P3	Soft Brush	21"/ø530mm	For any machine 21"	€ 87,50



#### POLISHING BRUSH WITHOUT ADAPTER CLUTCH

The prices of brushes does not include the Adapeter Clutch. Please specify if you also want the Clutch. The adapter clutch can be reused when the brush has worn out.

626113U	Polishing Brush	13"/ø330mm	For any machine 13"	€ 56,50
626117U	Polishing Brush	17"/ø430mm	For any machine 17" and 18"	€ 82,50
626120U	Polishing Brush	20"/ø500mm	For any machine 20"	€ 92,00
626121U	Polishing Brush	21"/ø530mm	For any machine 21"	€ 98,00



#### HARD BRUSH WITHOUT ADAPTER CLUTCH - FOR HEAVY DUTY CLEANING

The prices of brushes does not include the Adapeter Clutch. Please specify if you also want the Clutch. The adapter clutch can be reused when the brush has worn out.

626113S	Winnex Brush	13"/ø330mm	For any machine 13"	€ 105,00
626117S	Winnex Brush	17"/ø430mm	For any machine 17" and 18"	€ 159,00
626120S	Winnex Brush	20"/ø500mm	For any machine 20"	€ 220,00
626121S	Winnex Brush	21"/ø530mm	For any machine 21"	€ 258,00

## **ACCESSORIES FOR FLOOR CARE MACHINES**

PICTURE	COD€	NAME	SIZE	MACHINE	€ each



PAD HOLDER FOR ABRASIVE SANDPAPERS				
45027	Pad Holder Sand paper	17"/ø430mm	Single Discs, Levighetor, Timba	€ 122,50
45027FUT	Pad Holder Sand paper	17"/ø430mm	Futura, Rocky	€ 122,50
45027BEL	Pad Holder Sand paper	17"/ø430mm	Bella	€ 122,50
45027MAXIORB	Pad Holder Sand paper	17"/ø430mm	Maxi Orbit	€152,00



STEEL BRUSH				
43009	Steel Brush	17"/ø430mm	Single Discs	€ 109,00
45009	Steel Brush	18"/ø450mm	Single Discs, Levighetor	€ 115,50
43009FUT	Steel Brush	17"/ø430mm	Futura, Rocky	€ 118,00
45009FUT	Steel Brush	18"/ø450mm	Futura, Rocky	€ 118,00
45009BEL	Steel Brush	18"/ø450mm	Bella	€ 129,00
43010	Steel Brush	17"/ø430mm	Maxi Orbit	€ 105,00



STEEL WOOL				
04863	Steel wool	17"/ø430mm	Box 12 pcs	€ 125,50
43066	Pad Holder Steel wool	17"/ø430mm	Single Discs	€ 135,00
43066FUT	Pad Holder Steel wool	17"/ø430mm	Futura, Rocky	€ 145,00
43066	Pad Holder Steel wool	17"/ø430mm	Levighetor, Timba	€ 135,00



EXTRA WEIGHT FOR LEVIGHETOR - HERCULES					
CA51001	Extra Weight	17 kg	Levighetor, Hercules 450-550	€ 165,00	



EXTRA WEIGHT FOR SINGLE DISC MACHINES					
PG983	Extra Weight	5 kg	Unika, Kroma, Rocky, Futura	€ 65,00	



EXTRA WEIGHT				
CA51001Z	Extra Weight	17 Kg	Kroma	€ 195,00



WATER TANK				
45000	Tank 12	12lt	Single Discs, Lev.	€ 108,50
46000	Tank 18	18lt	Single Discs, Lev.	€ 121,50
SE4501	Tank 18 new	18lt	Single Discs, Lev.	€ 131,00

Made in Italy 67 31 YEARS

PICTURE CODE NAME SIZE MACHINE € each



#### MULTIDISK ø430mm (17").

It Can be applied to any mono-rotary floor machine. By increasing the speed of the diamond pads it makes the job faster and better than using a regular pad-holder.

430140	Multidisk 430 (AS Ø140)	17"/ø430mm	Unika, Kroma	€ 495,00
430100	Multidisk 430 (AS Ø100)	17"/ø430mm	Unika, Kroma	€ 495,00
430140FUT	Multidisk 430 (AS Ø140)	17"/ø430mm	Futura, Rocky	€ 495,00
430100FUT	Multidisk 430 (AS Ø100)	17"/ø430mm	Futura, Rocky	€ 495,00
AP4101	Splash Guard for Multidisk 430	17"/ø430mm	Multidisk 430	€ 67,50



#### EASY PLATE ø430mm (17").

Velcro backed pad holder to accommodate velcro backed diamond disc.

430161	Easy Plate 430	17"/ø430mm	Unika, Kroma	€ 148,00
430161FUT	Easy Plate 430	17"/ø430mm	Futura, Rocky	€ 148,00
430161BEL	Easy Plate 430	17"/ø430mm	Bella	€ 148,00



#### FRANKFURT PLATE.

Plate holder to use FRANKFURT tools.

02590	Frankfurt Plate A3	17"/ø430mm	Unika, Kroma, Levighetor	€ 165,00
02591	Frankfurt Plate A5	21"/ø530mm	Unika, Kroma, Levighetor	€ 205,00
02590FUT	Frankfurt Plate A3	17"/ø430mm	Futura, Rocky	€ 165,00
02591FUT	Frankfurt Plate A5	21"/ø530mm	Futura, Rocky	€ 205,00
02590BEL	Frankfurt Plate A3	17"/ø430mm	Bella	€ 165,00



#### FIXED PLATE A3 ø430mm (17")

 $Pad\ holder\ with\ three\ attachments\ to\ use\ diamond\ discs,\ carborundum,\ tytan\ and\ antique\ brushes\ \emptyset 100mm.$ 

00801	Aluminium fixed plate A3	17"/ø430mm	Unika, Kroma, Levighetor	€ 325,00
00801FUT	Aluminium fixed plate A3	17"/ø430mm	Futura, Rocky	€ 325,00
00801BEL	Aluminium fixed plate A3	17"/ø430mm	Bella	€ 325,00



#### KDT - THERMAL DISC

A special patented attachment disc for mono-rotary floor machines. It is designed to heat up the surface of the floor by friction (no electric power) making the crystallization process easier, faster and better.

KDT	Thermal Disc	17"/ø430mm	Unika, Kroma, Levighetor	€ 1.110,00
KDTFUT	Thermal Disc	17"/ø430mm	Futura, Rocky	€ 1.110,00



#### DIRECTIONAL WHEELS 360°

CA0405	Kit Directional wheels	360°	Levighetor 600-640-645-650, Timba	€ 755,00
CA0405	Kit Directional wheels	300	Levigiletoi 000-040-045-050, Tilliba	€ 755,00
RTO025	Single Sphere		Levighetor 600-640-645-650, Timba	€ 58,00
CA016101	Directional wheels with gaske		Levighetor 600-640-645-650, Timba	€ 151,00
CA016501	Gasket without sphere		Levighetor 600-640-645-650, Timba	€ 98,00
CA32201	Axle for Directional wheels Kit		Levighetor 600-640-645-650, Timba	€ 32,00

SINGLE DISC

PICTURE CODE NAME SIZE MACHINE € each



#### CARBORUNDUM ø410mm (16").

It is the ideal accessory for levelling cement floors. It eliminates brush marks and surplus materials.

410728	Complete with flange	16"/ø406mm	Single Discs, Levighetor, Timba	€ 230,00
410728FUT	Complete with flange	16"/ø406mm	Futura, Rocky	€ 250,00
410728BEL	Complete with flange	16"/ø406mm	Bella	€ 250,00
410729	Spare part ring	16"/ø406mm		€ 142,00



#### TYTAN RING VIDIA ø440mm (17,5").

Special vidia discs for quick removal of glue and thick resin coatings and for floor preparation.

430170	Complete with flange	Coarse	Single Discs, Levighetor, Timba	€ 298,00
430170FUT	Complete with flange	Coarse	Futura, Rocky	€ 308,00
430170BEL	Complete with flange	Coarse	Bella	€ 308,00
430180	Spare part ring	Coarse		€ 225,00
430171	Complete with flange	Medium	Single Discs, Levighetor, Timba	€ 298,00
430171FUT	Complete with flange	Medium	Futura, Rocky	€ 308,00
430171BEL	Complete with flange	Medium	Bella	€ 308,00
430181	Spare part ring	Medium		€ 198,00



#### TYTAN DISK ø430mm (17").

Special tytan discs for quick removal on cement, painted cement, resin floors and on foundations. (To use with Pad Holder SAND PAPER cod.45027).

431112	Tytan Disk ø 430	Fine	€ 139,00
431111	Tytan Disk ø 430	Medium	€ 139,00
431110	Tytan Disk ø 430	Coarse	€ 139,00



#### BUSH-HAMMER A6 ø430mm (17").

For bush-Hammering, for preparing anti-slip surfaces and to remove thick resin coatings.

			_	
45030	Complete Kit	17"/ø430mm	Single Discs	€ 1.325,00
45030FUT	Complete Kit	17"/ø430mm	Futura, Rocky	€ 1.335,00
45030BEL	Complete Kit	17"/ø430mm	Bella	€ 1.335,00
45030	Complete Kit	17"/ø430mm	Levighetor, Timba	€ 1.325,00
45031	Spare part roller			€ 185,00



#### GROUTING DISC ø430mm (17").

For grouting jointed floors.

45026FUT	Grouting Disc	17"/ø430mm	Futura, Rocky	€ 275,00
45026BEL	Grouting Disc	17"/ø430mm	Bella	€ 275,00
45025	Grouting Disc HD	17"/ø430mm	Levighetor, Timba	€ 275,00
450263	Rubber support	KIT 8 pcs		€ 154,00




#### LEVELLING DISC.

Levelling disc for fresh concrete.

51025	Complete levelling disc	20"/ø510mm	Single Discs	€ 190,00
51025FUT	Complete levelling disc	20"/ø510mm	Futura, Rocky	€ 190,00
51025BEL	Complete levelling disc	20"/ø510mm	Bella	€ 190,00
51025HD	Complete levelling disc	20"/ø510mm	Levighetor, Timba	€ 245,00
51024	Levelling plate spare part	20"/ø510mm		€ 145,00

Made in Italy 69 31 YEARS





#### DUST CONTROL KIT

AP6601	Includes vacuum Silurtech, tube and vacuum hood for pad holder.	Levighetor 155, Timba with Pad Holder	€ 860,00
AP6701	Includes vacuum Silurtech, tube and vacuum hood for pad holder.	Levighetor 200 with Pad Holder	€ 860,00
AP6801	Includes vacuum Silurtech, tube and vacuum hood for Planetary with diamond or pavelux.	Levighetor, Timba with Planetary	€ 860,00
AP1201S	Vacuum Silurtech, tube.	Levighetor, Timba, Kroma Sander, Bella Sander, Unika Sander, Futura Sander	€ 795,00



#### **SPLASH GUARD HOOD**

Includes vacuum hood and Splash guard.

10101	Splash guard hood	Levighetor 200	€ 250,00
10102	Splash guard hood	Levighetor 155	€ 250,00
AP8401	Bella splash guard	K3, K4 Planetary	€ 68,00



#### VACUUM HOOD FOR PAD HOLDER

Vacuum hood includes support ring and vacuum guard.

AP2401	Vacuum hood for Pad Holder	Levighetor 200	€ 215,00
AP0201	Vacuum hood for Pad Holder	Levighetor 155, Timba	€ 215,00
AP1902	Vacuum Guard with velcro H 90mm	Levighetor, Timba	€ 68,00
AP022501	Vacuum Guard H 90mm	Levighetor, Timba	€ 98,00
AP1801P	Plastic ring CPL	Levighetor, Timba	€ 155,00



#### VACUUM HOOD FOR PLANETARY

Vacuum hood includes support ring and vacuum guard.

AP0501NEW	Vacuum hood Planetary (AP1501 + AP2001)	K800W, K1000, K2000, K3, K4	€ 215,00
AP9601	Vacuum hood Planetary	K1200	€ 370,00
AP0501B	Vacuum hood Planetary (AP9401)	K1500	€ 250,00
AP0501C	Vacuum hood Planetary (AP9401)	Planetary with Spring Holder	€ 250,00
AP9701	Vacuum Guard 115X1565mm	K1200	€ 68,00
AP1501	Vacuum Guard 115X1565mm	K1000, K2000, K800W	€ 68,00
AP9501	Vacuum Guard 115X1750mm	K1500	€ 68,00
AP1701	Vacuum Guard 115X1565mm	Planetary with Pavelux or Antike brushes	€ 68,00



#### THIRD FRONT WHEEL

To reduce the pressure on soft or abrasive floors when the motor couldn't have enough power.

CA010102	Third front Wheel	Levighetor, Timba	€ 195,00
CA11402	Third front Wheel	Levighetor Max, Rafter	€ 295,00











\* Minimum Order: 5 discs for colour.

	<b>WHITE</b> For polishing.	<b>GREEN</b> For wet stripping on linoleum, rubber.	<b>BLACK</b> For wet Stripping Hard Floor.	<b>RED</b> For Spray Cleaning.	SIZE Ø	€
CODE	30041	30042	30043	30045	4" - 100mm	€ 3,90
CODE	30061	30062	30063	30065	6" - 150mm	€ 4,50
CODE	30081	30082	30083	30085	8" - 200mm	€ 4,90
CODE	30091	30092	30093	30095	9,5" - 240mm	€ 5,90
CODE	30111	30112	30113	30115	11" - 280mm	€ 6,50
CODE	30131	30132	30133	30135	13" - 330mm	€ 6,90
CODE	30141	30142	30143	30145	14" - 355mm	€ 8,30
CODE	30161	30162	30163	30165	16" - 406mm	€ 8,70
CODE	30171	30172	30173	30175	17" - 430mm	€ 9,30
CODE	30201	30202	30203	30205	20" - 510mm	€ 13,50
CODE	30211	30212	30213	30215	21" - 530mm	€ 14,50
CODE	30241	30242	30243	30245	24" - 610mm	€ 22,50
CODE	30281	30282	30283	30285	28" - 710mm	€ 28,50





\* Minimum Order: 5 discs for colour.



DI	30	111	NI
ОГ	าบ	vv	IV

For wet and dry cleaning

**DISCOLUX** 

For High-Speed machines. Specially for use with

SIZE ø

SUPERBLACK HD Special abrasive floor pads to clean effectively and to remove concrete milk on industrial floors.

30090HD	9,5" - 240mm	€ 9,00
30113HD	13" - 330mm	€ 11,00
30173HD	17" - 430mm	€ 15,00


	hard floors.	polishing powder. <b>M43</b>	M56		
CODE	30047	30046A	30046B	4" - 100mm	€ 4,10
CODE	30067	30066A	30066B	6" - 150mm	€ 4,90
CODE	30087	30086A	30086B	8" - 200mm	€ 5,50
CODE	30097	30096A	30096B	9,5" - 240mm	€ 6,50
CODE	30117	30116A	30116B	11" - 280mm	€ 7,50
CODE	30137	30136A	30136B	13" - 330mm	€ 9,50
CODE	30147	30146A	30146B	14" - 355mm	€ 9,90
CODE	30167	30166A	30166B	16" - 406mm	€ 10,50
CODE	30177	30176A	30176B	17" - 430mm	€ 10,90
CODE	n.a.	30185A	30185B	19" - 480mm	€ 15,10
CODE	30207	30206A	30206B	20" - 510mm	€ 15,50
CODE	30217	30216A	30216B	21" - 530mm	€ 15,90
CODE	n.a.	30246A	30246B	24" - 610mm	€ 22,50
CODE	n.a.	30286A	30286B	28" - 710mm	€ 26,50

# Supershine & Spongelux


- New and revolutionary diamond discs to restore the gloss on marble floors and terrazzo. Used regularly, they maintain floors always bright as just polished. Easy to use. Use them as a normal "floor pad" disk with mono brush machines or auto-scrubbers. They remove scratches, even deep, clean and polish.
- SUPERSHINE PLUS, with semi-rigid support, is recommended with the use of "mono brush machines" to re-polish perfectly and in a short time also very old and worn out floors, getting results comparable to those obtained with the professional Floor Care Machines. They leave a mirror and glide polished surface without "the orange peel effect" which generally leave the competitors diamond abrasive discs on soft support. They remove deep scratches and restore also acid, wine, coca cola or other products stained -floors.




SUPERSHINE SOFT with soft support like "floor pads" is designed for more ordinary use, for glossy recovery and maintenance in large areas with auto-scrubber. Used with normal mono brushes, they can polish also old and worn floors, ensuring an optimal result, not comparable to SUPERSHINE PLUS but higher than similar products which are on the market because they contain more "diamond". SUPERSHINE SOFT can be used WET or DRY SYSTEM! SUPERSHINE SOFT diamond pads can be used on most common floor surfaces such as terrazzo, ceramic tiles, linoleum, vinyl/plastic, natural stone. Transforms a dull, worn floors into clean, glossy and brightly polished floors.



SUPERSHINE PLUS and SUPERSHINE SOFT are available in several grains 00, 0, 1, 2 and 3. Generally used grains are 1, 2 and 3 followed by SPONGELUX. If deep or very deep scratches need to be removed it is suggested to start from 0 or 00.



**SPONGELUX** is a special sponge disc, that is able to wash and polish with only one step. Thanks to its special composition. SpongeLux is the ideal solution for standard maintenance of all type of surfaces since it provides great results and keeps floors shining forever.




#### Where can Supershine e Spongelux be used?

- Marble and Terrazzo Ceramic and Klinker slabs Natural stone PVC / Vinyl
- Epoxy resin Rubber Wood



SUPERSHINE PLUS



SUPERSHINE SOFT



SPONGELUX



### **Efficient, Fast, Bright!**

#### "Supershine & Spongelux" are easy to use!

They are available in the same standard sizes of the Floor Discs normally sold all over the world. They can be applied on any type of floor care machines and auto-scrubbers. Using "Supershine & Spongelux" regularly, instead of the traditional Floor Pads, it allows to restore and maintain the floor shiny forever without changing your normal cleaning routine. The combination of Supershine1, Supershine2 and Supershine3 will allow you to remove scratches. Spongelux, thanks to its magic formula, cleans and polishes marble, terrazzo ecc.. giving it a mirror effect quickly! Regularly used, your floor will remain clean and shiny.











#### Diamond and Water, respecting the environment



#### Just add some water!

The use of Spongelux and Supershine discs requires no chemical or wax. Cleaning and polishing are carried out in full respect of the environment. The usage of just water reduces the environmental impact and eliminates the additional costs of chemicals. With Spongelux and Supershine you will soon obtain an amazing clean and brighting floor without using wax, polish or chemical.



#### **BENEFITS**

- It cuts costs.
- It improves your performance.
- It increases customer satisfaction.
- Floor is always clean and shining.
- Environmental sustainable cleaning.
- It requires only water.
- It reduces bacteria on floors.

#### Where others cannot reach

The perfect combination between Klindex machines and Supershine discs allows you to operate where others can't. For example:

With Supershine and Baby you can conveniently polish staircases and landings.

With Supershine and Vertika you can rapidly polish walls, counters and top.

With Supershine and Minielle you can polish narrow spaces.









## KlindexDemo


Calling the number +39 085 859546 it is possible to book a demonstration at your headquarters or your working site.

Klindex, always close to its customers!



Made in Italy 75 31 YEARS

## Supershine & Spongelux PLUS







- \* Minimum order:
- 1 Kit 4 discs grit: 1-2-3-Spongelux.
- 2 discs of the same grit.

4"/ø100mm SUPERSHINE PLUS			
30125K	COMPLETE KIT	€ 43,60	
30125	SUPERSHINE PLUS 1	€ 10,90	
30126	SUPERSHINE PLUS 2	€ 10,90	
30127	SUPERSHINE PLUS 3	€ 10,90	
33090	SPONGELUX	€ 13 20	

5,5 "/ø140mm SUPERSHINE PLUS		
30384K	COMPLETE KIT	€ 57,00
30384A	SUPERSHINE PLUS 1	€ 13,50
30385	SUPERSHINE PLUS 2	€ 13,50
30386	SUPERSHINE PLUS 3	€ 13,50
330105	SPONGELUX	€ 16,50

6"/ø150mm SUPERSHINE PLUS		
30121K	COMPLETE KIT	€ 69,00
30121	SUPERSHINE PLUS 1	€ 17,50
30122	SUPERSHINE PLUS 2	€ 17,50
30123	SUPERSHINE PLUS 3	€ 17,50
33091	SPONGELUX	€ 22,50

8"/ø200mm SUPERSHINE PLUS			
30181K	COMPLETE KIT	€ 138,00	
30181	SUPERSHINE PLUS 1	€ 34,50	
30182	SUPERSHINE PLUS 2	€ 34,50	
30183	SUPERSHINE PLUS 3	€ 34,50	
33087	SPONGELUX	€ 49,50	

9,5"/ø240mm SUPERSHINE PLUS		
30197K	COMPLETE KIT	€ 208,00
30197	SUPERSHINE PLUS 1	€ 49,00
30198	SUPERSHINE PLUS 2	€ 49,00
30199	SUPERSHINE PLUS 3	€ 49,00
30200	SPONGELUX	€ 61.00

11"/ø280mm SUPERSHINE PLUS		
30150K	COMPLETE KIT	€ 230,00
30150	SUPERSHINE PLUS 1	€ 57,50
30151	SUPERSHINE PLUS 2	€ 57,50
30152	SUPERSHINE PLUS 3	€ 57,50
33093	SPONGELUX	€ 66,00

13"/ø330mm SUPERSHINE PLUS			
30153K	COMPLETE KIT	€ 260,00	
30153	SUPERSHINE PLUS 1	€ 66,50	
30154	SUPERSHINE PLUS 2	€ 66,50	
30155	SUPERSHINE PLUS 3	€ 66,50	
33094	SPONGELUX	€ 76,00	

16"/ø406mm SUPERSHINE PLUS		
30168K	COMPLETE KIT	€ 330,00
30168	SUPERSHINE PLUS 1	€ 83,50
30169	SUPERSHINE PLUS 2	€ 83,50
30170	SUPERSHINE PLUS 3	€ 83,50
33096	SPONGELUX	€ 95,00

17"/ø43	0mm SUPERSHINE PLI	JS
30178K	COMPLETE KIT	€ 342,00
30178	SUPERSHINE PLUS 1	€ 87,00
30179	SUPERSHINE PLUS 2	€ 87,00
30180	SUPERSHINE PLUS 3	€ 87,00
33097	SPONGELUX	€ 99,00

18"/ø450mm SUPERSHINE PLUS			
30257K	COMPLETE KIT	€ 380,00	
30257	SUPERSHINE PLUS 1	€ 93,50	
30258	SUPERSHINE PLUS 2	€ 93,50	
30259	SUPERSHINE PLUS 3	€ 93,50	
33099	SPONGELUX	€ 99,50	

20"/ø500mm SUPERSHINE PLUS			
30254K	COMPLETE KIT	€ 420,00	
30254	SUPERSHINE PLUS 1	€ 106,00	
30255	SUPERSHINE PLUS 2	€ 106,00	
30256	SUPERSHINE PLUS 3	€ 106,00	
30193	SPONGELUX	€ 124,00	

21"/ø530mm SUPERSHINE PLUS			
n.a.	COMPLETE KIT	no	
30251	SUPERSHINE PLUS 1	€ 108,00	
30252	SUPERSHINE PLUS 2	€ 108,00	
30253	SUPERSHINE PLUS 3	€ 108,00	
n.a.	SPONGELUX	no	

## Supershine & Spongelux SOFT

Supershine & Spongelux SOFT can be used with any type of single disc and auto-scrubber.





- \* Minimum order:
- 1 Complete Kit grit 1-2-3-4.
- 2 discs of the same grit.

4"/ø100mm SUPERSHINE SOFT			
30301K	COMPLETE KIT	€ 35,00	
30301B	SUPERSHINE SOFT 1	€8,90	
30302	SUPERSHINE SOFT 2	€8,90	
30303	SUPERSHINE SOFT 3	€8,90	
603044	SLIDEDSHINE SOFT A	€890	

5,5 "/ø140mm SUPERSHINE SOFT			
30490K	COMPLETE KIT	€ 50,00	
30490	SUPERSHINE SOFT 1	€ 12,50	
30491	SUPERSHINE SOFT 2	€ 12,50	
30492	SUPERSHINE SOFT 3	€ 12,50	
30493	SUPERSHINE SOFT 4	€ 12 50	

6"/ø150mm SUPERSHINE SOFT		
30311K	COMPLETE KIT	€ 56,00
30311	SUPERSHINE SOFT 1	€ 14,20
30312	SUPERSHINE SOFT 2	€ 14,20
30313	SUPERSHINE SOFT 3	€ 14,20
30314	SUPERSHINE SOFT 4	€ 14,20

8"/ø200mm SUPERSHINE SOFT		
30321K	COMPLETE KIT	€ 63,00
30321	SUPERSHINE SOFT 1	€ 15,90
30322	SUPERSHINE SOFT 2	€ 15,90
30323	SUPERSHINE SOFT 3	€ 15,90
30327	SUPERSHINE SOFT 4	€ 15,90

9,5"/ø240mm SUPERSHINE SOFT		
30294K	COMPLETE KIT	€ 76,00
30294	SUPERSHINE SOFT 1	€ 19,00
30295	SUPERSHINE SOFT 2	€ 19,00
30296	SUPERSHINE SOFT 3	€ 19,00
30297	SUPERSHINE SOFT 4	€ 19,00

11"/ø280mm SUPERSHINE SOFT		
30331K	COMPLETE KIT	€ 82,00
30331	SUPERSHINE SOFT 1	€ 20,50
30332	SUPERSHINE SOFT 2	€ 20,50
30333	SUPERSHINE SOFT 3	€ 20,50
30334	SUPERSHINE SOFT 4	€ 20,50

13"/ø330mm SUPERSHINE SOFT			
30341K	COMPLETE KIT	€ 98,00	
30341	SUPERSHINE SOFT 1	€ 24,50	
30342	SUPERSHINE SOFT 2	€ 24,50	
30343	SUPERSHINE SOFT 3	€ 24,50	
30344	SUPERSHINE SOFT 4	€ 24,50	

16"/ø406mm SUPERSHINE SOFT			
30361K	COMPLETE KIT	€ 134,00	
30361	SUPERSHINE SOFT 1	€ 33,50	
30362	SUPERSHINE SOFT 2	€ 33,50	
30363	SUPERSHINE SOFT 3	€ 33,50	
30364	SUPERSHINE SOFT 4	€ 33,50	

17"/ø430mm SUPERSHINE SOFT		
€ 142,00		
€ 35,50		
€ 35,50		
€ 35,50		
€ 35,50		

18"/ø450mm SUPERSHINE SOFT		
30194K	COMPLETE KIT	€ 150,00
30194	SUPERSHINE SOFT 1	€ 37,50
30195	SUPERSHINE SOFT 2	€ 37,50
30196	SUPERSHINE SOFT 3	€ 37,50
30197	SUPERSHINE SOFT 4	€ 37,50

20"/ø500mm SUPERSHINE SOFT			
30381K	COMPLETE KIT	€ 158,00	
30381	SUPERSHINE SOFT 1	€ 39,50	
30382	SUPERSHINE SOFT 2	€ 39,50	
30383	SUPERSHINE SOFT 3	€ 39,50	
30384	SUPERSHINE SOFT 4	€ 45,50	

21"/ø530mm SUPERSHINE SOFT			
30407K	COMPLETE KIT	€ 174,00	
30407	SUPERSHINE SOFT 1	€ 43,50	
30408	SUPERSHINE SOFT 2	€ 43,50	
30409	SUPERSHINE SOFT 3	€ 43,50	
30410	SUPERSHINE SOFT 4	€ 43,50	

Made in Italy 77 31 YEARS

Marble and Terrazzo: polishing with SUPERSHINE PLUS on single discs floor care machine.



- Start grinding the floor with SUPERSHINE PLUS grit 1 or 2 according to the condition of the floor, then proceed with SUPERSHINE PLUS grit 3. It is always suggested to work with little quantity of water for about 60 sec/mq.
- Polish with SPONGELUX working with little quantity of water.

### Marble and Terrazzo: polishing with SUPERSHINE SOFT on automatic Scrubber Dryer.



• Start scrubbing the floor with SUPERSHINE SOFT grit 1 or 2 according to the condition of the floors then proceed with SUPERSHINE SOFT grit 3 and 4.

**Maintenance:** use SUPERSHINE SOFT grit 4 with neutral cleaner or Stone SOAP as daily maintenance to keep the floor always glossy.

### Linoleum, PVC, Vinyl: floor restoration with high speed single disc machines.



- High speed polishing machine like FUTURA is recommended.
- Start scrubbing the floor with SUPERSHINE SOFT grit 1 or 2 according to the condition of the floor then proceed with SUPERSHINE SOFT grit 3 a. It is always suggested to work with little quantity of water at the medium speed of 200 rpm for about 60 sec/mg
- Polish with SUPERSHINE SOFT grit 4 working with little quantity of water at the higher speed of 400 rpm.

**Maintenance:** buff the floor with SUPERSHINE SOFT grit 4 dry system by High speed buffing machine like Tornado. In alternative it can be used FUTURA at speed of 400 rpm.

### Matt finished ceramic, klinker and glazed tiles: heavy duty cleaning (do not use on polished tiles).



- Start scrubbing the floor with SUPERSHINE SOFT grit 2 according to the condition of the floor, work at low speed of 160 rpm. Work wet with little quantity of water until old marks and dirty will disappear
- Proceed with SUPERSHINE SOFT grit 4. Work with little quantity of water, at low speed.



- High speed polishing machine like FUTURA is recommended.
- Start scrubbing the floor with SUPERSHINE SOFT grit 1 or 2 according the condition of the floor then proceed with SUPERSHINE SOFT grit 3 and 4. Work dry at medium speed of 200 rpm until old marks and imperfection disappear.
- Polish with SUPERSHINE SOFT grit 4 working at high speed

Maintenance: buff the floor with SUPERSHINE SOFT grit 4 dry system by high speed machine.

### Old resin and epoxy coated: floor restoration.



- High speed polishing machine like FUTURA is recommended.
- Start scrubbing the floor with SUPERSHINE SOFT grit 0 or 1 according to the condition of the floor then proceed with SUPERSHINE SOFT grit 2 and 3. It is always suggested to work with little quantity of water at the medium speed of 200 rpm for about 60 sec/mq.
- Polish with SUPERSHINE SOFT grit 4 working with little quantity of water at the higher speed of 400 rpm.

**Maintenance:** buff the floor with SUPERSHINE SOFT grit 4 dry system by High speed buffing machine like Tornado. In alternative it can be used FUTURA at speed of 400 rpm.

### Stone Edges & Skirt: polishing by hand grinder and polishing machines.



- Thanks to the high elasticity and performances and thanks to the various size available, Supershine Soft can be used with any hand grinder and polishing machine to operate in those situations where is not possible to use big machines. Supershine Soft makes easy and fast to polish narrow and difficult areas.
- Start grinding the floor with SUPERSHINE SOFT grit 0 or 1 according to the condition of the floor.
- Proceed with SUPERSHINE SOFT grit 2 and 3.
- Polish with SUPERSHINE SOFT 4. Work with little quantity of water or dry at higher speed.



GRINDING

SINGLE DISC

TOOLS

SPECIAL

VACUUM

Made in Italy 79 31 YEARS



The patented Klindex' Planetary has changed the way of grinding, honing and polishing marble, granite and other natural stone floors. Depending on the way the Planetary is geared, the diamond pads can spin at 800, 1000, 1200 or 2000 RPM. The production has incredibly increased and the result is a more uniform finish at any grit.



**SKRAPER**For glue and coating removal.



**ANTIKE**For antique finishing.



**DA**For floor preparation.



**CK GREEN**For concrete polishing, wet & dry system.



**CARBORUNDUM**To smooth cement foundations.



MS
For grinding marble and terrazzo.



**MK**For polishing marble and terrazzo.



**GK** For polishing granite.



**PAVELUX**To smooth on any abrasive floor.



For asphalt and abrasive concretes.

€ each

MACHINE

THE FLOOR TREATMENT SPECIALIST SINCE 1988



**PICTURE** 

#### Planetary K1000

NAME

CODE

Ideal to grind and polishing marble, limestone, terracotta, concrete and terrazzo floors.

01000NEWAS Planetary K1000 17"/ø430mm Lev. 600, 640 € 1.545,00

SIZE



#### Planetary K1200

The K1200 - very similar to the K1000 but more performance because it can carry tools ø140/146mm di. It has special amortized supports that allow to adapt on the floors.

01200 Planetary K1200 18"/ø450mm Lev. 600, 645 € 1.895,00



#### Planetary K1500

Planetary K1500 fit tools ø8"/200mm or ø3"/75mm. Thank its large working section of ø20"/500mm it grind and polish floors in the fastest way leaving a very planar surface. It has a special amortized support.

01500 Planetary K1500 20"/ø500mm Lev. 650 € 2.095,00



#### Planetary K2000

The most suitable Planetary for grinding and polishing granite, porfido and gres porcellain. It multiplies by 11 the rated speed of the machine.

00800WNEW Planetary K2000 17"/ø430mm Lev. 600 series € 1.895,00



#### Planetary K800 W

The K800W is the Planetary specially designed for sanding wood floors. It leaves the surface perfectly planar and thanks to the integrate vacuum hood to connect to vacuum it works Dust Free.

00800WNEW Planetary WOODEN 18"/ø450mm Lev. 155, Timba € 1.995,00



#### Planetary K800 MAX

Planetary extremely strong and performance. It fits anti-shock system and tools holder 9,5"/ø240mm.

00800MAX Planetary K800 MAX 21"/ø530mm Lev. Max € 2.950,00

Made in Italy 81 31 YEARS

## The floor solution in a Box!

## EASY KIT SUPERCONCRETE Complete kit for grinding and polishing concrete floors.





EASYKITC645

140820

140821

140822

075493

075494

075495

075496



**EASY KIT SUPERCONCRETE** 

DA0 grit40

DA1 grit70

DA2 grit140

Jumper Green 3

Jumper Green 4

Jumper Green 5

Jumper Green 6

Levighetor 645

1 pc

3 pcs

3 pcs

3 pcs

9 pcs

9 pcs

9 pcs

9 pcs

9 pcs

9 pcs

1 pc

5,5"/ø140mm

5,5"/ø140mm

5,5"/ø140mm

3"/ø75mm

3"/ø75mm

3"/ø75mm

3"/ø75mm

€ 3.430,00

included

EASY KIT SUPERCONCRETE 4"/ø100mm					
EASY KIT SUPERCON	ICRETE	1 pc	€ 3.390,00		
DA0 grit40	4"/ø100mm	3 pcs	included		
DA1 grit70	4"/ø100mm	3 pcs	included		
DA2 grit140	4"/ø100mm	3 pcs	included		
Jumper Green 3	3"/ø75mm	9 pcs	included		
Jumper Green 4	3"/ø75mm	9 pcs	included		
Jumper Green 5	3"/ø75mm	9 pcs	included		
Jumper Green 6	3"/ø75mm	9 pcs	included		
Jumper Green 7	3"/ø75mm	9 pcs	included		
Jumper Green 8	3"/ø75mm	9 pcs	included		
KIT Spring Holder	4"/ø100mm	1 pc	included		
	EASY KIT SUPERCON DA0 grit40 DA1 grit70 DA2 grit140 Jumper Green 3 Jumper Green 4 Jumper Green 5 Jumper Green 6 Jumper Green 7 Jumper Green 8	EASY KIT SUPERCONCRETE  DA0 grit40	EASY KIT SUPERCONCRETE 1 pc  DA0 grit40 4"/ø100mm 3 pcs  DA1 grit70 4"/ø100mm 3 pcs  DA2 grit140 4"/ø100mm 3 pcs  Jumper Green 3 3"/ø75mm 9 pcs  Jumper Green 4 3"/ø75mm 9 pcs  Jumper Green 5 3"/ø75mm 9 pcs  Jumper Green 6 3"/ø75mm 9 pcs  Jumper Green 7 3"/ø75mm 9 pcs  Jumper Green 7 3"/ø75mm 9 pcs  Jumper Green 8 3"/ø75mm 9 pcs		



- Levighetor 650
- **Hercules 450-451**
- Hercules 550-551
  - Expander 530

	oumper encome	0 / 5 / 6 / 1 / 1
075497	Jumper Green 7	3"/ø75mm
075498	Jumper Green 8	3"/ø75mm
AP010901	KIT Spring Holder	5,5"/ø140mm
		•Ex

•Expander 1000-850-750-650-580 Levighetor Max • Hercules 800-650-601

#### **EASY KIT SUPERCONCRETE 8"/ø200mm**

EASYKITC650	EASY KIT SUPERCO	NCRETE	1 pc	€ 3.050,00
200820	DA0 grit40	8"/ø200mm	3 pcs	included
200821	DA1 grit70	8"/ø200mm	3 pcs	included
200822	DA2 grit140	8"/ø200mm	3 pcs	included
075493	Jumper Green 3	3"/ø75mm	9 pcs	included
075494	Jumper Green 4	3"/ø75mm	9 pcs	included
075495	Jumper Green 5	3"/ø75mm	9 pcs	included
075496	Jumper Green 6	3"/ø75mm	9 pcs	included
075497	Jumper Green 7	3"/ø75mm	9 pcs	included
075498	Jumper Green 8	3"/ø75mm	9 pcs	included

#### EASY KIT SUPERCONCRETE 9,5"/ø240mm

EASYKITCEXP	EASY KIT SUPERCO	NCRETE	1 pc	€ 2.980,00
240820	DA0 grit40	9,5"/ø240mm	3 pcs	included
240821	DA1 grit70	9,5"/ø240mm	3 pcs	included
240822	DA2 grit140	9,5"/ø240mm	3 pcs	included
075493	Jumper Green 3	3"/ø75mm	9 pcs	included
075494	Jumper Green 4	3"/ø75mm	9 pcs	included
075495	Jumper Green 5	3"/ø75mm	9 pcs	included
075496	Jumper Green 6	3"/ø75mm	9 pcs	included
075497	Jumper Green 7	3"/ø75mm	9 pcs	included
075498	Jumper Green 8	3"/ø75mm	9 pcs	included

3I YEARS

## **EASY KIT MARBLE**

Complete kit for grinding and polishing marble floors.



#### • Levighetor 640



#### • Levighetor 645

EASY KIT MA	ARBLE 4"/ø100mm			
EASYKITM640	EASY KIT MARBLE		1 pc	€ 2.295,00
100900	MS0	4"/ø100mm	3 pcs	included
100901	MS1	4"/ø100mm	3 pcs	included
100902	MS2	4"/ø100mm	3 pcs	included
100593AS	MCK3	4"/ø100mm	3 pcs	included
100694AS	MK 4	4"/ø100mm	3 pcs	included
100695AS	MK 5	4"/ø100mm	3 pcs	included
100696AS	MK 6	4"/ø100mm	3 pcs	included
100697AS	MK 7	4"/ø100mm	3 pcs	included
00656KG1	Polish KP92	kg 1	1 pc	included
00912R	Hand Pad	grit 120	1 pc	included
00913R	Hand Pad	grit 220	1 pc	included
00914R	Hand Pad	grit 400	1 pc	included
00915R	Hand Pad	grit 800	1 pc	included





• Levighetor 650 • Hercules 450-451

- Hercules 550-551
- - Expander 530



•Expander 1000-850-750-650-580 Levighetor Max • Hercules 800-650-601

EASY KIT MA	RBLE 8"/ø200mm
EASYKITM650	EASY KIT MARBLE

_				
EASYKITM650	EASY KIT MARBLE		1 pc	€ 2.850,00
200900	MS0	8"/ø200mm	3 pcs	included
200901	MS1	8"/ø200mm	3 pcs	included
200902	MS2	8"/ø200mm	3 pcs	included
075793OR	Jumper Orange 3	3"/ø75mm	9 pcs	included
0750120	Jumper Yellow grit 120	3"/ø75mm	9 pcs	included
0750220	Jumper Yellow grit 220	3"/ø75mm	9 pcs	included
0750400	Jumper Yellow grit 400	3"/ø75mm	9 pcs	included
0750800	Jumper Yellow grit 800	3"/ø75mm	9 pcs	included
00656KG1	Polish KP92	kg 1	1 pc	included
00912R	Hand Pad	grit 120	1 pc	included
00913R	Hand Pad	grit 220	1 pc	included
00914R	Hand Pad	grit 400	1 pc	included
00915R	Hand Pad	grit 800	1 pc	included

#### EASY KIT MARBLE 9,5"/ø240mm

EASYKITMEXP	EASY KIT MARBLE		1 pc	€ 3.750,00
240900DS12S	MS0	9,5"/ø240mm	3 pcs	included
240901DS12S	MS1	9,5"/ø240mm	3 pcs	included
240902DS12S	MS2	9,5"/ø240mm	3 pcs	included
075793OR	Jumper Orange 3	3"/ø75mm	9 pcs	included
0750120	Jumper Yellow grit 120	3"/ø75mm	9 pcs	included
0750220	Jumper Yellow grit 220	3"/ø75mm	9 pcs	included
0750400	Jumper Yellow grit 400	3"/ø75mm	9 pcs	included
0750800	Jumper Yellow grit 800	3"/ø75mm	9 pcs	included
00656KG1	Polish KP92	kg 1	1 pc	included
00912R	Hand Pad	grit 120	1 pc	included
00913R	Hand Pad	grit 220	1 pc	included
00914R	Hand Pad	grit 400	1 pc	included
00915R	Hand Pad	grit 800	1 pc	included

Made in Italy

# EASY KIT TERRAZZO FLOORS Complete kit for grinding and polishing terrazzo and conglomerate floors.



#### • Levighetor 640



#### • Levighetor 645

EASY KIT TERRAZZO 4"/ø100mm						
EASYKITT640	EASY KIT TERRAZZO		1 pc	€ 1.950,00		
100720MTS5S	MTS0	4"/ø100mm	3 pcs	included		
100721MTS5S	MTS1	4"/ø100mm	3 pcs	included		
100722MTS5S	MTS2	4"/ø100mm	3 pcs	included		
100793AS	CK Orange 3	4"/ø100mm	3 pcs	included		
100794AS	CK Orange 4	4"/ø100mm	3 pcs	included		
100795AS	CK Orange 5	4"/ø100mm	3 pcs	included		
100796AS	CK Orange 6	4"/ø100mm	3 pcs	included		
100797AS	CK Orange 7	4"/ø100mm	3 pcs	included		
000648KG1	Polish Terrazzo	kg 1	1 pc	included		
00912R	Hand Pad	grit 120	1 pc	included		
00913R	Hand Pad	grit 220	1 pc	included		
00914R	Hand Pad	grit 400	1 pc	included		
00915R	Hand Pad	grit 800	1 pc	included		

EASY KITTER	RRAZZO 5,5"/ø140mi	n		
EASYKITT645	EASY KIT TERRAZZO		1 pc	€ 1.950,00
140720TS5S	MTS0	5,5"/ø140mm	3 pcs	included
140721TS5S	MTS1	5,5"/ø140mm	3 pcs	included
140722TS5S	MTS2	5,5"/ø140mm	3 pcs	included
140793AS	CK Orange 3	5,5"/ø140mm	3 pcs	included
140794AS	CK Orange 4	5,5"/ø140mm	3 pcs	included
140795AS	CK Orange 5	5,5"/ø140mm	3 pcs	included
140796AS	CK Orange 6	5,5"/ø140mm	3 pcs	included
140797AS	CK Orange 7	5,5"/ø140mm	3 pcs	included
000648KG1	Polish Terrazzo	kg 1	1 pc	included
00912R	Hand Pad	grit 120	1 pc	included
00913R	Hand Pad	grit 220	1 pc	included
00914R	Hand Pad	grit 400	1 pc	included
00915R	Hand Pad	grit 800	1 pc	included



- Levighetor 650 • Hercules 450-451
- Hercules 550-551
- - Expander 530



•Expander 1000-850-750-650-580 Levighetor Max • Hercules 800-650-601

#### EASY KIT TERRAZZO 8"/ø200mm

EASYKITT650	EASY KIT TERRAZZO		1 pc +	€ 2.550,00
200720MTS6S	MTS0	8"/ø200mm	3 pcs	included
200721MTS6S	MTS1	8"/ø200mm	3 pcs	included
200722MTS6S	MTS2	8"/ø200mm	3 pcs	included
075793	Jumper Orange 3	3"/ø75mm	9 pcs	included
075794	Jumper Orange 4	3"/ø75mm	9 pcs	included
075795	Jumper Orange 5	3"/ø75mm	9 pcs	included
075796	Jumper Orange 6	3"/ø75mm	9 pcs	included
075797	Jumper Orange 7	3"/ø75mm	9 pcs	included
000648KG1	Polish Terrazzo	kg 1	1 pc	included
00912R	Hand Pad	grit 120	1 pc	included
00913R	Hand Pad	grit 220	1 pc	included
00914R	Hand Pad	grit 400	1 pc	included
00915R	Hand Pad	grit 800	1 pc	included

#### EASY KIT TERRAZZO 9,5"/ø240mm

	•			
EASYKITTEXP	EASY KIT TERRAZZO		1 pc	€ 2.690,00
240720MTS6S	MTS0	9,5"/ø240mm	3 pcs	included
240721MTS6S	MTS1	9,5"/ø240mm	3 pcs	included
240722MTS6S	MTS2	9,5"/ø240mm	3 pcs	included
075793	Jumper Orange 3	3"/ø75mm	9 pcs	included
075794	Jumper Orange 4	3"/ø75mm	9 pcs	included
075795	Jumper Orange 5	3"/ø75mm	9 pcs	included
075796	Jumper Orange 6	3"/ø75mm	9 pcs	included
075797	Jumper Orange 7	3"/ø75mm	9 pcs	included
000648KG1	Polish Terrazzo	kg 1	1 pc	included
00912R	Hand Pad	grit 120	1 pc	included
00913R	Hand Pad	grit 220	1 pc	included
00914R	Hand Pad	grit 400	1 pc	included
00915R	Hand Pad	grit 800	1 pc	included

### **EASY KIT GRANITE** - Complete kit for grinding and polishing granite and gres floors. **GRES**



#### • Levighetor 640

140711

140712

140713

140733

140734

140735



**EASY KIT GRANITE - GRES** 

GS1

GS2

GS3

GK Red 3

GK Red 4

GK Red 5

#### • Levighetor 645

€ 2.995,00

included

included

included

included

included

included

included included included included included included included included included

included

1 pc

3 pcs

3 pcs

3 pcs

5,5"/ø140mm 3 pcs

5,5"/ø140mm 3 pcs

5,5"/ø140mm 3 pcs

5,5"/ø140mm

5,5"/ø140mm

5,5"/ø140mm

EASY KIT GRANITE - GRES 4"/ø100mm						
EASYKITG640	EASY KIT GRANITE -	GRES	1 pc	€ 2.850,00		
100711	GS1	4"/ø100mm	3 pcs	included		
100712	GS2	4"/ø100mm	3 pcs	included		
100713	GS3	4"/ø100mm	3 pcs	included		
100733	GK Red 3	4"/ø100mm	3 pcs	included		
100734	GK Red 4	4"/ø100mm	3 pcs	included		
100735	GK Red 5	4"/ø100mm	3 pcs	included		
100736	GK Red 6	4"/ø100mm	3 pcs	included		
100737	GK Red 7	4"/ø100mm	3 pcs	included		
100738	GK Red 8	4"/ø100mm	3 pcs	included		
100739	GK Red 9	4"/ø100mm	3 pcs	included		
000657KG1	Polish KG	kg 1	1 pc	included		
04826TA	Kristal Blu	3,8 I / 1 Gal	1 pc	included		
00912R	Hand Pad	grit 120	1 pc	included		
00913R	Hand Pad	grit 220	1 pc	included		
00914R	Hand Pad	grit 400	1 pc	included		
00915R	Hand Pad	grit 800	1 pc	included		

2 Hinds

- Levighetor 650 Hercules 450-451
- Hercules 550-551

•	пег	Cui	es :	აას-	์ ၁၁ เ
	•	Exr	an	der	530

140736	GK Red 6	5,5"/ø140mm	3 pcs
140737	GK Red 7	5,5"/ø140mm	3 pcs
140738	GK Red 8	5,5"/ø140mm	3 pcs
140739	GK Red 9	5,5"/ø140mm	3 pcs
000657KG1	Polish KG	kg 1	1 pc
04826TA	Kristal Blu	3,8 I / 1 Gal	1 pc
00912R	Hand Pad	grit 120	1 pc
00913R	Hand Pad	grit 220	1 pc
00914R	Hand Pad	grit 400	1 pc
00915R	Hand Pad	grit 800	1 pc
\			



•Expander 1000-850-750-650-580 Levighetor Max • Hercules 800-650 • Hercules 601

#### EASY KIT GRANITE - GRES 8"/ø200mm

_,	/			
EASYKITG650	EASY KIT GRANITE -	GRES	1 pc	€ 3.350,00
200711GS6S	GS1	8"/ø200mm	3 pcs	included
200712GS6S	GS2	8"/ø200mm	3 pcs	included
200713GS6S	GS3	8"/ø200mm	3 pcs	included
075733	Jumper Red 3	3"/ø75mm	9 pcs	included
075734	Jumper Red 4	3"/ø75mm	9 pcs	included
075735	Jumper Red 5	3"/ø75mm	9 pcs	included
075736	Jumper Red 6	3"/ø75mm	9 pcs	included
075737	Jumper Red 7	3"/ø75mm	9 pcs	included
075738	Jumper Red 8	3"/ø75mm	9 pcs	included
075739	Jumper Red 9	3"/ø75mm	9 pcs	included
000657KG1	Polish KG	kg 1	1 pc	included
04826TA	Kristal Blu	3,8 I / 1 Gal	1 pc	included
00912R	Hand Pad	grit 120	1 pc	included
00913R	Hand Pad	grit 220	1 pc	included
00914R	Hand Pad	grit 400	1 pc	included
00915R	Hand Pad	grit 800	1 pc	included

#### EASY KIT GRANITE - GRES 9,5"/ø240mm

EASYKITGEXP	EASY KIT GRANITE -	GRES	1 pc	€ 3.435,00
240690	GSDA 0 - 6 Segments	9,5"/ø240mm	3 pcs	included
240691	GSDA 1 - 6 Segments	9,5"/ø240mm	3 pcs	included
240692	GSDA 2 - 6 Segments	9,5"/ø240mm	3 pcs	included
075733	Jumper Red 3	3"/ø75mm	9 pcs	included
075734	Jumper Red 4	3"/ø75mm	9 pcs	included
075735	Jumper Red 5	3"/ø75mm	9 pcs	included
075736	Jumper Red 6	3"/ø75mm	9 pcs	included
075737	Jumper Red 7	3"/ø75mm	9 pcs	included
075738	Jumper Red 8	3"/ø75mm	9 pcs	included
075739	Jumper Red 9	3"/ø75mm	9 pcs	included
000657KG1	Polish KG	kg 1	1 pc	included
04826TA	Kristal Blu	3,8 I / 1 Gal	1 pc	included
00912R	Hand Pad	grit 120	1 pc	included
00913R	Hand Pad	grit 220	1 pc	included
00914R	Hand Pad	grit 400	1 pc	included
00915R	Hand Pad	grit 800	1 pc	included

Made in Italy 3I YEARS



#### TOOLS FOR GLUE AND COATING REMOVAL







Klindex makes a full range of tools to remove any kind of resin and glue coating. With klindex machines removing coating is very easy!

BT SETIES Diamond tools with round segments designed for effective grinding and removing resin, glue and varnish. Also suitable for concrete grinding.

PICTURE	COD€	NAME	SIZE	MACHINE	€ each			
	BT Diamond To	BT Diamond Tools 4"ø100mm 4 Segments						
	100719BT4S	BT00 grit 30/40	4"/ø100mm	Levighetor 640	€ 105,00			
	BT Diamond Tools 5,5"ø140mm 4 Segments							
	140719BT4S	BT00 grit 30/40	5,5"/ø140mm	Levighetor 645	€ 110,00			
	BT Diamond To	ols 8"/ø200mm 5 Segmei	nts					
	200719B5S	BT00 grit 30/40	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 143,00			




#### BT Diamond Tools 9,5"/ø240mm 6 Segments

240719BT6S BT00 grit 30/40 9,5"/ø240mm Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601 € 159,00

### BTOO ARROW

THIN RESIN/PAINT REMOVAL ON HARD CONCRETE.

Diamond tools with arrow segments with special TCK inserts designed for fast and effective thin resin and paint removal on hard or good substrate cement floors. It does not damage the floor. Not for use on green concrete or abrasive concrete floors.





#### BT ARROW TCK Diamond Tools 5,5"ø140mm

70089140 BT00 ARROW 5,5"/ø140mm Levighetor 645 €	€ 110,00
--	----------

Made in Italy 87 31 YEARS

### SKRAPER PCD

TO REMOVE THICK RUBBERY MATERIAL AND THICK COATING ON FLOOR. PCD SKRAPER made up of 1 poly-crystalline diamond and 1 round diamond with TCK insert is suggested to remove all types of hard coatings such as: paint, varnish, glue, epoxy, acrylic, screed residue, mastic, black tar adhesive as well as thick rubbery material. Not for use for conventional grinding or for green concrete. It works fast leaving the surface very rough.

PICTURE	CODE	NAME	SIZE	MACHINE	€ each
-60		Diamond Tools Trapezoid 2 Se with plate tool for trapezoids. Minim		э.	
	70090X	SKRAPER PCD Anticlockwise	Trapezoid	Universal	€ 85,00
	70090XB	SKRAPER PCD Clockwise	Trapezoid	Universal	€ 85,00
	SKRAPER PCD	4"ø100mm			
	7009100	SKRAPER 100	4"/ø100mm	Levighetor 640	€ 136,00



SKRAPER PCD	5,5"ø140mm			
7009140	SKRAPER 140	5,5"/ø140mm	Levighetor 645	€ 139,00

SUPER SKRAPER PCD
TO REMOVE THICK RUBBERY MATERIAL AND THICK COATING ON FLOOR. PCD SUPER SKRAPER made up of 2 polycrystalline diamond and 2 arrow diamond with TCK insert is suggested to remove all types of hard coatings such as: paint, varnish, glue, epoxy, acrylic, screed residue, mastic, black tar adhesive as well as thick rubbery material. Not for use for conventional grinding or for green concrete. Compared to PCD SKRAPER it works less fast but leaves the surface regularly scratched.



### SUPER SKRAPER PCD Diamond Tools Trapezoid 2+2 Segments Can only be used with plate tool for trapezoids. Minimum 3 pcs for each plate.

70092SX	SUPER SKRAPER Anticlockwise	Trapezoid	Universal	€ 139,00
70092SXB	SUPER SKRAPER Clockwise	Trapezoid	Universal	€ 139,00



SUPER SKRAPER PCD Diamond Tools 4"ø100mm					
70093100AS	SUPER SKRAPER PCD	4"/ø100mm	Levighetor 640	€ 176,00	



SUPER SKRAPER PCD Diamond Tools 5,5"ø140mm						
70094140AS	SUPER SKRAPER TRIPLE PCD	5,5"/ø140mm	Levighetor 645	€ 395,00		
70093140AS	SUPER SKRAPER PCD	5,5"/ø140mm	Levighetor 645	€ 176,00		

#### PAD HOLDER FOR TRAPEZOID TOOLS



#### PAD HOLDER FOR TRAPEZOID TOOLS

Pad Holder to use trapezoid tools or diamond butterfly

UT44702	Trapezoid pad holder	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 86,50
PL28003	Trapezoid pad holder	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 89,00
UT61501	Trapezoid pad holder	13"/ø340mm	Expander 950, Hercules 750	€ 94,00

## TCK OO

LEVELLING, COATING REMOVAL ON GREEN CONCRETE FLOOR. Very tough and hard bond together with special TCK diamond segments, it provides fast and very durable grinding for soft and abrasive concrete. Fast, efficient heavy duty removal of humps, mastics, thin-set, self-levelling compounds and various light coatings on soft concrete floor. Fast removal of various coatings, levelling and grinding soft and very abrasive concrete. Suitable for green concrete, soft and very abrasive concrete with very long lifetime.

PICTURE	CODE	NAME	SIZE	MACHINE	€ each
(3)2794	TCK Diamond T	ools 4"ø100mm			
	100868	TCK 00S	4"/ø100mm	Levighetor 640	€ 155,00
	100869	TCK 00	4"/ø100mm	Levighetor 640	€ 139,00
	100870	TCK 0	4"/ø100mm	Levighetor 640	€ 98,00
4	TCK Diamond T	ools 5,5"ø140mm			
-	140868	TCK 00S	5,5"/ø140mm	Levighetor 645	€ 189,00
	140869	TCK 00	5,5"/ø140mm	Levighetor 645	€ 175,00
	140870	TCK 0	5,5"/ø140mm	Levighetor 645	€ 125,00
	TCK Diamond T	ools 8"/ø200mm 6 Segm	ents		
	200868	TCK 00S	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 229,00
	200869	TCK 00	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 215,00
The same of the sa	200870	TCK 0	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 155,00
-					



TCK Diamond 100is 9,5 76240mm 6 Segments					
240288	TCK 00S	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 239,00	
240289	TCK 00	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 225,00	
240290	TCK 0	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 162,00	





Made in Italy 89 31 YEARS

## FLOOR PREPARATIONS DIAMOND TOOLS







The concrete floors are different for hardness and abrasion. It is necessary to make a test to choose the right tools. It is suggested to start with DA series. If the consumption of DA is excessive much use CA or CF.

## DA SETIES Diamond tools for medium abrasive concrete.

PICTURE	COD€	NAME	SIZE	MACHINE	€ each
	DA Diamon	d Tools 4"/ø100mm 5	Segments		
2	100819	DA00 grit 20	4"/ø100mm	Levighetor 640	€ 125,00
	100820	DA0 grit 40	4"/ø100mm	Levighetor 640	€ 95,00
	100821	DA1 grit 70	4"/ø100mm	Levighetor 640	€ 95,00
	100822	DA2 grit 140	4"/ø100mm	Levighetor 640	€ 95,00
	DA Diamon	d Tools 5,5"/ø140mm	5 Segments		
-	140819	DA00 grit 20	5,5"/ø140mm	Levighetor 645	€ 129,00
	140820	DA0 grit 40	5,5"/ø140mm	Levighetor 645	€ 98,00
	140821	DA1 grit 70	5,5"/ø140mm	Levighetor 645	€ 98,00
	140822	DA2 grit 140	5,5"/ø140mm	Levighetor 645	€ 98,00
	DA Diamon	d Tools 8"/ø200mm 6	Segments		
	200819	DA00 grit 20	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 162,00
	200820	DA0 grit 40	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00
	200821	DA1 grit 70	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00
	200822	DA2 grit 140	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00
101	DA Diamon	d Tools 9,5"/ø240mm	6 Cogmonto		
		·		Evp. 1000, 950, 750, 650, 500, Lov May, Hara 900, 650, 601	6 105 00
	240819	DA00 grit 20	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 165,00
	240820	DA0 grit 40	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 135,00
Name of Street	240821	DA1 grit 70	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 135,00
	240822	DA2 grit 140	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 135,00
_	DA Diamon	d Tools 9,5"/ø240mm	12 Segments		
	240825	DA00 grit 20	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 285,00
	240826	DA0 grit 40	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 198,00
	240827	DA1 grit 70	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 198,00
	240828	DA2 grit 140	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 198,00
		J	.,	, , , , , , , , , , , , , , , , , , , ,	2 . 30,00
	DA Diamon	d Tools 13,5"/ø340mm	n 12 Segments		
THE RESERVE OF THE PERSON NAMED IN					



340819DA12SQA	DA00 grit 20	13,5"/ø340mm	Expander 950, Hercules 750	€ 305,00
340820DA12SQA	DA0 grit 40	13,5"/ø340mm	Expander 950, Hercules 750	€ 218,00
340821DA12SQA	DA1 grit 70	13,5"/ø340mm	Expander 950, Hercules 750	€ 218,00
340822DA12SQA	DA2 grit 140	13,5"/ø340mm	Expander 950, Hercules 750	€ 218,00

CD series
Diamond tools for MEDIUM HARD concrete. Not for use on abrasive floors.

PICTURE	COD€	NAME	SIZE	MACHINE	€ each
	CD Diamond To	ols 4"/ø100mm 4 Se	egments		
	100829	CD00 grit 20	4"/ø100mm	Levighetor 640	€ 108,00
	100830	CD0 grit 40	4"/ø100mm	Levighetor 640	€ 96,00
	100831	CD1 grit 70	4"/ø100mm	Levighetor 640	€ 93,00
	100832	CD2 grit 140	4"/ø100mm	Levighetor 640	€ 92,00
_	CD Diamond To	ols 5,5"/ø140mm 4	Segments		
	140829	CD00 grit 20	5,5"/ø140mm	Levighetor 645	€ 118,00
	140830	CD0 grit 40	5,5"/ø140mm	Levighetor 645	€ 99,00
	140831	CD1 grit 70	5,5"/ø140mm	Levighetor 645	€ 96,00
	140832	CD2 grit 140	5,5"/ø140mm	Levighetor 645	€ 95,00
	CD Diamond To	ols 8"/ø200mm 4 Se	egments		
	200829	CD00 grit 20	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 142,00
	200830	CD0 grit 40	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 129,00
	200831	CD1 grit 70	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 119,00
	200832	CD2 grit 140	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 119,00
		ols 9,5"/ø240mm 4	_	F.,, 4000 050 750 050 500 Lav. May 11, yr 000 050 001	C 140 00
	240829CD4SQA	CD00 grit 20	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 142,00
	240830CD4SQA	CD0 grit 40	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 129,00
	240831CD4SQA	CD1 grit 70	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 119,00
	240832CD4SQA	CD2 grit 140	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 119,00
	CD Diamond To	ols 9,5"/ø240mm 6	Segments		
-	240829	CD00 grit 20	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 179,00
	240830	CD0 grit 40	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 159,00
	240831	CD1 grit 70	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 149,00
	240832	CD2 grit 140	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 149,00
	CD Diamond To	ols 13,5"/ø340mm 6	Seaments		
	340829	CD00 grit 20	13,5"/ø340mm	Expander 950, Hercules 750	€ 199,00
	340830	CD0 grit 40	13,5"/ø340mm	Expander 950, Hercules 750	€ 179,00
	340831	CD1 grit 70	13,5"/ø340mm	Expander 950, Hercules 750	€ 169,00
	240832	CD2 grit 140	13,5"/ø340mm	Expander 950, Hercules 750	€ 169,00
	/_				No. of Lot
			-0		



Made in Italy

## CA SETIES Diamond tools for abrasive concrete

ICTURE	CODE	NAME	SIZE	MACHINE	€ each
	CA Diamond To	ols 4"/ø100mm 4	Seaments		•
	100839CA4SAS	CA00 grit 20	4"/ø100mm	Levighetor 640	€ 128,00
1	100840CA4SAS	CA0 grit 40	4"/ø100mm	Levighetor 640	€ 121,00
1	100841CA4SAS	CA1 grit 70	4"/ø100mm	Levighetor 640	€ 98,00
	100842CA4AS	CA2 grit 140	4"/ø100mm	Levighetor 640	€ 98,00
	CA Diamond To	ols 5,5"/ø140mm	4 Segments		
	140839CA4SAS	CA00 grit 20	5,5"/ø140mm	Levighetor 645	€ 135,00
	140840CA4SAS	CA0 grit 40	5,5"/ø140mm	Levighetor 645	€ 127,00
	140841CA4SAS	CA1 grit 70	5,5"/ø140mm	Levighetor 645	€ 115,00
	140842CA4SAS	CA2 grit 140	5,5"/ø140mm	Levighetor 645	€ 105,00
	CA Diamond To	ols 8"/ø200mm 4	Segments		
	200839CA4SQA	CA00 grit 20	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 155,00
	200840CA4SQA	CA0 grit 40	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 149,00
	200841CA4SQA	CA1 grit 70	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 143,00
	200842CA4SQA	CA2 grit 140	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 135,00
_	CA Diamond To	ols 8"/ø200mm 6	Segments		
	200839CA6S	CA00 grit 20	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 195,00
	200840CA6S	CA0 grit 40	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 185,00
	200841CA6S	CA1 grit 70	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 175,00
	200842CA6S	CA2 grit 140	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 161,00
	CA Diamond To	ols 9,5"/ø240mm	6 Segments		
	240839CA6S	CA00 grit 20	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 210,00
	240840CA6S	CA0 grit 40	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 192,00
	240841CA6S	CA1 grit 70	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 179,00
-	240842CA6S	CA2 grit 140	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 162,00
	CA Diamond To	ols 9,5"/ø240mm	12 Segments		
	240839CA12S	CA00 grit 20	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 326,00
	240840CA12S	CA0 grit 40	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 299,00
	240841CA12S	CA1 grit 70	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 279,00
	240842CA12S	CA2 grit 140	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 279,00
	CA Diamond To	ols 13,5"/ø340mn	n 12 Segments		
	340839CA12S	CA00 grit 20	13,5"/ø340mm	Expander 950, Hercules 750	€ 346,00
	340840CA12S	CA0 grit 40	13,5"/ø340mm	Expander 950, Hercules 750	€ 319,00
	340841CA12S	CA1 grit 70	13,5"/ø340mm	Expander 950, Hercules 750	€ 299,00

340842CA12S

CA2 grit 140

13,5"/ø340mm

Expander 950, Hercules 750

€ 299,00

CF SETIES
Diamond tools for asphalt and very abrasive concrete.

PICTURE	CODE	NAME	SIZE	MACHINE	€ each
	CF Diamond To	ools 5"/ø100mm 4 Se	gments		
	100859CF4S	CF00 grit 20	4"/ø100mm	Levighetor 640	€ 139,00
	100860CF4S	CF0 grit 40	4"/ø100mm	Levighetor 640	€ 129,00



CF Diamond Tools 5,5"/ø140mm 4 Segments					
140859CF4SAS	CF00 grit 20	5,5"/ø140mm	Levighetor 645	€ 141,00	
140860CF4SAS	CF0 grit 40	5,5"/ø140mm	Levighetor 645	€ 135,00	



CF Diamond Tools 8"/ø200mm 4 Segments					
200859CF4SQA	CF00 grit 20	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 169,00	
200860CF4SQA	CF0 grit 40	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 153,00	



CF Diamond Tools 8"/ø200mm 6 Segments					
200859CF6S	CF00 grit 20	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 215,00	
200860CF6S	CF0 grit 40	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 195,00	



CF Diamond Tools 9,5"/ø240mm 6 Segments					
240859CF6S	CF00 grit 20	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 225,00	
240860CF6S	CF0 grit 40	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 205,00	



CF Diamond Tools 9,5"/lø240mm 12 Segments					
240865CF12S	CF00 grit 20	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 375,00	
240866CF12S	CF0 grit 40	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 340,00	



CF Diamond Tools 13,4"/ø340mm 12 Segments				
340865CF12S	CF00 grit 20	13,4"/ø340mm	Expander 950, Hercules 750	€ 395,00
340866CF12S	CF0 grit 40	13,4"/ø340mm	Expander 950, Hercules 750	€ 360,00

Made in Italy 3I YEARS

#### **BUSH HAMMER**







BUSH HAMMER is an exclusive special tool designed by Klindex for many applications: -to make safety anti-slip surfaces on marble, granite and natural stones. • To remove glue, varnish and resin coating. • To break-down thick coating difficult to remove with normal diamond tools. • To create "face-see effect "on precast panels". • To scarify any kind of surface. • To create orange-peel skin on any surface. • For floor preparation. Using Bush Hammer, in combination with Diamond Tools, it is possible to prepare in the best way the surface in order to apply correctly the new coating.

PICTURE	CODE	NAME	SIZE	MACHINE	€ each



#### Bush-Hammer 16"/ø406mm Complete of 6 Roller Tolls.

45030	Bush Hammer	16"/ø406mm	Levighetor and Single Disc	€ 1.325,00
45031	Spare part roller	Standard Spike		€ 185,00



#### Bush-Hammer 5,5"/ø140mm

UT2302K1000PS	Bush Hammer 140	5,5"/ø140mm	Levighetor 640, 645	€ 630,00
45031	Spare part roller	Standard Spike		€ 185,00



#### Bush-Hammer 8"/ø200mm

UT011701QA	Bush Hammer 200	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 830,00
45031	Spare part roller	Standard Spike	Lev.650, Herc.450-451-550-551, Exp 530	€ 185,00



#### Bush-Hammer 9,5"/ø240mm

UT022402	Bush Hammer 240	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 1.095,00
UT021101	Roller with bearing	Standard Spike	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 295,00
UT082601	Roller without bearing	Standard Spike	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 159,00



#### Sandblasting 9,5"/ø240mm "EFFECT OF GRAIN"

UT014749	Sandblasting 240	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 835,00
UT014804	Roller with bearing	Standard Spike	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 175,00




#### Antiko 60

Water-oil-repellent satin effect for interior floors.

00619Box	Antiko 60	12 x 1 l	Solvent Based	€ 201,00
00619WB	Antiko 60	51	Water Based	€ 172,00







# Superconcrete System

## **Transform your concrete floor!**

■ Thanks to the continuous research of new technologies for surface treatments, the KLINDEX Team has developed a new technique called SUPERCONCRETE that allows you to transform any old, ugly, stained or dusty concrete floor in a perfectly smooth surface, extremely resistant, shiny, incredibly beautiful, easy to keep clean and free of dust. Applying the SUPERCONCRETE technique on a new floor it is possible to obtain unimaginable results and comparable for aesthetics and resistance to a marble or a terrazzo floor. It is also possible to create designs and logos allowing your imagination to realize priceless artworks.

#### **Benefits:**

- Easy to clean since the surface has become smooth and not rough anymore.
- There is **no more dust** since the dusty outward part of the floor has been removed.
- Resistant to traffic. Particularly suitable for forklift truck traffic that will not leave black tyre marks on the floor and will always have an excellent grip.
- Resistant to external agents since it is consolidated and waterproofed.
- It does not "scratch". No unsightly streaks appear like on the floors covered with resins or paints.

  The surface is smooth and it is not covered by waxes, resins or filming products which can get scratched.
- **Hygienic.** The smooth surface, hardened and polished, does not absorb and so it is easier to remove germs and bacteria.
- **Economical.** To transform an old floor in an aesthetically beautiful new floor, it's cheaper than any other solution. Also a polished floor compared to a rough cement floor allows considerable savings on maintenance costs, since the operating machines find less resistance and so less wear of the brushes, discs, wheels, mop, etc.
- **Dyeable.** Is it possible to add an artistic touch by coloring with impregnation colors called BETON COLOR DYE. The BETON COLOR DYE unlike paints or resins systems "do not cover the surface", do not create a film but they go in depth reacting with the "cement salts". So they do not scratch or peel like the paints and do not come off or don't make bubbles like resins.
- **Ecological.** The floor is sanded and polished without application of resins, paints or other products potentially harmful and carcinogenic. There will not be over time migrate odours and volatilization in the air of microparticles that may cause allergies or health hazardous.









#### The advantages:

- Dust proof. Durable surface. Aesthetically pleasing. Resistant to heavy traffic and forklifts. Easy to clean.
- Resistant to external agents. Highly hygienic environment in the workplace. Possibility to colour.

#### The technique in a few words:

• Concrete polishing • Elimination of height variances. Consolidation of concrete with a special hardener. • This process causes a chemical reaction resulting in the hardening of the concrete. • Polishing to obtain a high finish, shine and brilliance of the floor when cleaning, you can perform cleanup operations with a reduced consumption of chemical products.

#### **Applications:**


- Retail shops. Logistics centres. Garage. Commercial areas and offices. Production areas.
- A modern environment. Warehouses. Parking. Offices. Airports. Schools. Showroom. Galleries.
- Museums. Discos. Pub.





The pavement is very resistant to the passage of heavy vehicles.









Make your logo brilliant.



This kind of surface is very appreciated in workplaces

Made in Italy 3I YEARS

#### 4 NEW METHODS FOR POLISHING THE CONCRETE FLOORS

**SuperConcrete** is a polishing system for concrete developed by Klindex which turns every type of cement into a smooth, highly resistant and incredible beautiful glossy surface. With the SuperConcrete system even an old, stained and worn floor can be polished to make it look like new, extremely resistant, repellent to dirt, and easy to clean. With very few steps you will be able to polish, make waterproof, create logos, getting a nice surface like marble and strong as concrete. The SuperConcrete system offers different procedures to achieve different finishes: SUPERCONCRETE PREMIUM, FAST, HS e SUPERCONCRETE TERRAZZO EFFECT.



#### SuperConcrete PREMIUM

The system for mirror polishing of the concrete surfaces for excellence

- High planarity of the floor
- Mirror polishing
- Stain Resistant
- Hi-tech Look
- Wide range of colours available



#### SuperConcrete FAST

The fastest way to turn a normal concrete floor, new or old into a shiny, hard and resistant surface.

By using the latest technology for concrete grinding and polishing one can achieve very good results while saving time, effort and money.



#### SuperConcrete HS

With the high-speed machine HURRIKANE and the new diamond discs KING CONC, to turn an industrial floated floor into a beautiful surface, durable, stain-resistant, glossy and easy-to-clean floor has become very easy. It is possible to polish up to 400-500 square meters per day!



## SuperConcrete TERRAZZO EFFECT

- Full exposure aggregates
- High planarity and regularity of the floor
- Variety of colour options
- Contemporary look

### **Before**









## After









GRINDING

SINGLE DISC

**TOOLS** 

SPECIAL

VACUUM

CHEMICALS

MARKETING

#### DIAMOND TOOLS FOR CONCRETE POLISHING

## Spring Holder System

The Spring Holder System, to be used with 9 pcs of ø3"/75mm diamond discs, is a special device developed for grinding and polishing concrete floors. Thanks to the smart design, installed on the grinding machine, it allows to achieve a perfect and homogeneous result, even if the floor is not perfectly flat. This is possible because these discs are pushed by the springs through the small depression that may be present in the floor.

PICTURE	CODE	NAME	SIZE	MACHINE	€ each
		LDER SYSTEM (kit 3 p 03" and "AP010904" include	,		
	AP010803	Spring Holder System	4"/ø100mm	Lev.640	€ 750,00
	AP010904	Spring Holder System	5,5"/ø140mm	Lev.645	€ 750,00
0	AP011004	Spring Holder System	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 560,00
	AP011101	Spring Holder System	9.5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 560.00

## JUMPER GREEN SEriES

Diamond resin discs manufactured WITH RAISED SEGMENTS for longer life and a better finish for polished concrete. Can be used WET & DRY.



## Diamond Discs for SUPERCONCRETE FAST

Diamond discs with a mix of sectors hybrid resin, ceramic and metal to smooth concrete floors using the Fast super concrete system. The CR2 is used for grouting with Concrete Filler.

	CR Diamond Tools 5,5"/ø140mm						
	140CR1	CR1	5,5"/ø140mm	Levighetor 645	€ 95,00		
	140CR2	CR2	5,5"/ø140mm	Levighetor 645	€ 95,00		
	140CR3	CR3	5,5"/ø140mm	Levighetor 645	€ 95,00		
	140CR4	CR4	5,5"/ø140mm	Levighetor 645	€ 95,00		
-	CR Diamond Too	ols 8"/ø200mm					
	200CR1	CR1	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 135,00		
0.020.0	200CR2	CR2	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 135,00		
	200CR3	CR3	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 135,00		
	200CR4	CR4	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 135,00		
	CR Diamond Too	ols 9,5"/ø240mm					

9.5"/ø240mm

9,5"/ø240mm

9.5"/ø240mm

Exp.1000-850-750-650-580, Lev.Max. Herc.800-650-601

Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601

Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601

€ 175.00

€ 115,00

€ 115,00

240CR2

240CR3

240CR4

CR<sub>2</sub>

CR3

CR4

PICTURE CODE NAME SIZE TYPE € each



#### **BETON HARDENER**

Beton Hardener is a special product to improve the hardness and quality of new and old concrete floors. Excellent also for Terrazzo and any agglomerate floor. It reacts with the salt of cement increasing the hardness and resistance to the abrasion and protecting against oils, greases and other agents contaminating.

THE FLOOR TREATMENT SPECIALIST SINCE 1988

04820	Beton Hardener K10	51	SODIUM-POTASSIUM	€ 52,00
04820LT25	Beton Hardener K10	25 Lt	SODIUM-POTASSIUM	€ 225,00
04818	Beton Hardener K35	25 Lt	SODIUM-POTASSIUM	€ 168,00
04824LT5	Beton Hardener Lithium Pro 604	51	LITHIUM	€ 95,00
04824LT25	Beton Hardener Lithium Pro 604	25	LITHIUM	€ 395,00
04824CUBO	Beton Hardener Lithium Pro 604	1000 Lt	Lithium	€ 15.250,00



#### **BETON SKUDO**

Penetrating stain repellent for polished concrete.

It penetrates into the surfaces giving to the floor a high resistance to many external agent.

00606	Beton Skudo	4	€ 72,00
00606Box	Beton Skudo	4 x 4 l	€ 275,00



#### **BETON GUARD LITHIUM PRO**

Oil-repellent Once applied it makes a hard film for maximum protection. It can be applied directly but we suggest polishing with high speed machines such as HURRIKANE. Just like any "film-forming product" it requires maintenance with high speed machines to remove scratches and streaks.

00611PLUSLI	Beton Guard Lithium Pro	51	Ready to use	€ 168,00
00610PLUSLI	Beton Guard Lithium Pro	25	Ready to use	€ 775,00



#### BETON GUARD LITHIUM

Oil-repellent Once applied it makes a very hard film for maximum protection. It can be applied directly but we suggest polishing with high speed machines such as HURRIKANE. Just like any "film-forming product" it requires maintenance with high speed machines to remove scratches and streaks. Very appreciated in airports, shopping malls and in large areas subject to high traffic of people.

00620	Beton Guard Lithium	51	Ready to use	€ 280,00
04823	Beton Guard Lithium	25	Ready to use	€ 1.275.00



#### LITHIUM IMPROVE

Lithium Improve is a special product developed by Klindex to improve the quality and the performance of Beton Guard Lithium.

048281	Lithium Improve	11	€ 22,00
048285	Lithium Improve	51	€ 99,80



#### STONE SOAP

For protecting and maintenance care of polished concrete. Improve and protect surface day by day.

00604LT5	Stone Soap	51	€ 75,00
00604Box	Stone Soap	3 x 5 l	€ 208,00



#### BETON FILLER

BETON FILLER is a product developed for grouting and filling up small holes and superficial cracks of the concrete floor. Fast to use because it is applied with grinding machine fitted with diamond disc CR2. Mixed with the dust created during the grinding operation it will get the same colour of the surface. It is compatible with Beton Colour Dye.

00613	Beton Filler	11	Concentrated dilute max 10%	€ 27,50
-------	--------------	----	-----------------------------	---------

Made in Italy 103 31 YEARS

**PICTURE** CODE NAME SIZE TYPE € each





Beton Grout is Klindex' system developed to fix very damaged concrete floors, to close large holes and deep cracks. The system is composed by three products: BETON GROUT CATALYZER, BETON GROUT RESIN and micro spheres BETON GROUT GLASS BUBBLES. The main features of BETON GROUT SYSTEM are:

- a) The micro spheres keep the product soft and malleable, and allow to fill perfectly the area to repair.
- b) The resin is "expansive" permitting the subsequent grinding and polishing.

00635	Beton Grout Catalyzer	1 kg	€ 62,00
00636	Beton Grout Resin	1 kg	€ 62,00
00637	Beton Grout Bubbles	1 kg	€ 42,00



#### **EPO GROUT**

Epogrout system to fill up concrete surface. Instruction to use: a) Mix the two components (A+B) very well. b) Apply the product as normally applies a filler in order to close the porosity. 5 Kg of the product can cover 25-40 m/q according the porosity of the surface c) Proceed spreading the Mineral C on the surface treated with Epogtrout A+B. 20 Kg cover about 25-40 m/q according the porosity of the surface d) Grind the surface with Jumper Inox for reacting Mineral C with Epogtrout and to fill up the porosity. Do not use on floors with humidity problems and/or saltpetre efflorescence.

00639	Epo Grout A+B	5 kg - (A 3,55 Kg + B 1,45 Kg)	€ 164,00
00640	Mineral C	25 kg	€ 24,00
0756INOX	Jumper Inox		€ 42,50



#### **SLURRY DRYER**

Solidifier for concrete and natural stones sludges

Slurry Dryer solidifies slurry and sludges into a NON DANGEROUS gel-like condition, easy to collect and to handle without producing dust. Use: • Concrete grinding and polishing • Concrete and stones saw cutting and drilling • Concrete areas to rinse (ex. Concrete mixers) • Stone restoration

04117	Slurry Dryer	20 Kg	€ 304	4,00
0 1117	Clarry Dryor	_0 119		.,00



#### **SPRAYER**

Professional low-pressure sprayer to apply the beton colour.

00695	Sprayer	1,5 l	€ 20,50
00697	Sprayer	15 I	€ 190,00



#### **TOOLS AND CLOTHS**

04231	Microfiber cloth	50x22mm	€ 12,90
1000550	Microfiber cloths tool	50x22mm	€ 43,50
2000303	Antistatic cloth	60X22mm	€ 79,00
1100404	Antistatic cloth tool	60X22mm	€ 36,50



#### **MICROFIBER DISC**

04230	Microfiber Disc	17"/ø430mm	Mon.17"	€ 15,50
04229	Microfiber Disc	9,5"/ø240mm	Lev.Max, Expander, Hercules	€ 7,50



#### SUPER BLACK HD

Special Abrasive Floor Pads to clean the concrete for the system of SUPERCONCRETE FAST.

30173HD	Super Black HD	17"/ø430mm	Mon.17"	€ 15,00
30133HD	Super Black HD	13"/ø330mm	Konfort, Rocky 13", Ufo	€ 11,00
30093HD	Super Black HD	9,5"/ø240mm	Lev.Max, Expander, Hercules	€ 9,00

## **Beton Color Dye Liquid**

#### **BETON COLOUR DYE**



Concentrate liquid colours to be dilute in 4 I of Acetone to colour concrete floors. **Beton Color above showed colours are indicative.** They are not RAL because they are not varnish but the result of a chemical reaction with the concrete. As a result the tonality can change according with the kind of concrete. We recommend to make a preliminary test to be sure of the colour reached.

code color Beton Color Dye liquid Dilute in 4 litres  $\in$  59,50




04045L Black



04049L Dark Brown



04060L Red Plum



04056L Light Green



04046L Dark Blue




04047L Brown Brick



04058L Red Rubino



04057L Dark Green




04048L Light Blue



04054L Golden Yellow



04055L Yellow Ocra



04044L Green Avocado

Made in Italy 105

3I YEARS

# Polished Copter

## To Polish like a mirror concrete floors with Power Trowel machine!

Polished Copter is a conversion kit for power trowel machines that allows the use of abrasives pads and diamonds. With Polish Copter is possible to clean, grind and polish the concrete surface in few steps.

#### Instructions for new floors:

- When the floor is cured remove the excess of "milk" with SUPERBLACK HD using water.
- Start grinding with DA1 and DA2 series (if necessary start with more aggressive grit such as DA0 or DA00).
- If requested colour the surface with Beton Color Dye.
- Continue polishing with Green Jumper series 3, 4 and 5.
- Apply Beton Guard Lithium.

#### **Instructions for old floors:**

- Begin grinding with CK3 using water.
- Proceed with CK4, CK5.
- If necessary colour the surface.
- •Grind with CK6.
- Apply Beton Guard Lithium.

PICTURE	CODE	NAME	SIZE	MACHINE	€ each	
i ici oite	CODE	TUTUTE	JiEC	TO ACT III C	• cacii	
49 49	POLISH COPTER To use 3" diamond disc with trowel machines. The kit include 4 blades.					
	PLS2A2	Polish Copter 2	Kit 4 blades A2	for power trowel machine series 90	€ 595,00	
	PLS3A3	Polish Copter 3	Kit 4 blades A3	for power trowel machine series 120	€ 765,00	
	SUPER BLACK HD Special abrasive floor pads to clean effectively and to remove concrete milk on industrial floors.					
	30093HD	Super Black HD	9,5"/ø240mm		€ 9,00	
	METALLIC BOND DIAMOND DISCS For smoothing, grinding and to eliminate creasing or over-thicknesses					
	075819	DA00	3"/ø75mm		€ 79,50	
	075820	DA0	3"/ø75mm		€ 73,50	
	075821	DA1	3"/ø75mm		€ 73,50	
	075822	DA2	3"/ø75mm		€ 73,50	
	DISCOLUX Specially for use with polishing powder.					
	28366	Discolux	36"/ø915mm		€ 36,00	



#### JUMPER GREEN DIAMOND TOOLS 3"/ø75mm

Resin diamond disc for polishing.

075493	Jumper Green 3	3"/ø75mm	€ 19,50
075494	Jumper Green 4	3"/ø75mm	€ 19,50
075495	Jumper Green 5	3"/ø75mm	€ 19,50
075496	Jumper Green 6	3"/ø75mm	€ 19,50
075497	Jumper Green 7	3"/ø75mm	€ 19,50
075498	Jumper Green 8	3"/ø75mm	€ 19,50



#### **BETON GUARD LITHIUM**

Oil-repellent Once applied it makes a very hard film for maximum protection. It can be applied directly but we suggest polishing with high speed machines such as HURRIKANE. Just like any "film-forming product" it requires maintenance with high speed machines to remove scratches and streaks. Very appreciated in airports, shopping malls and in large areas subject to high traffic of people.

00620	Beton Guard Lithium	51	Ready to use	€ 280,00

# Polished Copter

Transform your "Power Trowel machine in a Grinding machine"





















# Application:

A) Polished concrete, trowelled concrete and concrete overlay (like Utratop or Pandomo) polishing.

B) Marble, Terrazzo and natural stone restoration and polishing.

Can be used wet on natural stone or dry on concrete and screed. Thanks to the flexible support and its design it allows to grind, sand and hone the surface fast leaving a homogeneous finish. Elica is the best solution for semi gloss, honed and matt finish on trowelled concrete or screed without exposing the aggregate.

The best solution for concrete preparation before densification and sealing.

Flexible polishing Diamond pads designed to achieve a scratch-free highly polished finish on marble, terrazzo and natural stone. The Professional BUT easy solution for damaged and and scratched floor. Available from grit 60/000 to grit 3000/4.

The Elica series is available in 4", 5.5", 8", 9.5", 13", 16", 17", 18", 20" and 26" size, other sizes upon request.



## Guidelines:

# Dry system for Polished concrete, Polishing concrete screed and trowelled concrete, concrete overlay.

- 1. Start grinding with **Elica 00** or **Elica 0** according the condition of the concrete.
- 2. Apply **Beton Hardener** for densification.
- 3. Once the Beton Hardener its completely dry, sand the floor with Elica 2.

### For different finishing follow the instruction below:

- A. For matt finish just apply **Beton Guard Lithium** sealer.
- B. For semi gloss finish proceed with **Elica 3** and after apply **Beton Guard Lithium** sealer.
- C. For gloss finish proceed with Elica 3 and 4 and after apply Beton Guard Lithium sealer.

**For daily cleaning of floors treated** as A and B in high traffic areas, use **Superclean** Pad with scrubber machine. Does not need chemicals, just water.

For daily cleaning of floors treated as C in high traffic areas use burnishing machine like Tornado or Hurrikane and HS polishing pad Discolux.

### WET system for Marble, Terrazzo and natural stones polishing.

- 1. Start grinding with **Elica 00** or **Elica 0** to remove the scratches ad refresh the surface according the condition of the floor
- 2. Hone the floor with Elica 1, 2 and 3.
- 3. Use Klindex stone Polishing Powder KP92 or Elica 4 with water for a mechanical polishing process.
- 4. Wash the floor with stone **Stone Soap**.

For daily cleaning and maintenance in high traffic areas use Superclean Pad with scrubber machine and Stone Soap cleaner.

Made in Italy 109 31 YEARS

			TECHNICAL DATA
Model	Grit	Size	Description
Elica 000	60	4"/5,5"/8"/9,5"/13"/16"/17"/18"/20"/26"	Very aggressive Grit. Great for removing big marks from power trowel machines or big scratches on natural stones.
Elica 00	120	4"/5,5"/8"/9,5"/13"/16"/17"/18"/20"/26"	Great for removing big marks from power trowel machines or big scratches on natural stones.
Elica 0	220	4"/5,5"/8"/9,5"/13"/16"/17"/18"/20"/26"	Great for removing light marks from power trowel machines or light scratches on natural stones. It leaves the concrete surfaces ideal condition for densification or Beton Hardener.
Elica 1	400	4"/5,5"/8"/9,5"/13"/16"/17"/18"/20"/26"	To be used after Elica 0. It removes the excess of densification or Beton Hardener and leaves matt finish. It also remove minus spot or light scratches on natural stone.
Elica 2	800	4"/5,5"/8"/9,5"/13"/16"/17"/18"/20"/26"	To be used after Elica 1. It leaves honed finish.
Elica 3	1500	4"/5,5"/8"/9,5"/13"/16"/17"/18"/20"/26"	To be used after Elica 2. It leaves semi gloss finish.
Elica 4	3000	4"/5,5"/8"/9,5"/13"/16"/17"/18"/20"/26"	To be used after Elica 3. It leaves gloss finish.







grit 60

€ 16,50

€ 32,50

€ 32,50

€ 32,50

€ 32,50

€ 32,50

Elica 000

Elica 0

Elica 1

Elica 2

Elica 3

Elica 4

601040

601090

601091

601092

601093

601094

THE REPORT OF LABOUR.	STATE OF THE PARTY		
Elica Flooi	Pad 5,5" -	ø 140mm	
601138	Elica 000	grit 60	€ 19,50
601139	Elica 00	grit 120	€ 19,50
601140	Elica 0	grit 220	€ 19,50
601141	Elica 1	grit 400	€ 19,50
601142	Elica 2	grit 800	€ 19,50
601143	Elica 3	grit 1500	€ 19,50
601144	Elica 4	grit 3000	€ 19,50

Elica Floo	r Pad 8" - ø	200mm	
601079	Elica 000	grit 60	€ 30,50
601080	Elica 00	grit 120	€ 30,50
601081	Elica 0	grit 220	€ 30,50
601082	Elica 1	grit 400	€ 30,50
601083	Elica 2	grit 800	€ 30,50
601084	Elica 3	grit 1500	€ 30,50
601085	Elica 4	grit 3000	€ 30,50

601041	Elica 00	grit 120	€ 16,50
601042	Elica 0	grit 220	€ 16,50
601043	Elica 1	grit 400	€ 16,50
601044	Elica 2	grit 800	€ 16,50
601045	Elica 3	grit 1500	€ 16,50
601046	Elica 4	grit 3000	€ 16,50
Elica Floor	Pad 9,5" -	ø 240mm	
601088	Elica 000	grit 60	€ 32,50
601088	Elica 00	grit 120	€ 32,50

grit 220

grit 400

grit 800

grit 1500

grit 3000

Elica Floor	Pad 13" - ø	330mm	
601128	Elica 000	grit 60	€ 39,50
601129	Elica 00	grit 120	€ 39,50
601130	Elica 0	grit 220	€ 39,50
601131	Elica 1	grit 400	€ 39,50
601132	Elica 2	grit 800	€ 39,50
601133	Elica 3	grit 1500	€ 39,50
601134	Elica 4	grit 3000	€ 39,50
Flian Flaar	D-440" -	450	

Elica Floor	Pad 16" -	ø 410mm	
601158	Elica 000	grit 60	€ 57,50
601159	Elica 00	grit 120	€ 57,50
601160	Elica 0	grit 220	€ 57,50
601161	Elica 1	grit 400	€ 57,50
601162	Elica 2	grit 800	€ 57,50
601163	Elica 3	grit 1500	€ 57,50
601164	Elica 4	grit 3000	€ 57,50

Elica Floo	or Pad 17" -	ø 430mm	
601168	Elica 000	grit 60	€ 58,50
601169	Elica 00	grit 120	€ 58,50
601170	Elica 0	grit 220	€ 58,50
601171	Elica 1	grit 400	€ 58,50
601172	Elica 2	grit 800	€ 58,50
601173	Elica 3	grit 1500	€ 58,50
601174	Elica 4	grit 3000	€ 58,50

601134	Elica 4	grit 3000	€ 39,50
Files Fie	D! 40!!	450	
Elica Fio	or Pad 18" -	Ø 450mm	
601178	Elica 000	grit 60	€ 63,00
601179	Elica 00	grit 120	€ 63,00
601180	Elica 0	grit 220	€ 63,00
601181	Elica 1	grit 400	€ 63,00
601182	Elica 2	grit 800	€ 63,00
601183	Elica 3	grit 1500	€ 63,00
601184	Elica 4	grit 3000	€ 63,00

Elica Floor	r Pad 20" - @	500mm	
601198	Elica 000	grit 60	€ 79,50
601199	Elica 00	grit 120	€ 79,50
601200	Elica 0	grit 220	€ 79,50
601201	Elica 1	grit 400	€ 79,50
601202	Elica 2	grit 800	€ 79,50
601203	Elica 3	grit 1500	€ 79,50
601204	Elica 4	grit 3000	€ 79,50

Elica Floo	or Pad 26" -	ø 660mm	
601260	Elica 000	grit 60	€ 93,50
601261	Elica 00	grit 120	€ 93,50
601262	Elica 0	grit 220	€ 93,50
601263	Elica 1	grit 400	€ 93,50
601264	Elica 2	grit 800	€ 93,50
601265	Elica 3	grit 1500	€ 93,50
601266	Elica 4	grit 3000	€ 93,50

# SuperClean Diamond Floor Pads









## Diamond Floor Pad for cleaning and for floor maintenance.

We are aware of the importance of always having a clean and well maintained floor, though this is not always easy and not expensive.

The **SuperClean** discs allow you to wash the floor in an effective, ecological and economical way. **SuperClean** is available in all sizes for use with both single disc and scrubbing machines Using **SuperClean** on regular basis to wash the surface will help achieving an incredibly clean and shiny floor without the use of wax or chemicals. NEEDS WATER ONLY!

### **BENEFITS**

- Low costs.
- Improved results.
- · High customers satisfaction.
- Floor is always clean and shine
- Ecological
- · Needs water only

### Where to use the SUPERCLEAN?

- Marble and terrazzo
- Klinker and ceramics
- Natural stone
- PVC / vinyl
- Epoxy resin
- Rubber
- Wood
- Superconcrete® polished concrete

Superciea	ii i iooi paus		
605044	SuperClean	4"/100mm	€ 9,90
605054	SuperClean	5,5"/140mm	€ 13,90
605084	SuperClean	8"/200mm	€ 18,50
605094	SuperClean	9,5"/240mm	€ 21,50
605134	SuperClean	13"/330mm	€ 27,50
605164	SuperClean	16"/410mm	€ 37,50
605174	SuperClean	17"/430mm	€ 39,50
605184	SuperClean	18"/450mm	€ 41,50
605204	SuperClean	20"/500mm	€ 46,50
A STATE OF THE PARTY OF THE PAR	THE RESERVE OF THE	THE PERSON OF TH	



SuperClean Floor nade



## **Superconcrete HS System**

## Polished Concrete Diamond Floor Pads

KING CONC are Special Floor pads with the impregnation of diamond abrasive for dry restoration and maintenance of polished concrete and terrazzo floors Designed to revitalize the shine and the gloss of old and new dulled concrete surfaces They are available in grit sizes 0, 1, 2, 3 and 4 and in all dimensions. Used dry with Tornado, Hurrikane


and high speed machines, they remove scratches, opacity and polish the concrete floor.

Use the KING CONC discs is the easiest and fastest way to turn any trowelled industrial concrete floor into a beautiful, durable, stain-resistant, easy to clean and mirror polished surface. Thanks to the new KING CONC "abrasive diamond discs" technology ", to achieve a polished concrete floor has never been so easy.



















€ 24,50

€ 24,50

€ 24,50

€ 24,50

€ 24,50

The easiest and fastest system to grind and polish large surfaces.

### **After**



## **Before**





GRINDING

SINGLE DISC

TOOLS

SPECIAL

VACUUM

CHEMICALS

MARKETING

## DIAMOND TOOLS FOR POLISHING MARBLE FLOORS







# MS series

	100900 100901 100902	MS0 MS1 MS2  MS2  MS0 MS1 MS2	4"/ø100mm 4"/ø100mm 4"/ø100mm	Levighetor 640 Levighetor 640 Levighetor 640	€ 136,00 € 132,50 € 132,00
	100901 100902 MS Diamond To 140900	MS1 MS2 pols 5,5"/ø140mm 7	4"/ø100mm 4"/ø100mm	Levighetor 640	€ 132,50
	100902 MS Diamond To 140900	MS2 pols 5,5"/ø140mm 7	4"/ø100mm	•	
	MS Diamond To	ools 5,5"/ø140mm 7		Levighetor 640	€ 132,00
	140900		' Segments		
133		MS0			
23	140901		5,5"/ø140mm	Levighetor 645	€ 136,00
		MS1	5,5"/ø140mm	Levighetor 645	€ 136,00
	140902	MS2	5,5"/ø140mm	Levighetor 645	€ 136,00
	MS Diamond To	ools 8"/ø200mm 7 S	Segments		
	200900	MS0	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 145,00
	200901	MS1	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 145,00
3	200902	MS2	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 145,00
	MS Diamond To	ools 9,5"/ø240mm 1	12 Segments		
	240900MS12S	MS0	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 245,00
	240901MS12S	MS1	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 245,00
	240902MS12S	MS2	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 245,00



M3 Diamond Tools 9,3 79240mm To Segments					
240900MS16S	MS0	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 295,00	
240901MS16S	MS1	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 295,00	
240902MS16S	MS2	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 295,00	



MS Diamond Tools 13,5"/Ø340mm 16 Segments					
340900MS16S	MS0	13,5"/ø340mm	Expander 950, Hercules 750	€ 315,00	
340901MS16S	MS1	13,5"/ø340mm	Expander 950, Hercules 750	€ 315,00	
340902MS16S	MS2	13,5"/ø340mm	Expander 950, Hercules 750	€ 315,00	

## **ORANGE** series

Diamond resin discs to remove mastic and for abrasive Marble, Terrazzo and Limestone.

PICTURE	CODE	NAME	SIZE	MACHINE	€ each		
	JUMPER CK ORANGE Diamond Tools						
	075793OR	Jumper Orange 3	3"/ø75mm	Lev650, Hercules, Lev. Max, Exp.	€ 20,50		
7C5 =	100793AS	CK3 Orange	4"/ø100mm	Levighetor 640	€ 39,50		
	140793AS	CK3 Orange	5,5"/ø140mm	Levighetor 645	€ 43,50		

## YELLOW series


Resinbond diamond disc for polishing marble floors. For abrasive marbles like travertino we suggest to use series ck orange.



### JUMPER YELLOW Diamond Tools 3"/ø75mm VELCRO BACKED Jumper Yellow grit 60 0750060 3"/ø75mm Lev., Hercules, Lev. Max, Expander € 25,00 0750120 Jumper Yellow grit 120 Lev., Hercules, Lev. Max, Expander 3"/ø75mm € 25,00 0750220 Jumper Yellow grit 220 3"/ø75mm Lev., Hercules, Lev. Max, Expander € 25.00 0750400 Jumper Yellow grit 400 3"/ø75mm Lev., Hercules, Lev. Max, Expander € 25,00 0750800 Jumper Yellow grit 800 3"/ø75mm Lev., Hercules, Lev. Max, Expander € 25,00 0751500 Jumper Yellow grit 1500 3"/ø75mm Lev., Hercules, Lev. Max, Expander € 25,00



MK YELLOW Diamond Tools 4"/ø100mm					
100693	MK 3	4"/ø100mm	Levighetor 640	€ 47,00	
100694	MK 4	4"/ø100mm	Levighetor 640	€ 47,00	
100695	MK 5	4"/ø100mm	Levighetor 640	€ 47,00	
100696	MK 6	4"/ø100mm	Levighetor 640	€ 47,00	
100697	MK 7	4"/ø100mm	Levighetor 640	€ 47,00	
100698	MK 8	4"/ø100mm	Levighetor 640	€ 47,00	



MK YELLOW Dia	mond Tools 5,5"/ø140mm			
140693	MK 3	5,5"/ø140mm	Levighetor 645	€ 49,00
140694	MK 4	5,5"/ø140mm	Levighetor 645	€ 49,00
140695	MK 5	5,5"/ø140mm	Levighetor 645	€ 49,00
140696	MK 6	5,5"/ø140mm	Levighetor 645	€ 49,00
140697	MK 7	5,5"/ø140mm	Levighetor 645	€ 49,00
140698	MK 8	5,5"/ø140mm	Levighetor 645	€ 49,00



000650 Polish KP92 kg 5 For standard marbles and limestone € 8	82,00
000663 Polish KP85 kg 5 For marble, terrazzo, porcelain € 6	69,00
000647 Polish KMT kg 5 for marble very soft € 8	86,00
000649 Polish COLOR kg 5 for colored or ferrous marbles € 14	46,50



# STONE SOAP Daily cleaner and sealer soap for polished marble and terrazzo floors. It leaves the floors waterproof and high glossy. Ideal to

be used to wash the floor after Polish powder.

00604LT5	Stone Soap	51	€ 75,00
00604Box	Stone Soap	3x5 l	€ 208,00



### **CRYSTALLIZING MARBLE**

Crystallization products to maintain polished marble and terrazzo floor surfaces. Their formula allows the surface to "breathe" through microscopic pores of the stone. Provides a high level of long lasting and resistant shine in first crystallizations, being also suitable for periodical maintenance of floors already crystallized. Its use guarantees the maximum protection for the pavement for long time. High Gloss - Not slippery.

04828TAK4	Kristallux	4x5 l	Liquid Crystallizer for marbles.	€ 154,00
04838TA	Kristal Green	3,8	Polish cream for artificial marble, conglomerate and marble-quartz	€ 122,00

Made in Italy II5 3I YEARS

## DIAMOND TOOLS FOR POLISHING TERRAZZO AND LIMESTONE







# MTS series

Diamond tools for travertine, terrazzo, limestone, agglomerate and abrasive marble floors. Wet & dry system.

Diamond tools for trav	Diamond tools for travertine, terrazzo, limestone, agglomerate and abrasive marble floors. Wet & dry system.					
PICTURE	COD€	NAME	SIZE	MACHINE	€ each	
	MTS Diamond	Tools 4"/ø100m	m 5 Segments			
	100910AS	MTS0	4"/ø100mm	Levighetor 640	€ 98,00	
	100911AS	MTS1	4"/ø100mm	Levighetor 640	€ 98,00	
	100912AS	MTS2	4"/ø100mm	Levighetor 640	€ 98,00	
	MTS Diamond	Tools 5,5"/ø140	mm 5 Segments			
	140910AS	MTS0	5,5"/ø140mm	Levighetor 645	€ 104,00	
	140911AS	MTS1	5,5"/ø140mm	Levighetor 645	€ 104,00	
	140912AS	MTS2	5,5"/ø140mm	Levighetor 645	€ 104,00	
	MTS Diamond	Tools 8"/ø200m	m4 Segments			
0	200410	MTS0	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 106,00	
	200411	MTS1	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 106,00	
	200412	MTS2	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 106,00	
	MTS Diamond	Tools 8"/ø200m	m 6 Segments			
	200910QA	MTS0	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00	
	200911QA	MTS1	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00	
	200912QA	MTS2	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00	
	MTS Diamond	Tools 9,5"/ø240	mm 6 Segments			
	240910S6QA	MTS0	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 135,00	
	240911S6QA	MTS1	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 135,00	
( - )	240912S6QA	MTS2	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 135,00	
	MTS Diamond	Tools 9,5"/ø240	mm 12 Segments			
	240910S12QA	MTS0	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 199,00	
	240911S12QA	MTS1	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 199,00	



### BETON HARDENER

MTS2

240912S12QA

BETON HARDENER is a special product to improve the hardness and quality of new and old concrete floors. It reacts with the salt of cement increasing the hardness and resistance to the abrasion and protecting against oils, greases and other agents contaminating.

Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601

9,5"/ø240mm

04820	Beton Hardener K10	5 Lt	SODIUM-POTASSIUM	€ 52,00
04822	Beton Hardener Lithium	5 Lt	LITHIUM ready to use	€ 125,00
04818	Beton Hardener K35	25 Lt.	SODIUM-POTASSIUM	€ 168,00

ORANGE SETIES
Diamond resin discs for Terrazzo, Limestone and abrasive Marble floors. For Terrazzo rich of cement use series "Green".

PICTURE	CODE	NAME	SIZE	MACHINE	<b>€</b> ∈ach
	JUMPER OR	NGE Diamond Tools 3	3"/ø75mm VELCRO	BACKED	
	075793OR	Jumper Orange 3	3"/ø75mm	Lev.,Hercules,Lev.Max,Expander	€ 20,50
XX	075794OR	Jumper Orange 4	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 20,50
	075795OR	Jumper Orange 5	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 20,50
	075796OR	Jumper Orange 6	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 20,50
	075797OR	Jumper Orange 7	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 20,50
	075798OR	Jumper Orange 8	3"/ø75mm	Lev.,Hercules,Lev.Max,Expander	€ 20,50
	CK ORANGE	Diamond Tools 4"/ø10	0mm		
-	100793	CK Orange 3	4"/ø100mm	Levighetor 640	€ 39,50
3	100794	CK Orange 4	4"/ø100mm	Levighetor 640	€ 39,50
7.C5 =	100795	CK Orange 5	4"/ø100mm	Levighetor 640	€ 39,50
WIND	100796	CK Orange 6	4"/ø100mm	Levighetor 640	€ 39,50
	100797	CK Orange 7	4"/ø100mm	Levighetor 640	€ 39,50
	100798	CK Orange 8	4"/ø100mm	Levighetor 640	€ 39,50
	CK ORANGE	Diamond Tools 5,5"/ø1	40mm		
	140793	CK Orange 3	5,5"/ø140mm	Levighetor 645	€ 43,50
	140794	CK Orange 4	5,5"/ø140mm	Levighetor 645	€ 43,50
	140795	CK Orange 5	5,5"/ø140mm	Levighetor 645	€ 43,50
XXX	140796	CK Orange 6	5,5"/ø140mm	Levighetor 645	€ 43,50
	140797	CK Orange 7	5,5"/ø140mm	Levighetor 645	€ 43,50
	140798	CK Orange 8	5,5"/ø140mm	Levighetor 645	€ 43,50
		EN Diamond Tools older amortized for Jumbo			
	AP011102	Plate Jumbo (3pcs)	9.5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 590,00
	PD3201	Plate Jumbo (3pcs)	13"/ø340mm	Expander 950, Hercules 750	€ 630,00
	JMB493	Jumbo Green 3	Jumbo	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 66,50
	JMB494	Jumbo Green 4	Jumbo	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 66,50
	JMB495	Jumbo Green 5	Jumbo	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 66,50
	JMB496	Jumbo Green 6	Jumbo	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 66,50
	JMB497	Jumbo Green 7	Jumbo	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 66,50
	JMB498	Jumbo Green 8	Jumbo	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 66,50
S BOOL	BRILL&MORE A silicon-based Ideal for routine	stone polish to improve the	ne shine on marble, g	granite and terrazzo. It also water-proofs the surface of	the stone.
	01126SBBox	Brill&More	12 x l 1	Solvent Base	€ 245,00



### **POLISH TERRAZZO**

000648	Polish Terrazzo	kg 5	€ 155,00



### **KRISTAL GREEN**

Polish cream for artificial marble, conglomerate and marble-quartz.

048381A	Kristal Green	3,81	€ 122,00

Mad∈ in Italy

## DIAMOND TOOLS FOR POLISHING GRANITE AND GRES TILES







# GS series

Metallic diamond discs for grinding granite floors.						
PICTURE	CODE	NAME	SIZE	MACHINE	€ each	
	GS Diamond Tools 4"/ø100mm 6 Segments					
	100711	GS1	4"/ø100mm	Levighetor 640	€ 145,00	
	100712	GS2	4"/ø100mm	Levighetor 640	€ 145,00	
	100713	GS3	4"/ø100mm	Levighetor 640	€ 145,00	
	GS Diamond Tools 5,5"/ø140mm 6 Segments					
	140711	GS1	5,5"/ø140mm	Levighetor 645	€ 149,00	
	140712	GS2	5,5"/ø140mm	Levighetor 645	€ 149,00	
	140713	GS3	5,5"/ø140mm	Levighetor 645	€ 149,00	
	GS Diamon	d Tools 8"/ø200mm (	6 Segments			



do Diamond 1001s o 70200mm o Segments					
200711GS6S	GS1	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 169,00	
200712GS6S	GS2	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 159,00	
200713GS6S	GS3	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 159,00	



GS Diamond Tools 9,5"/ø240mm 12 Segments						
240716GS12S	GS1	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 285,00		
240717GS12S	GS2	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 265,00		
240718 GS12S	GS3	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 265,00		



GSDA Diamond Tools 8"/ø200mm 6 Segments					
200690	GSDA0	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00	
200691	GSDA1	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00	
200692	GSDA2	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00	



GSDA Diamond Tools 9,5"/ø240mm 6 Segments					
240690	GSDA0	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 135,00	
240691	GSDA1	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 135,00	
240692	GSDA2	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 135,00	

€ 25,00

# GK RED SETIES Resinbond diamond disc for polishing granite floors.

075739

PICTURE	CODE	NAM€	SIZE	MACHINE	€ each
	JUMPER RI	ED Diamond Tools 3"/ø75	mm VELCRO BACKED		
	075733	Jumper Red 3	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 25,00
	075734	Jumper Red 4	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 25,00
	075735	Jumper Red 5	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 25,00
	075736	Jumper Red 6	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 25,00
	075737	Jumper Red 7	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 25,00
	075738	Jumper Red 8	3"/ø75mm	Lev., Hercules, Lev. Max, Expander	€ 25,00



### GK RED Diamond Tools 4"/ø100mm

Jumper Red 9

100733	GK Red 3	4"/ø100mm	Levighetor 640	€ 47,00
100734	GK Red 4	4"/ø100mm	Levighetor 640	€ 47,00
100735	GK Red 5	4"/ø100mm	Levighetor 640	€ 47,00
100736	GK Red 6	4"/ø100mm	Levighetor 640	€ 47,00
100737	GK Red 7	4"/ø100mm	Levighetor 640	€ 47,00
100738	GK Red 8	4"/ø100mm	Levighetor 640	€ 47,00
100739	GK Red 9	4"/ø100mm	Levighetor 640	€ 47,00

3"/ø75mm

Lev., Hercules, Lev. Max, Expander



### **POLISH KG**

The best polishing powder for granites.

000657	Polish Kg	kg 5	€ 195,00
000659	Polish Kg Clear	kg 5	€ 195,00



### KRISTAL BLU

KRISTAL BLU is a new polishing cream specifically made for polishing granite and gres. The periodic use allows to maintain the brightness and improve the resistance to high traffic. Periodically used, it avoids the micro-abrasion and opacification of floor.

		•	•	
04826TA	Kristal Blu		3,8 I / 1 Gal	€ 89,00
04826Box	Kristal Blu		4 x 3,8 l	€ 340,00



### **ANTIKO 60**

Water-oil-repellent antique finishing for interior.

00619	Antiko 60	1 Lt	Solvent Based	€ 19,50
00619Box	Antiko 60	12 x 1 Lt	Solvent Based	€ 210,00



### **KORREKTOR**

An effective stone colour enhancer ideal for darker-coloured stones such as marble, granite, sandstone, etc.

01122BLU	Korrektor	11	Blue	€ 46,50
01122N	Korrektor	11	Black	€ 46,50
01122M	Korrektor	11	Brown	€ 46,50
01122V	Korrektor	11	Green	€ 46,50
01122R	Korrektor	11	Red	€ 46,50

Mad∈ in Italy 3I YEARS

## FOR MARBLE, TERRAZZO, GRANITE AND GRES

## JUMPER BLACK series

Resinbond diamond disc with special components, designed for mastic and grouting removal.

PICTURE	CODE	NAME	SIZE	MACHINE	€ each			
	JUMPER BLACK Diamond Tools 3"/ø75mm VELCRO BACKED							
4000	075383	Jumper Black 3	3"/75mm	Lev.,Hercules,Lev.Max,Expander	€ 21,50			
	075384	Jumper Black 4	3"/75mm	Lev., Hercules, Lev. Max, Expander	€ 21,50			
	075385	Jumper Black 5	3"/75mm	Lev., Hercules, Lev. Max, Expander	€ 21,50			
	JUMPER BL	ACK Diamond Tools 4"/ø10	00mm VELCRO BACKE	D				
XX	100383	Jumper Black 3	4"/100mm	Lev., Hercules, Lev. Max, Expander	€ 31,50			
	100384	Jumper Black 4	4"/100mm	Lev., Hercules, Lev. Max, Expander	€ 31,50			
	100385	Jumper Black 5	4"/100mm	Lev., Hercules, Lev. Max, Expander	€ 31,50			

# **PAVELUX M series**

PAVELUX are tools for removing mastic and grinding any very abrasive floors.

PICTURE	COD€	NAME	SIZE	MACHINE	€ each			
	PAVELUX M Diamond Tools 4"/ø100mm							
	100253	Pavelux M 3	4"/ø100mm	Levighetor 640	€ 15,50			
	100254	Pavelux M 4	4"/ø100mm	Levighetor 640	€ 15,50			
	100255	Pavelux M 5	4"/ø100mm	Levighetor 640	€ 15,50			
	PAVELUX M	Diamond Tools 5,5"/ø14	0mm					
	140253	Pavelux M 3	5,5"/ø140mm	Levighetor 645	€ 21,75			
	140254	Pavelux M 4	5,5"/ø140mm	Levighetor 645	€ 21,75			
9	140255	Pavelux M 5	5,5"/ø140mm	Levighetor 645	€ 21,75			





## DIAMOND TOOLS FOR ANTIQUE FINISHING







Standard Process: •1) Start grinding with ANTIKE BRUSH grit 46 until you obtain an irregular surface. In case you want to achieve a very irregular surface, start with ANTIKE BRUSH grit 36 or STEEL BRUSH. •2) Proceed with ANTIKE FLOOR grit 70. •3) Complete the work with grit 120 and grit 240, in order to achieve an antique look with semi-polished finish. 4) To obtain a polished look, proceed with antique floor grit 320 and grit 500. •5) To leave the surface waterproofed and to improve the colour, apply "ANTIKO".

## ANTIKE FLOOR series

The ANTIKE FLOOR BRUSHES are the best way to achieve an antique look on marble floors in a natural and strictly mechanical way without using any chemical products. Do not apply any extra weight to avoid bending the bristles.

PICTURE	COD€	NAME	SIZE	MACHINE	<b>€</b> ∈ach
Land States	STEEL BRUSH				
	10009	Steel Brush	4"/ø100mm	Levighetor 640	€ 68,00
	14009	Steel Brush	5,5"/ø140mm	Levighetor 645, Timba	€ 78,00
The survey					



ANTIKE FLOOR Tools 4"/ø100mm							
155036	Antike Floor grit 36	4"/ø100mm	Levighetor 640	€ 44,50			
155046	Antike Floor grit 46	4"/ø100mm	Levighetor 640	€ 44,50			
155070	Antike Floor grit 70	4"/ø100mm	Levighetor 640	€ 44,50			
155120	Antike Floor grit 120	4"/ø100mm	Levighetor 640	€ 44,50			
155220	Antike Floor grit 220	4"/ø100mm	Levighetor 640	€ 44,50			
155320	Antike Floor grit 320	4"/ø100mm	Levighetor 640	€ 44,50			
155500	Antike Floor grit 500	4"/ø100mm	Levighetor 640	€ 44,50			



A۱	NTIKE FLOOR	Tools 5,5"/ø140mm			
153	3036	Antike Floor grit 36	5,5"/ø140mm	Levighetor 645, Timba	€ 58,00
153	3046	Antike Floor grit 46	5,5"/ø140mm	Levighetor 645, Timba	€ 58,00
153	3070	Antike Floor grit 70	5,5"/ø140mm	Levighetor 645, Timba	€ 58,00
153	3120	Antike Floor grit 120	5,5"/ø140mm	Levighetor 645, Timba	€ 58,00
153	3220	Antike Floor grit 220	5,5"/ø140mm	Levighetor 645, Timba	€ 58,00
153	3320	Antike Floor grit 320	5,5"/ø140mm	Levighetor 645, Timba	€ 58,00
153	3500	Antike Floor grit 500	5,5"/ø140mm	Levighetor 645, Timba	€ 58,00



ANTIKE FLOOR	Tools 8"/ø200mm			
200036	Antike Floor grit 36	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 155,00
200046	Antike Floor grit 46	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 155,00
200070	Antike Floor grit 70	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 155,00
200120	Antike Floor grit 120	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 155,00
200220	Antike Floor grit 220	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 155,00
200320	Antike Floor grit 320	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 155,00
200500	Antike Floor grit 500	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 155,00

### THE FLOOR TREATMENT SPECIALIST SINCE 1988

PICTUR€	CODE	NAME	SIZE	MACHINE	€ each
	ANTIKE FLO	OR Tools 9,5"/ø240mm			
	24036	Antike Floor grit 36	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 185,00
	240046	Antike Floor grit 46	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 185,00
	240070	Antike Floor grit 70	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 185,00
<b>有意思的意思</b>	240120	Antike Floor grit 120	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 185,00
WITH THE	240220	Antike Floor grit 220	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 185,00
THE STATE OF THE S	24320	Antike Floor grit 320	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 185,00
	240500	Antike Floor grit 500	9,5"/ø240mm	Exp.1000-850-750-650-580, Lev.Max, Herc.800-650-601	€ 185,00



DICTUDG	CODC	314346	SIZC	TVDC	
PICTUR€	CODE	NAM€	SIZE	ITYPE	€ each
	LCODC				



### KLINLUX 5 I

Polishing wax carnauba based.

04120	Klinlux	Box 4 x 5 l	€ 132.00



### KI WATERPROOFING 1 I

Water repellent sealer for both indoor and outdoor applications. It's ideal for marble, granite and any other natural stone.

00646SB	KI	11	Solvent Based	€ 26,50
00646SBBox	KI	12 x 1 l	Solvent Based	€ 295,00



ANTIKO 60
Water and oil-repellent for indoor use to produce a satin finish antique look.

00619	Antiko 60	11	Solvent Based	€ 19,50
00619Box	Antiko 60	12 x 1 l	Solvent Based	€ 210,00

Made in Italy 3I YEARS

## TRAPEZOID DIAMONDS TOOLS LINE

**SKRAPER series**Very aggressive Poly crystalline Diamond used for the removal of thick coatings, glue, adhesives and screeds. SKRAPER has been designed for an incredibly fast and aggressive removal.

PICTURE	COD€	NAME	SIZE	TYPE	€ each
	SKRAPER TRAI	PEZOID			
-	70090	Skraper Trapezoid	5,5"/ø140mm	2 Segments	€ 85,00

## BT series

Diamond tools with round segments designed for effective grinding and removing resin and varnish. Also suitable for grinding concrete floors.



BT00 TRAPEZOID					
70049BT1S	BT00 Trapezoid	grit 20	1 Segment	€ 36,00	
70049BT2S	BT00 Trapezoid	grit 20	2 Segments	€ 49,00	

## DA series

Diamond tools for medium abrasive concrete floors.



DA TRAPEZOID					
700819	DA00 Trapezoid	grit 20	2 Segments	€ 54,00	
700820	DA0 Trapezoid	grit 40	2 Segments	€ 39,00	
700821	DA1 Trapezoid	grit 70	2 Segments	€ 39,00	
700822	DA2 Trapezoid	grit 140	2 Segments	€ 39,00	

## **CA** series

Diamond tools for abrasive concrete.



CA TRAPEZOID				
700839	CA00 Trapezoid	grit 16-20	2 Segments	€ 64,00
700840	CA0 Trapezoid	grit 30-40	2 Segments	€ 59,00
700841	CA1 Trapezoid	grit 60-80	2 Segments	€ 56,00
700842	CA2 Trapezoid	grit 120-150	2 Segments	€ 52,00

## series CF

Diamond tools for asphalt and very abrasive concrete.

CE TRAPEZOID



OI IIIAI EEOID				
700859	CF00 Trapezoid	grit 16-20	2 Segments	€ 75,00
700860	CF0 Trapezoid	grit 30-40	2 Segments	€ 69,00
700861	CF1 Trapezoid	grit 60-80	2 Segments	€ 49,00

## CD series

Diamond tools for hard concrete floors. Not for use on abrasive floors.

PICTURE	CODE	NAME	SIZE	TYPE	€ each
	CDTRAPEZOID	2 Segments			
	70031CD2S	CD00 Trapezoid	grit 20	2 Segments	€ 56,00
	70032CD2S	CD0 Trapezoid	grit 40	2 Segments	€ 49,00
	70033CD2S	CD1 Trapezoid	grit 70	2 Segments	€ 47,00
	70034CD2S	CD2 Trapezoid	grit 140	2 Segments	€ 45,00

## MS series

Trapezoid diamond tools for marble floors.



MS TRAPEZ	ZOID		
70000	MS0 Trapezoid	3 Segments	€ 61,00
70001	MS1 Trapezoid	3 Segments	€ 61,00
70002	MS2 Trapezoid	3 Segments	€ 61,00

## **GSDA** series

Trapezoid diamond tools for granite floors.



GSDA TRA	PEZOID		
70014	GSDA00 Trapezoid	2 Segments	€ 54,00
70015	GSDA0 Trapezoid	2 Segments	€ 39,00
70016	GSDA1 Trapezoid	2 Segments	€ 39,00
70017	GSDA2 Transzoid	2 Segments	€ 39 00

## HAND Diamond series

HAND DIAMOND TOOLS

Hands pads are designed to improve quick grinding and polishing for manual application. They are available in resin bond "R" or in electroplated "E".



00911R	Hand Pad Resinbond	grit 60	€ 11,88
00912R	Hand Pad Resinbond	grit 120	€ 11,88
00913R	Hand Pad Resinbond	grit 220	€ 11,88
00914R	Hand Pad Resinbond	grit 400	€ 11,88
00915R	Hand Pad Resinbond	grit 800	€ 11,88
00916R	Hand Pad Resinbond	grit 1800	€ 11,88
00911E	Hand Pad Electroplated	grit 60	€ 39,50
00912E	Hand Pad Electroplated	grit 120	€ 36,50
00913E	Hand Pad Electroplated	grit 220	€ 31,50

Made in Italy 125 31 YEARS

## **VELCRO BACKED DIAMOND DISCS**



PUMA SETIES
Flexible resin bonded diamond disc designed for universal application.

PICTURE	CODE	NAME	SIZE	THICKNESS	€ each
	PUMA 4"/ø1	100mm			
	1050060	Puma grit 60	4"/ø100mm	4mm	€ 14,50
1111	1050120	Puma grit 120	4"/ø100mm	4mm	€ 14,50
	1050220	Puma grit 220	4"/ø100mm	4mm	€ 14,50
A HAY	1050400	Puma grit 400	4"/ø100mm	4mm	€ 14,50
	1050800	Puma grit 800	4"/ø100mm	4mm	€ 14,50
	1051500	Puma grit 1500	4"/ø100mm	4mm	€ 14,50
	1053500	Puma grit 3500	4"/ø100mm	4mm	€ 14,50
	PUMA 5"/ø1	25mm			
	1270060	Puma grit 60	5"/ø125mm	4mm	€ 19,80
ATTENDED TO THE PARTY OF THE PA	1270120	Puma grit 120	5"/ø125mm	4mm	€ 19,80
世代の選件	1270220	Puma grit 220	5"/ø125mm	4mm	€ 19,80
	1270400	Puma grit 400	5"/ø125mm	4mm	€ 19,80
CA HA	1270800	Puma grit 800	5"/ø125mm	4mm	€ 19,80
	1271500	Puma grit 1500	5"/ø125mm	4mm	€ 19,80
	1273500	Puma grit 3500	5"/ø125mm	4mm	€ 19,80
	PUMA 6"/ø1	150mm			
SEEDS.	1580060	Puma grit 60	6"/ø150mm	4mm	€ 29,50
ATTENDED TO THE PARTY OF THE PA	1580120	Puma grit 120	6"/ø150mm	4mm	€ 29,50
(単度) 選押	1580220	Puma grit 220	6"/ø150mm	4mm	€ 29,50
	1580400	Puma grit 400	6"/ø150mm	4mm	€ 29,50
A STATE OF THE STA	1580800	Puma grit 800	6"/ø150mm	4mm	€ 29,50
	1581500	Puma grit 1500	6"/ø150mm	4mm	€ 29,50
	1583500	Puma grit 3500	6"/ø150mm	4mm	€ 29,50

CYCLON UNIVERSAL 3"/ø75mm

Manufactured with large, raised segments for long life and high glossy finish. They don't break although the floor is uneven. Long Performance.



0720060	Cyclon universal grit 60	3"/ø75mm	9mm	€ 14,50
0720120	Cyclon universal grit 120	3"/ø75mm	9mm	€ 14,50
0720220	Cyclon universal grit 220	3"/ø75mm	9mm	€ 14,50
0720400	Cyclon universal grit 400	3"/ø75mm	9mm	€ 14,50
0720800	Cyclon universal grit 800	3"/ø75mm	9mm	€ 14,50
0721500	Cyclon universal grit 1500	3"/ø75mm	9mm	€ 14,50



CYCLON UNIVERSAL 4"/ø100mm				
1020060	Cyclon universal grit 60	4"/ø100mm	9mm	€ 19,50
1020120	Cyclon universal grit 120	4"/ø100mm	9mm	€ 19,50
1020220	Cyclon universal grit 220	4"/ø100mm	9mm	€ 19,50
1020400	Cyclon universal grit 400	4"/ø100mm	9mm	€ 19,50
1020800	Cyclon universal grit 800	4"/ø100mm	9mm	€ 19,50
1021500	Cyclon universal grit 1500	4"/ø100mm	9mm	€ 19,50

PICTURE	CODE	NAME	SIZE	THICKNESS	€ each



LYON YELLOW 3"/ø75mm						
075743	Lyon yellow grit 60	3"/ø75mm	11mm	€ 17,50		
075744	Lyon yellow grit 120	3"/ø75mm	11mm	€ 17,50		
075745	Lyon yellow grit 220	3"/ø75mm	11mm	€ 17,50		
075746	Lyon yellow grit 400	3"/ø75mm	11mm	€ 17,50		
075747	Lyon yellow grit 800	3"/ø75mm	11mm	€ 17,50		
075748	Lyon yellow grit 1500	3"/ø75mm	11mm	€ 17,50		



LYON YELL	LYON YELLOW 4"/ø100mm					
100743	Lyon yellow grit 60	4"/ø100mm	11mm	€ 28,00		
100744	Lyon yellow grit 120	4"/ø100mm	11mm	€ 28,00		
100745	Lyon yellow grit 220	4"/ø100mm	11mm	€ 28,00		
100746	Lyon yellow grit 400	4"/ø100mm	11mm	€ 28,00		
100747	Lyon yellow grit 800	4"/ø100mm	11mm	€ 28,00		
100748	Lyon yellow grit 1500	4"/ø100mm	11mm	€ 28,00		

# LEOPARD SETIES Flexible resin bonded diamond disc designed for universal application.



LEOPARD 4"/ø100mm					
1040060	Leopard grit 60	4"/ø100mm	4mm	€ 19,50	
1040120	Leopard grit 120	4"/ø100mm	4mm	€ 19,50	
1040220	Leopard grit 220	4"/ø100mm	4mm	€ 19,50	
1040400	Leopard grit 400	4"/ø100mm	4mm	€ 19,50	
1040800	Leopard grit 800	4"/ø100mm	4mm	€ 19,50	
1041500	Leopard grit 1500	4"/ø100mm	4mm	€ 19,50	
1043500	Leopard grit 3500	4"/ø100mm	4mm	€ 19,50	



LEOPARD 5"/ø125mm					
1240060	Leopard grit 60	5"/ø125mm	4mm	€ 24,50	
1240120	Leopard grit 120	5"/ø125mm	4mm	€ 24,50	
1240220	Leopard grit 220	5"/ø125mm	4mm	€ 24,50	
1240400	Leopard grit 400	5"/ø125mm	4mm	€ 24,50	
1240800	Leopard grit 800	5"/ø125mm	4mm	€ 24,50	
12401500	Leopard grit 1500	5"/ø125mm	4mm	€ 24,50	
12403500	Leopard grit 3500	5"/ø125mm	4mm	€ 24,50	



LEOPARD 6"/ø150mm					
1540060	Leopard grit 60	6"/ø150mm	4mm	€ 33,00	
1540120	Leopard grit 120	6"/ø150mm	4mm	€ 33,00	
1540220	Leopard grit 220	6"/ø150mm	4mm	€ 33,00	
1540400	Leopard grit 400	6"/ø150mm	4mm	€ 33,00	
1540800	Leopard grit 800	6"/ø150mm	4mm	€ 33,00	
15401500	Leopard grit 1500	6"/ø150mm	4mm	€ 33,00	
15403500	Leopard grit 3500	6"/ø150mm	4mm	€ 33,00	

Mad∈ in Italy 3I YEARS

# JUMPER UNIVERSAL SETIES Diamond resin discs manufactured with large, raised segments for long life and high glossy finish. They don't break although the floor is uneven. Long Performance.

PICTURE	CODE	NAME	SIZE	THICKNESS	€ each
	JUMPER U	NIVERSAL 3"/ø75mm			
	0780060	Jumper universal grit 60	3"/ø75mm	11mm	€ 15,50
	0780120	Jumper universal grit 120	3"/ø75mm	11mm	€ 15,50
	0780220	Jumper universal grit 220	3"/ø75mm	11mm	€ 15,50
	0780400	Jumper universal grit 400	3"/ø75mm	11mm	€ 15,50
	0780800	Jumper universal grit 800	3"/ø75mm	11mm	€ 15,50
	0781800	Jumper universal grit 1500	3"/ø75mm	11mm	€ 15,50
	JUMPER UI	NIVERSAL 4"/ø100mm			
	1080060	Jumper universal grit 60	4"/ø100mm	11mm	€ 22,50
	1080120	Jumper universal grit 120	4"/ø100mm	11mm	€ 22,50
	1080220	Jumper universal grit 220	4"/ø100mm	11mm	€ 22,50
	1080400	Jumper universal grit 400	4"/ø100mm	11mm	€ 22,50
	1080800	Jumper universal grit 800	4"/ø100mm	11mm	€ 22,50
	1081800	Jumper universal grit 1500	4"/ø100mm	11mm	€ 22,50

# JUMPER GREEN SETIES Designed for concrete and terrazzo rich of the cement. Long performance. The don't leave colour marks on the floor!



JUMPER GREEN 3"/Ø/5mm						
075493	Jumper green grit 60	3"/ø75mm	11mm	€ 19,50		
075494	Jumper green grit 120	3"/ø75mm	11mm	€ 19,50		
075495	Jumper green grit 220	3"/ø75mm	11mm	€ 19,50		
075496	Jumper green grit 400	3"/ø75mm	11mm	€ 19,50		
075497	Jumper green grit 800	3"/ø75mm	11mm	€ 19,50		
075498	Jumper green grit 1500	3"/ø75mm	11mm	€ 19,50		



JUMPER GREEN 4"/ø100mm					
100493	Jumper green grit 60	4"/ø100mm	11mm	€ 29,90	
100494	Jumper green grit 120	4"/ø100mm	11mm	€ 29,90	
100495	Jumper green grit 220	4"/ø100mm	11mm	€ 29,90	
100496	Jumper green grit 400	4"/ø100mm	11mm	€ 29,90	
100497	Jumper green grit 800	4"/ø100mm	11mm	€ 29,90	
100498	Jumper green grit 1500	4"/ø100mm	11mm	€ 29,90	

## JUMPER YELLOW SEriES

Diamond resin disc specially designed for marble. They don't break although the floor is uneven. Long Performance.



JUMPER YEL	LOW 3"/ø75mm			
0750060	Jumper yellow grit 60	3"/ø75mm	11mm	€ 25,00
0750120	Jumper yellow grit 120	3"/ø75mm	11mm	€ 25,00
0750220	Jumper yellow grit 220	3"/ø75mm	11mm	€ 25,00
0750400	Jumper yellow grit 400	3"/ø75mm	11mm	€ 25,00
0750800	Jumper yellow grit 800	3"/ø75mm	11mm	€ 25,00
0751800	Jumper yellow grit 1500	3"/ø75mm	11mm	€ 25,00



JUMPER YE	LLOW 4"/ø100mm			
1000060	Jumper yellow grit 60	4"/ø100mm	11mm	€ 32,50
1000120	Jumper yellow grit 120	4"/ø100mm	11mm	€ 32,50
1000220	Jumper yellow grit 220	4"/ø100mm	11mm	€ 32,50
1000400	Jumper yellow grit 400	4"/ø100mm	11mm	€ 32,50
1000800	Jumper yellow grit 800	4"/ø100mm	11mm	€ 32,50
1001800	Jumper yellow grit 1500	4"/ø100mm	11mm	€ 32,50

PICTURE	COD€	NAME	SIZE	THICKNESS	€ each
	PANTERA 4"	/ø100mm			
ASSES NO.	1030030	Pantera grit 30	4"/ø100mm	4mm	€ 24,50
	1030060	Pantera grit 60	4"/ø100mm	4mm	€ 24,50
THE STATE OF THE S	1030120	Pantera grit 120	4"/ø100mm	4mm	€ 24,50
CARRY OF	1030220	Pantera grit 220	4"/ø100mm	4mm	€ 24,50
	1030400	Pantera grit 400	4"/ø100mm	4mm	€ 24,50
	1030800	Pantera grit 800	4"/ø100mm	4mm	€ 24,50
	1031500	Pantera grit 1500	4"/ø100mm	4mm	€ 24,50
	1033500	Pantera grit 3500	4"/ø100mm	4mm	€ 24,50
	PANTERA 5"	/ø125mm			
A THE	1260030	Pantera grit 30	5"/ø125mm	4mm	€ 30,50
	1260060	Pantera grit 60	5"/ø125mm	4mm	€ 30,50
THE THE	1260120	Pantera grit 120	5"/ø125mm	4mm	€ 30,50
CALLES !	1260220	Pantera grit 220	5"/ø125mm	4mm	€ 30,50
	1260400	Pantera grit 400	5"/ø125mm	4mm	€ 30,50
	1260800	Pantera grit 800	5"/ø125mm	4mm	€ 30,50
	12601500	Pantera grit 1500	5"/ø125mm	4mm	€ 30,50
	12603500	Pantera grit 3500	5"/ø125mm	4mm	€ 30,50
	PANTERA 6"	/ø150mm			
	1560030	Pantera grit 30	5"/ø125mm	4mm	€ 30,50
	1560060	Pantera grit 60	6"/ø150mm	4mm	€ 41,50
	1560120	Pantera grit 120	6"/ø150mm	4mm	€ 41,50
WHITE AND THE	1560220	Pantera grit 220	6"/ø150mm	4mm	€ 41,50
	1560400	Pantera grit 400	6"/ø150mm	4mm	€ 41,50
	1560800	Pantera grit 800	6"/ø150mm	4mm	€ 41,50
	15601500	Pantera grit 1500	6"/ø150mm	4mm	€ 41,50
	15603500	Pantera grit 3500	6"/ø150mm	4mm	€ 41,50
		1			
	-			4 4 4	
1000			-		1

GRIMPEUR 3"/ø75mm

GRIMPEUR SETIES

To use before resin discs. They have special bevelled lips that ride over lipages without damaging the floor.



1070030	Grimpeur grit 30	3"/ø75mm	€ 69,00
1070060	Grimpeur grit 60	3"/ø75mm	€ 69,00
1070120	Grimpeur grit 120	3"/ø75mm	€ 69,00




GRIMPEUR 4	GRIMPEUR 4"/ø100mm			
1071030	Grimpeur grit 30	4"/ø100mm	€ 115,00	
1071060	Grimpeur grit 60	4"/ø100mm	€ 115,00	
1071120	Grimpeur grit 120	4"/ø100mm	€ 115,00	

Mad∈ in Italy 3I YEARS GRINDING

SINGLE DISC

# Kaap your diamonds cool and increase parformance



"READY COOL" is the new AUTO-COOLING DIAMOND PLATE HOLDER BY KLINDEX®, developed to solve some of the common problems of dry grinding, "the excessive heat of the tool adversely affect the efficiency and performance".

Experienced operators know the challenges of maintaining diamond tool performance due to the diamonds heating up excessively. The temperature rise is caused by friction, concentrations of dust under the hood of the planetarium, and accumulation of heat trapped in the hood.

The heat increase makes losing cutting performance and durability of the tool, thanks to the new plate "READY COOL", which helps to cool the tool during use, the problem is solved!







The new plate holder "Ready Cool" creates a vortex of air around the diamond tools thanks to the SUSPENSION SYSTEM. The air flow generated due to the space between the plate holder cools the diamonds effectively and at the same time, helps the aspiration process of the vacuum to more effectively extract the dust generated during the grinding process.



## **KEY BENEFITS:**

- Longer tool life.
- Dust extraction is more efficient.
- Lower risk of blunting the tools by excessive heat.
- Increase performance of dry grinding.
- Lower operating costs.
- Easy delivery.
- More flexibility to adjust the speed of the grinding performance of the machine by removing or adding diamond segments.
- Same tools for different size machines.



### Ready Cool plate holder

UT025201	ø 5,5"/140mm	Levighetor 645	Can fix 3 tools	€ 90,00
UT025301	ø 8"/200mm	Levighetor 650, Expander 530, Hercules 450-451-550-551	Can fix 3 or 6 tools	€ 94,50
UT025401	ø 9,5"/240mm	Expander 1000-850-750-650-580, Levighetor Max, Hercules 800-650-601, Rotoklin 240	Can fix 3 or 6 tools	€ 99,50
UT025501	ø 13,5"/340mm	Expander 950, Hercules 750	Can fix 3 or 6 tools	€ 115,00
UT025601	ø 17"/430mm	Single disc machines	Can fix 3, 6 or 9 tools	n.a.







GRINDING

SINGLE DISC

TOOLS

SPECIAL

VACUUM

# Quick Lock

# Keep your diamonds cool and increase performancel



Quick Lock is the new line of diamond tools by Klindex® designed for the new Ready Cool plate. Thanks to the handy curved locking system the Quick Lock diamond pad can be fitted and removed by one simple movement while remaining perfectly anchored when in use.

The Quick Lock can be mounted on any size Ready Cool plate, facilitating the operator that owns multiple machines and will not be obliged to have a number of tools helping to reduce management costs.








"Ready cool" plate hoder can be used with Klindex tools "Quick Lock". Others usage can 'cause damage or violate any warranty claim.







# Compact packaging saves delivery costs.





GRINDING

SINGLE DISC

TOOLS

SPECIAL

VACUUM

CHEMICALS

MARKETING

Made in Italy 133 31 YEARS




















# **DA Quick Lock**

Diamond tools for medium abrasive concrete. Cost effective with high efficiency.



DA Quick Loc	k			
700239	DA00 Quick Lock	grit 16/20	2 Segments	€ 58,50
700240	DA0 Quick Lock	grit 30/40	2 Segments	€ 45,80
700241	DA1 Quick Lock	grit 70	2 Segments	€ 45,80
700242	DA2 Quick Lock	arit 140	2 Seaments	€ 45.80



DA Quick Lock				
700139	DA00 Quick Lock	grit 20	1 segment	€ 38,50
700140	DA0 Quick Lock	grit 40	1 segment	€ 33,50
700141	DA1 Quick Lock	grit 70	1 segment	€ 33,50
700142	DA2 Quick Lock	grit 140	1 segment	€ 33,50

## **CD Quick Lock**

Premium Diamond tools for hard concrete. Not for use on abrasive floors.



CD Quick Lock				
700339	CD00 Quick Lock	grit 20	2 Segments	€ 56,50
700340	CD0 Quick Lock	grit 40	2 Segments	€ 49,50
700341	CD1 Quick Lock	grit 70	2 Segments	€ 47,50
700342	CD2 Quick Lock	grit 140	2 Segments	€ 47,50



CD Quick Loc	k			
700439	CD00 Quick Lock	grit 20	1 segment	€ 39,50
700440	CD0 Quick Lock	grit 40	1 segment	€ 38,50
700441	CD1 Quick Lock	grit 70	1 segment	€ 36,50
700442	CD2 Quick Lock	grit 140	1 segment	€ 36,50

## **CA Quick Lock**

Premium quality diamond tools. The most commonly used tools for general surface preparation.

CA Quick Lock



700539	CA00 Quick Lock	grit 16-20	2 Segments	€ 59,50
700540	CA0 Quick Lock	grit 30-40	2 Segments	€ 56,50
700541	CA1 Quick Lock	grit 60-80	2 Segments	€ 52,50
700542	CA2 Quick Lock	grit 120-150	2 Segments	€ 52,50




CA Quick Lock				
700535	CA00 Quick Lock	grit 16-20	1 segment	€ 42,50
700536	CA0 Quick Lock	grit 30-40	1 segment	€ 39,50
700537	CA1 Quick Lock	grit 60-80	1 segment	€ 37,50
700538	CA2 Quick Lock	grit 120-150	1 segment	€ 37,50

Made in Italy 135 31 YEARS

GRINDING

## **COATING REMOVAL**







€ 63,50

## **BTOO ARROW Quick Lock**

THIN RESIN/PAINT REMOVAL ON HARD CONCRETE. Diamond tools with arrow segments with special TCK inserts designed for fast and effective thin resin and paint removal on hard or good substrate cement floors. It does not damage the floor. Not for use on green concrete or abrasive concrete floors.



**BT00 Arrow** 

700836 BT00 Arrow Quick Lock 2 segments

Skraper PCD Quick Lock
TO REMOVE THICK RUBBERY MATERIAL, EXTREMELY THICK COATING AND PRESSURE SENSITIVE MATERIAL ON THE FLOOR. PCD SKRAPER made up of 1 poly-crystalline diamond skraper and 1 round diamond with TCK insert and is suggested to remove all types of hard coatings such as: paint, varnish, glue, epoxy, acrylic, screed residue, mastic, black tar adhesive as well as thick rubbery material. Not for use for conventional grinding or for green concrete. It works fast while leaving the surface very rough.



### **PCD Skraper Quick Lock**

700837 Skraper PCD Quick Lock 1 segments € 87,50

# SUPER SKRAPER PCD QUICK LOCK TO REMOVE THICK RUBBERY MATERIAL, EXTREMELY THICK COATING AND PRESSURE SENSITIVE MATERIAL ON THE FLOOR. PCD

SUPER SKRAPER is made up of 2 poly-crystalline diamond and 2 arrow diamond skraper with TCK insert and is suggested to remove all types of hard coatings such as: paint, varnish, glue, epoxy, acrylic, screed residue, mastic, black tar adhesive as well as thick rubbery material. Not for use for conventional grinding or for green concrete. Compared to PCD SKRAPER it works slower but leaves the surface regularly scratched.



### **PCD Super Skraper Quick Lock**

700838 Super Skraper PCD Quick Lock 2 segments € 141,50

## BT Quick Lock

Diamond tools with round segments designed for effective grinding and removing resin, glue and varnish. Also suitable for concrete grinding.



### **BT00 Quick Lock**

700959 BT00 Quick Lock grit 20 2 segments € 49,50

## TCK Quick Lock

LEVELLING, COATING REMOVAL ON GREEN CONCRETE FLOOR. Very tough and hard bond together with special TCK diamond segments, it provides fast and very durable grinding for soft and abrasive concrete. Fast and efficient heavy duty removal of humps, mastics, thin-set, self-levelling compounds and various light coatings on soft concrete floor. For fast removal of various coatings, levelling and grinding soft and very abrasive concrete. Suitable for green concrete, soft and very abrasive concrete with very long lifetime.



### **TCK Quick Lock**

700638	TCK000 Quick Lock	2 segments	€ 75,50
700639	TCK00 Quick Lock	2 segments	€ 69,50
700640	TCK0 Quick Lock	2 segments	€ 65,50



### **TCK Quick Lock**

700658	TCK000 Quick Lock	1 Segment	€ 49,50
700659	TCK00 Quick Lock	1 Segment	€ 47,50
700660	TCK0 Quick Lock	1 Segment	€ 46,50

## **CF Quick Lock**

Diamond tools for asphalt and very abrasive concrete. Super hard bond.



### **CF Quick Lock**

700739	CF00 Quick Lock	grit 20	2 segments	€ 69,50
700740	CF0 Quick Lock	grit 40	2 segments	€ 65,50

# DIAMOND TOOLS FOR POLISHING TERRAZZO AND LIMESTONE







## MTS Quick Lock

Diamond tools for travertine, terrazzo, limestone, agglomerate and abrasive marble floors. Wet & dry system.



### MTS diamond Tools

700940	MTS0 Quick Lock	grit 40	2 segments	€ 46,50
700941	MTS1 Quick Lock	grit 70	2 segments	€ 46,50
700942	MTS2 Quick Lock	grit 140	2 segments	€ 46,50

Made in Italy 137 31 YEARS



## X-LINE RESIN DIAMOND TOOLS







# JUMPER GREEN X-Line Diamond resin discs manufactured with raised segments for longer life and a better finish for polished concrete. Can be used wet & dry.



### Jumper Green X-Line 3"/ø75mm

075512	Jumper Green 2 X-Line	3"/ø75mm	grit 30	€ 13,50
075513	Jumper Green 3 X-Line	3"/ø75mm	grit 60	€ 13,50
075514	Jumper Green 4 X-Line	3"/ø75mm	grit 120	€ 13,50
075515	Jumper Green 5 X-Line	3"/ø75mm	grit 220	€ 13,50
075516	Jumper Green 6 X-Line	3"/ø75mm	grit 400	€ 13,50
075517	Jumper Green 7 X-Line	3"/ø75mm	grit 800	€ 13,50
075518	Jumper Green 8 X-Line	3"/ø75mm	grit 1500	€ 13,50



### Jumper Green X-Line 4"/ø100mm

100512	Jumper Green 2 X-Line	4"/ø100mm	grit 30	€ 19,50
100513	Jumper Green 3 X-Line	4"/ø100mm	grit 60	€ 19,50
100514	Jumper Green 4 X-Line	4"/ø100mm	grit 120	€ 19,50
100515	Jumper Green 5 X-Line	4"/ø100mm	grit 220	€ 19,50
100516	Jumper Green 6 X-Line	4"/ø100mm	grit 400	€ 19,50
100517	Jumper Green 7 X-Line	4"/ø100mm	grit 800	€ 19,50
100518	Jumper Green 8 X-Line	4"/ø100mm	grit 1500	€ 19,50

## JUMPER YELLOW X-Line

Diamond resin disc specially designed for marble. They don't break although the floor is uneven. Long Performance.



### Jumper Yellow X-Line 3"/ø75mm

075533	Jumper Yellow 3 X-Line	3"/ø75mm	grit 60	€ 17,50
075534	Jumper Yellow 4 X-Line	3"/ø75mm	grit 120	€ 17,50
075535	Jumper Yellow 5 X-Line	3"/ø75mm	grit 220	€ 17,50
075536	Jumper Yellow 6 X-Line	3"/ø75mm	grit 400	€ 17,50
075537	Jumper Yellow 7 X-Line	3"/ø75mm	grit 800	€ 17,50
075538	Jumper Yellow 8 X-Line	3"/ø75mm	grit 1500	€ 17,50



### Jumper Yellow X-Line 4"/ø100mm

100533	Jumper Yellow 3 X-Line	4"/ø100mm	grit 60	€ 24,50
100534	Jumper Yellow 4 X-Line	4"/ø100mm	grit 120	€ 24,50
100535	Jumper Yellow 5 X-Line	4"/ø100mm	grit 220	€ 24,50
100536	Jumper Yellow 6 X-Line	4"/ø100mm	grit 400	€ 24,50
100537	Jumper Yellow 7 X-Line	4"/ø100mm	grit 800	€ 24,50
100538	Jumper Yellow 8 X-Line	4"/ø100mm	grit 1500	€ 24,50

Mad∈ in Italy 3I YEARS

# JUMPER UNIVERSAL X-Line Diamond resin discs manufactured with large, raised segments for long life and high glossy finish. They don't break although the floor is uneven.

Long Performance.



Jumper U	Jumper Universal X-Line 3"/ø75mm						
075523	Jumper Universal 3 X-Line	3"/ø75mm	grit 60	€ 13,50			
075524	Jumper Universal 4 X-Line	3"/ø75mm	grit 120	€ 13,50			
075525	Jumper Universal 5 X-Line	3"/ø75mm	grit 220	€ 13,50			
075526	Jumper Universal 6 X-Line	3"/ø75mm	grit 400	€ 13,50			
075527	lumner Universal 7 X-Line	3"/ø75mm	arit 800	£ 13 50			

3"/ø75mm

grit 1500

€ 13,50



### Jumper Universal X-Line 4"/ø100mm

Jumper Universal 8 X-Line

• шр•.	 a. //			
100523	Jumper Universal 3 X-Line	4"/ø100mm	grit 60	€ 19,50
100524	Jumper Universal 4 X-Line	4"/ø100mm	grit 120	€ 19,50
100525	Jumper Universal 5 X-Line	4"/ø100mm	grit 220	€ 19,50
100526	Jumper Universal 6 X-Line	4"/ø100mm	grit 400	€ 19,50
100527	Jumper Universal 7 X-Line	4"/ø100mm	grit 800	€ 19,50
100528	Jumper Universal 8 X-Line	4"/ø100mm	grit 1500	€ 19,50

# KONDOR GREEN X-Line Diamond resin discs manufactured with raised segments for longer life and a better finish for polished concrete. Can be used wet & dry.

075528



### Kondor Green X-Line 3"/ø75mm

075542	Kondor Green 2 X-Line	3"/ø75mm	grit 30	€ 14,90
075543	Kondor Green 3 X-Line	3"/ø75mm	grit 60	€ 14,90
075544	Kondor Green 4 X-Line	3"/ø75mm	grit 120	€ 14,90
075545	Kondor Green 5 X-Line	3"/ø75mm	grit 220	€ 14,90
075546	Kondor Green 6 X-Line	3"/ø75mm	grit 400	€ 14,90
075547	Kondor Green 7 X-Line	3"/ø75mm	grit 800	€ 14,90
075548	Kondor Green 8 X-Line	3"/ø75mm	grit 1500	€ 14,90



### Kondor Green X-Line 4"/ø100mm

100542	Kondor Green 2 X-Line	4"/ø100mm	grit 60	€ 20,90
100543	Kondor Green 3 X-Line	4"/ø100mm	grit 60	€ 20,90
100544	Kondor Green 4 X-Line	4"/ø100mm	grit 120	€ 20,90
100545	Kondor Green 5 X-Line	4"/ø100mm	grit 220	€ 20,90
100546	Kondor Green 6 X-Line	4"/ø100mm	grit 400	€ 20,90
100547	Kondor Green 7 X-Line	4"/ø100mm	grit 800	€ 20,90
100548	Kondor Green 8 X-Line	4"/ø100mm	grit 1500	€ 20,90

## LYON UNIVERSAL X-Line

Diamond resin discs manufactured with large, raised segments for long life and high glossy finish. They don't break although the floor is uneven. Long Performance.



### Lyon Universal X-Line 3"/ø75mm

075643	Lyon Universal 3	3"/ø75mm	grit 60	€ 13,50
075644	Lyon Universal 4	3"/ø75mm	grit 120	€ 13,50
075645	Lyon Universal 5	3"/ø75mm	grit 220	€ 13,50
075646	Lyon Universal 6	3"/ø75mm	grit 400	€ 13,50
075647	Lyon Universal 7	3"/ø75mm	grit 800	€ 13,50
075648	Lyon Universal 8	3"/ø75mm	grit 1500	€ 13,50



Lyon Unive	ersai X-Line 4"/Ø100mm			
100643	Lyon Universal 3	4"/ø100mm	grit 60	€ 19,50
100644	Lyon Universal 4	4"/ø100mm	grit 120	€ 19,50
100645	Lyon Universal 5	4"/ø100mm	grit 220	€ 19,50
100646	Lyon Universal 6	4"/ø100mm	grit 400	€ 19,50
100647	Lyon Universal 7	4"/ø100mm	grit 800	€ 19,50
100648	Lyon Universal 8	4"/ø100mm	grit 1500	€ 19,50



# NEW DIAMOND DISC X-LINE


- New formula
- Excellent performance
- Better price



Klindex introduces Flash Diamond The new 3 steps polishing system for all marble, terrazzo and concrete surfaces



## METEYE DNIHELUOG TEAST YUNO EGETE E



• Works both wet and dry • Fit all machines • Available in all sizes • Made in Italy

## Advantages:

- Floor polishing in 3 steps only.
- Usable both wet and dry.
- Easy removal of grouting.
- Flawless finishing.
- Less time.
- Higher productivity compared to similar products.
- Easy to use also for beginners.
- ☑ Reduced labour costs for m².
- Reduced warehousing costs.
- Extremely fast system from the first to the last step.









### The 3 Steps Of Klindex Flash Diamond

- **STAGE 1** Flash Diamond 1 starting tool has been designed to remove simple gaps and minor scratches even on the hardest surfaces. Its hybrid composition allows to remove easily also grouting excesses and prepares the surface for the following steps.
- **STAGE 2** Flash Diamond 2 tool is an hybrid disc that makes the surface uniform and ready for the final phase.
- **STAGE 3** Flash Diamond 3 final tool gives the surface extraordinary brightness and finishing.

Flash Diamond 3"/ø75mm					
075901VEL	Flash Diamond 1	3"/ø75mm	Step 1	€ 67,50	
075902VEL	Flash Diamond 2	3"/ø75mm	Step 2	€ 22,50	
075903VEL	Flash Diamond 3	3"/ø75mm	Step 3	€ 22,50	

Flash Diamond 4"/ø100m	m			
140901VEL	Flash Diamond 1	4"/ø100mm	Step 1	€ n.a.
140902VEL	Flash Diamond 2	4"/ø100mm	Step 2	€ n.a.
140903VEL	Flash Diamond 3	4"/ø100mm	Step 3	€ n.a.

Made in Italy 143 31 YEARS







VERTIKA IS ANOTHER KLINDEX EXCLUSIVE. It is the only machine in the world that cleans and polishes vertical surfaces!!! It is also ideal for walls, columns, stairs, bathrooms, kitchens, counter tops etc. It has a variable speed from 0-1000 RPM and it can work both wet and dry. Thanks to its incorporated vacuum system there is no dust or splashing.

\*Complete With: Tank, Vacuum System, 5 mt pipe, Kit pad holder, handle.



EASY KIT VERTIKA - set of jaguar flex from grit 30 up to grit 3500, Abrasive Floor Pad White, Green, Black and Red in a duty inox trolley box. (The easy kit does not include grinding head).

EASYKITVTK 100	EASY KIT Marble and Granite	ø100mm	€ 460,00
EASYKITVTK 125	EASY KIT Marble and Granite	ø125mm	€ 530,00
EASYKITVTK 150	EASY KIT Marble and Granite	ø150mm	€ 710,00
EASYKITVTK 165	EASY KIT Marble and Granite	ø165mm	€ 760,00

TECHNICAL DATA										
Model	Motor Watt max	Volt	Hertz	Speed Tools	Dimensions tools	Water Tank	Waste Tank	Dimensions WxHxD cm	Weight	Price
VERTIKA CPL	1900	220	50/60	0-1000 rpm	100/150/240mm (4/6/9,5")	201	27	118x81x57	55 kg	€ 5.795,00
VERTIKA CPL USA	1900	110	60	0-1000 rpm	100/150/240mm (4/6/9,5")	201	27	118x81x57	55 kg	€ 5.795,00





DATA FOR SHIPPING						
Vol. Packaging	Size Packaging	Weight				
0,72 m³	120x80x75 cm	94 Kg				



SINGLE

DISC

100CS

SPECIAL

VACUUN

**CHEMICALS** 

MARKETING

Made in Italy 145 31 YEARS

### **ACCESSORIES FOR VERTIKA**

PICTURE	CODE	NAME	SIZE	MACHINE	€ ∈ach
	FLOOR PAD				
	30046	Discolux	4"/ø100mm		€ 4,10
	30066	Discolux	6"/ø150mm		€ 4,90
	30041	White Pad	4"/ø100mm		€ 3,90
	30061	White Pad	6"/ø150mm		€ 4,50
	30042	Green Pad	4"/ø100mm		€ 3,90
	30062	Green Pad	6"/ø150mm		€ 4,50
	30043	Black Pad	4"/ø100mm		€ 3,90
	30063	Black Pad	6"/ø150mm		€ 4,50



### KIT PAD HOLDER

KIT PAD HOLDER					
UT5001	Kit Pad Holder	4"/ø100mm	€ 92,00		
UT012101	Kit Pad Holder	5"/ø125mm	€ 125,00		
UT5101	Kit Pad Holder	6"/ø150mm	€ 113,00		
UT012001	Kit Pad Holder	6,5"/ø165mm	€ 130,00		
UT5201	Kit Pad Holder	9,5"/ø240mm	€ 155,00		



### KIT BUSH HAMMER

To make anti-slip surfaces on stairs.

UT5401	Compete of rollers	€ 1.450,00
45031	Roller spare part	€ 185,00



### **BRUSHES**

10002	Nylon	4"/ø100mm	€ 59,00
15002	Nylon	6"/ø150mm	€ 65,00
24002	Nylon	9,5"/ø240mm	€ 98,00
15005	Soft Nylon	6"/ø150mm	€ 49,00
24005	Soft Nylon	9,5"/ø240mm	€ 70,00
10004	Winnex	4"/ø100mm	€ 70,00
15004	Winnex	6"/ø150mm	€ 79,80
24004	Winnex	9,5"/ø240mm	€ 120,00



### "GRAVITY FREE" KIT

Gravity free kit for Vertika. Adjustable height up to 3 meters.

TE022301 Gravity free kit € 1.950,00







## VERTIKA

The only grinding and polishing machine for walls and vertical surfaces.





SINGLE DISC

TOOLS



· The Unique in the Worldwide, with adjustable head

IP 54 Water and Dust proof



WaterFire Top includes: Back Spherical wheels with independent adjusting, protective sucking cap 125mm, splashguard 125mm, soft platorello 125mm, adjustable head with spherical guides.

WaterFire Top VS includes: Back Spherical wheels with independent adjusting, protective sucking cap 125mm, splashguard 125mm, soft platorello 125mm, adjustable head with spherical guides, variable speed.

Led light and other accessories are optional.







Hand grinder with adjustable head, for corners, Edges, Countertops, skirtings, stairs, for bush-hammer stairs and small surfaces and for open the joints.

WaterFire is the ideal machine to achieve a perfect grinding of natural stones, concrete, wood and a perfect polishing of countertops, shelves, tables and narrow areas. It can be used as a edge grinder, as well as a stairs bush-hammer and as a joint chaser thanks to its extra accessories. Main Features: • The only hand grinder with IP54 Protection in the World. • Exceptional asynchronous motor strength, compared to a traditional motor it lasts longer thanks to the protection from external agents like water or dust. • Oversized Gears and bearings, compared to a traditional hand grinder. • Spherical wheels to achieve a perfectly flat surface (to avoid the wave effect). • Front led light to check the working area. • Rotating head feature, for Joint chasing application. • Variable Speed. • Wet or Dry grinding operation (equipped of a water nozzle).

TECHNICAL DATA								
Model	Motor	Volt	Hertz	Speed Tools	Dimensions tools	Dimensions WxHxD cm	Weight	Price
WATERFIRE TOP VS Adjustable head	750 Watt	220/110	50/60	500-1600 rpm	125/150mm (5/6")	45x33x23	10 kg	€ 2.650,00







Wood Sanding.





Grinding and polishing perimeters and edges.

DISTURS	co	15165.65		T. (E. C.	
PICTURE	CODE	NAME	SIZE	TYPE	€ each
	JAGUAR FLE	X 5"/ø125mm			
Grand No.	1250030JA	Jaguar Flex Grit 30	5"/ø125mm	4mm	€ 36,50
世代(新井	1250060JA	Jaguar Flex Grit 60	5"/ø125mm	4mm	€ 36,50
	1250120JA	Jaguar Flex Grit 120	5"/ø125mm	4mm	€ 36,50
	1250220JA	Jaguar Flex Grit 220	5"/ø125mm	4mm	€ 36,50
	1250400JA	Jaguar Flex Grit 400	5"/ø125mm	4mm	€ 36,50
	1250800JA	Jaguar Flex Grit 800	5"/ø125mm	4mm	€ 36,50
	1251800JA	Jaguar Flex Grit 1500	5"/ø125mm	4mm	€ 36,50
	1253500JA	Jaguar Flex Grit 3500	5"/ø125mm	4mm	€ 36,50
	JAGUAR FLE	X 5"/ø150mm		<u> </u>	<u> </u>
	1500030JA	Jaguar Flex Grit 30	6"/ø150mm	4mm	€ 59,00
	1500060JA	Jaguar Flex Grit 60	6"/ø150mm	4mm	€ 59,00
	1500120JA	Jaguar Flex Grit 120	6"/ø150mm	4mm	€ 59,00
	1500220JA	Jaguar Flex Grit 220	6"/ø150mm	4mm	€ 59,00
	1500400JA	Jaguar Flex Grit 400	6"/ø150mm	4mm	€ 59,00
	1500800JA	Jaguar Flex Grit 800	6"/ø150mm	4mm	€ 59,00
	1501800JA	Jaguar Flex Grit 1500	6"/ø150mm	4mm	€ 59,00
	1503500JA	Jaguar Flex Grit 3500	6"/ø150mm	4mm	€ 59,00
To the same of the	GRINDING C	JP: Grinding cup for WaterFire.			
2002	125DRC	Double Row Grinding cup	5"/ø125mm		€ 115,00
Service Servic	150DRC	Double Row Grinding cup	6"/ø150mm		€ 134,00
100		JP: Grinding cup for WaterFire.			
	125PCD	Grinding cup big PCD	5"/ø125mm		€ 179,00
	CRACK CHAS	SER: Crack chaser for WaterFire.			
-	125CCL06	Crack chaser	5"/ø125mm	2mm	€ 85,00
	150CCL06	Crack chaser	6"/ø150mm	2mm	€ 112,00
	DIAMOND DISC - hole 22,22mm				
		6 mm, designed to re-open the joints of		,	
	125EL4R	Open-Joints	5"/ø125mm	1,6mm	€ 49,50
	150EL4R	Open-Joints	6"/ø150mm	1,6mm	€ 77,00
	EASY KIT - W	ATERFIRE - The Kit includes: WaterF	ire, a set of JaquarF	Flex gr. 30,60,120,220,400.800	0,1500,3500 and inox trollev.
Design to the second		IT Kit WaterFire 125 Adjustable Head	<del>_</del>		€ 2.462,00



EASY KIT - WATE	<b>ERFIRE -</b> The Kit includes: WaterFire	e, a set of JaguarFlex gr. 30,60,120,220,400,800,1500,3500 a	and inox trolley.
366WTF125GKIT	Kit WaterFire 125 Adjustable Head	5"/ø125mm	€ 2.462,00
370WTF125VSGKIT	Kit WaterFire 125 VS Adjustable Head	5"/ø125mm	€ 3.117,00
366WTF150GKIT	Kit WaterFire 150 Adjustable Head	6"/ø150mm	€ 2.510,00
370WTF150VSGKIT	Kit WaterFire 150 VS Adjustable Head	6"/ø150mm	€ 3.165,00




LED LIGHT: Powerful Led light, battery powered with attack magnetized.				
UT023801	Led Light WaterFire	€ 142,50		



SANDPAPER 5	"/ø140mm VELCRO BACKE	D	
140024	Sandpaper grit 24	5,5"/ø140mm	€ 66,80
140036	Sandpaper grit 36	5,5"/ø140mm	€ 64,80
140060	Sandpaper grit 60	5,5"/ø140mm	€ 50,75
140080	Sandpaper grit 80	5,5"/ø140mm	€ 42,50
140100	Sandpaper grit 100	5,5"/ø140mm	€ 42,50

3I YEARS Made in Italy 149





5"/ø125mm 45047 Tools holder kit € 110,00 45049 Tools holder kit 6"/ø150mm € 115,00



### **BUSH-HAMMER KIT** UT026001 Vacuum hood kit: vacuum hood, guide for stairs. € 295,00 UT025001 Bush-Hammer kit: vacuum hood, guide for stairs and art. 45044 € 925,00



### BUSH-HAMMER DISC Ø110 - M14 45044 Bush-Hammer 4,5"-ø110mm € 675,00



### SANDBLASTING ø110 - M14 45046 Sandblasting 4,5"-ø110mm € 615,00



**EDGING KIT:** The ideal machine for grinding and polishing countertop edges. \*The Kit does not include any tool. 45041 Edging Kit € 995,00



**OPEN-JOINTS KIT:** With double guide and assisted spring for a perfect cut. \*The Kit does not include the machine. 45040 Open-joints Kit € 385,00



AMORTIZED TOOLS HOLDER KIT ø140mm The Kit includes: vacuum hood, tools holder and splashguard.

€ 315,00.

UT026701 Tools holder KIT to use ø140mm AS Diamond disc

# WaterFire



Maximum protection against water and dust.





SINGLE DISC

TOOLS

## Countarrop







UFO is a manual planetary polisher for grinding and polishing counter tops, stairs, edges and narrow areas. Thanks to its powerful motor and to the counter-rotating planetary it is possible to grind and to polish marble, granite and concrete. It differs from all the others machines on the market for its robustness and its perfect balance. The speed of the abrasives is studied in order to make the machine stable, easing the grinding and polishing operations. It is supplied with splash guard and connection for vacuum cleaner. Thanks to its accessories, you can transform the Ufo in to a Floor machine for:

- Grinding and polishing stairs.
- Grinding and polishing marble, stones and concrete.
- Sanding wooden floors.
- · Making antique finish of marbles, stones and wood.

\*Complete of tank, splash guard and kit velcro pad holder.

TECHNICAL DATA										
Model	Motor	Volt	Hertz	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
UFO 290 VS	750 Watt	110/220	50/60	330-770 rpm	290mm (11,5")	3x100mm (4")	21	37x39x30	26 kg	€ 3.350,00
UFO 330 VS	750 Watt	110/220	50/60	330-770 rpm	330mm (13")	3x140mm (5,5")	21	37x39x34	27 kg	€ 3.450,00





DATA FOR SHIPPING					
Vol. Packaging	Size Packaging	Weight			
0,15 m <sup>3</sup>	45x45x65cm	31 kg			




### **ACCESSORIES FOR UFO**

**PICTURE** CODE SIZE NAME TYPE **€** ∈ach

### **EASY KIT UFO**



Complete of: Ufo, Tank, pad holder, complete set of Jaguar Flex from grit 30 to grit 3500 and inox Trolley.





### JAGUAR FLEX 4"/ø100mm



1000030JA	Jaguar Flex grit 30	4"/ø100mm	4mm	€ 29,50
1000060JA	Jaguar Flex grit 60	4"/ø100mm	4mm	€ 29,50
1000120JA	Jaguar Flex grit 120	4"/ø100mm	4mm	€ 29,50
1000220JA	Jaguar Flex grit 220	4"/ø100mm	4mm	€ 29,50
1000400JA	Jaguar Flex grit 400	4"/ø100mm	4mm	€ 29,50
1000800JA	Jaguar Flex grit 800	4"/ø100mm	4mm	€ 29,50
1001800JA	Jaguar Flex grit 1500	4"/ø100mm	4mm	€ 29,50
1003500JA	Jaguar Flex grit 3500	4"/ø100mm	4mm	€ 29,50

### JAGUAR FLEX 5,5"/ø140mm



	•			
1400030JA	Jaguar Flex grit 30	5,5"/ø140mm	4mm	€ 47,00
1400060JA	Jaguar Flex grit 60	5,5"/ø140mm	4mm	€ 47,00
1400120JA	Jaguar Flex grit 120	5,5"/ø140mm	4mm	€ 47,00
1400220JA	Jaguar Flex grit 220	5,5"/ø140mm	4mm	€ 47,00
1400400JA	Jaguar Flex grit 400	5,5"/ø140mm	4mm	€ 47,00
1400800JA	Jaguar Flex grit 800	5,5"/ø140mm	4mm	€ 47,00
1401800JA	Jaguar Flex grit 1500	5,5"/ø140mm	4mm	€ 47,00
1403500.IA	Jaguar Flex grit 3500	5.5"/ø140mm	4mm	<b>€</b> 47 00

### **VELCRO PAD HOLDER**



00686	Velcro pad holder	5,5"/ø140mm	UFO 330	€ 25,00
00687	Velcro pad holder	4"/ø100mm	UFO 290	€ 16,00

### HANDLES WATER TANK INCLUDED



CM018501CPL	Short Handle with Tank 8lt	UFO 290, UFO 330	€ 595,00
CM018301CPL	Long Handle with Tank 12lt	UFO 290, UFO 330	€ 625,00






Mad∈ in Italy




SINGLE DISC

TOOLS







\*Complete of water tank, splash guard and velcro baked pad holders.

	TECHNICAL DATA									
Model	Motor Watt max	Volt	Hertz	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
EXTREMA	1900	110/220	50/60	1000 rpm	304mm (12")	2x146mm (5,7")	81	66x101x35	51 kg	€ 3.750,00
EXTREMA VS	1900	110/220	50/60	700-1200 rpm	304mm (12")	2x146mm (5,7")	81	66x101x35	60 kg	€ 4.350,00





DATA	FOR SHIPP	ING
Vol. Packaging	Size Packaging	Weight
0,54 m³	120x60x75 cm	70 kg



### **ACCESSORIES FOR EXTREMA**

## DA series

For medium hard concrete. Not for use on abrasive floors. Designed for effective, efficient grinding, Achieve maximum square footage.

PICTURE	COD€	NAME	SIZE	€ each
_	DA Diamond To	ols 5,7"/ø146mm		
	146719DAEXT	DA00 grit 20	5,7"/ø146mm	€ 128,00
<b>● •</b>	146720DAEXT	DA0 grit 40	5,7"/ø146mm	€ 120,00
	146721DAEXT	DA1 grit 60-80	5,7"/ø146mm	€ 120,00
	146722DAEXT	DA2 grit 120-150	5,7"/ø146mm	€ 120,00
	1401145 51 57			
	JAGUAR FLEX	GREEN Diamond Tools 5,7"/ø1	46mm	
A STATE OF THE STA	146303	Jaguar Flex 3 Green	5,7"/ø146mm	€ 39,50
	146304	Jaguar Flex 4 Green	5,7"/ø146mm	€ 39,50
THE SECOND	146305	Jaguar Flex 5 Green	5,7"/ø146mm	€ 39,50
	146306	Jaguar Flex 6 Green	5,7"/ø146mm	€ 39,50
	146307	Jaguar Flex 7 Green	5,7"/ø146mm	€ 39,50
	146308	Jaguar Flex 8 Green	5,7"/ø146mm	€ 39,50
	146309	Jaguar Flex 9 Green	5,7"/ø146mm	€ 39,50

## Marble and Terrazzo series The best diamond tools for polishing marble, terrazzo and stones.



MS Diamond	Tools 5,7"/ø146mm		
146900EXT	MS0 grit 40	5,7"/ø146mm	€ 146,00
146901EXT	MS1 grit 60-80	5,7"/ø146mm	€ 146,00
146902EXT	MS2 grit 120-150	5,7"/ø146mm	€ 146,00

JAGUAR FLEX	( 5,7"/ø146mm			
146322	Jaguar Flex grit 30	5,7"/ø146mm	4mm	€ 49,00
146323	Jaguar Flex grit 60	5,7"/ø146mm	4mm	€ 49,00
146324	Jaguar Flex grit 120	5,7"/ø146mm	4mm	€ 49,00
146325	Jaguar Flex grit 220	5,7"/ø146mm	4mm	€ 49,00
146326	Jaguar Flex grit 400	5,7"/ø146mm	4mm	€ 49,00
146327	Jaguar Flex grit 800	5,7"/ø146mm	4mm	€ 49,00
146328	Jaguar Flex grit 1500	5,7"/ø146mm	4mm	€ 49,00
146329	Jaguar Flex grit 3500	5,5"/ø140mm	4mm	€ 49,00

Main accessories and spare parts for Extrema machine.



VELCRO PAD HOLDER				
00684	Soft pad holder with velcro	5,7"/ø146mm	€ 25,00	
00683	Hard pad holder with velcro	5,7"/ø146mm	€ 25,00	

Mad∈ in Italy 3I YEARS



Light and compact floor care machine designed for polishing stairs, bathroom, kitchen and narrow areas. The multidirectional wheels, with adjustable height, allow to easily adjust it to any stair. Pad holders and brushes of size 330mm/(13") or 280mm/(11") are available at customer's choice. The powerful motor of 1,7 HP allows the use Planetary 1000/800 rpm.

\*Complete with Water tank and Pad Holder 280 mm.

TECHNICAL DATA									
Model	Motor Watt max	Volt	Hertz	Speed	Working Width	Water Tank	Dimensions WxHxD cm	Weight	Price
BABY CPL	1450	110/220	50/60	155 rpm	280/330mm (11/13")	81	59x81x29	38 kg	€ 2.255,00





DATA FOR SHIPPING				
Vol. Packaging	Size Packaging	Weight		
0,45 m³	60x120x62 cm	49 kg		



**EASY PLATE** 

SIZE

THICKNESS

€ each



Pad holder for 3 abrasive floor pads and velcro backed diamond discs 5"/ø140mm.

280159	Easy Plate 280	11"/ø280mm	€ 76,00
330159	Easy Plate 330	13"/ø330mm	€ 79,00



### PAD HOLDER BASIC WITHOUT ADAPTER CLUTCH

The prices of pad holders does not include the Adapeter Clutch. Please specify if you also want the Clutch.

526113	Pad Holder 13"	13"/ø330mm	For any machine 13"	€ 52,00
--------	----------------	------------	---------------------	---------



### STANDARD BRUSH WITHOUT ADAPTER CLUTCH - FOR MAINTENANCE

The prices of brushes does not include the Adapeter Clutch. Please specify if you also want the Clutch. The adapter clutch can be reused when the brush has worn out.

626113P1	Nvlon Brush	13"/ø330mm	For any machine 13"	€ 42.50
02011011	INVIOLI DI USIT	10 /0000111111	I OI AITY ITIACITITIC TO	C 72,00



### SOFT BRUSH WITHOUT ADAPTER CLUTCH - FOR CARPET CLEANING

The prices of brushes does not include the Adapeter Clutch. Please specify if you also want the Clutch. The adapter clutch can be reused when the brush has worn out.

626113P3	Soft Brush	13"/ø330mm	For any machine 13"	€ 46 50



### POLISHING BRUSH WITHOUT ADAPTER CLUTCH

The prices of brushes does not include the Adapeter Clutch. Please specify if you also want the Clutch. The adapter clutch can be reused when the brush has worn out.

626113U	Polishing Brush	13"/ø330mm	For any machine 13"	€ 56,50
---------	-----------------	------------	---------------------	---------



### HARD BRUSH WITHOUT ADAPTER CLUTCH - FOR HEAVY DUTY CLEANING

The prices of brushes does not include the Adapeter Clutch. Please specify if you also want the Clutch. The adapter clutch can be reused when the brush has worn out.

626113S	Winnex Brush	13"/ø330mm	For any machine 13"	€ 105,00
---------	--------------	------------	---------------------	----------



### MS 11"/ø280mm 12 Segments

Metalbond Diamond Tools for Marble and terrazzo grinding.

280900	MS0	11"/ø280mm	€ 255,00
280901	MS1	11"/ø280mm	€ 255,00
280902	MS2	11"/ø280mm	€ 255,00



### **SPLASH GUARD**

AP3301 Splash Guard 124x10cm 7mm €	68,00
------------------------------------	-------

Made in Italy 3I YEARS



### Orbital machine. Clean and polish where rotary cleaners









Minipower is a little machine with a big performance! With its "square" brush it can clean and polish even where the rotary cleaning machines cannot. It's the ideal solution for stairs, corners, small bathrooms, kitchens and narrow areas.

\*MINIPOWER CPL Complete With: tank, long handle, short handle, lateral grip, holding plate 25x12, black white and green cleaning pads 25x12.

\*MINIPOWER SHORT Complete With: short handle, holding plate 25x12, black white and green cleaning pads 25x12.

TECHNICAL DATA									
Model	Motor	Volt	Hertz	Speed	Working Width	Water Tank	Dimensions WxHxD cm	Weight	Price
MINIPOWER CPL	150 Watt	110/220	50/60	45 osc/s	250x120/310x140mm (10,4x5"/13x5,8")	81	42x110x25	11 kg	€ 1.165,00
MINIPOWER SHORT	150 Watt	110/220	50/60	45 osc/s	250x120/310x140mm (10,4x5"/13x5,8")	Optional	42x42x25	11 kg	€ 995,00





DATA FOR SHIPPING					
Vol. Packaging	Size Packaging	Weight			
0,20 m <sup>3</sup>	40x40x115 cm	15 kg			



### **ACCESSORIES FOR MINIPOWER**

ICTURE	COD€	NAME	SIZE	TYPE	€ each
ICTORE	<u> </u>		JIZE	ITPE	€ EdCi
	PLATE PAD H		050-400 (40.4-5")		C 40 50
. 0>	000126	Plate	250x120mm (10,4x5")		€ 48,50
	000129	Plate	310x140mm (13x5,8")		€ 55,00
	ABRASIVE PA	AD BLACK			
-	000217	Black Pad	250x120mm (10,4x5")	Box 10 pcs	€ 44,00
1	000216	Black Pad	310x140mm (13x5,8")	Box 10 pcs	€ 49,50
_	ABRASIVE P	AD WHITE			
	000218	White Pad	250x120mm (10,4x5")	Box 10 pcs	€ 44,00
The second second	000219	White Pad	310x140mm (13x5,8")	Box 10 pcs	€ 49,50
_	ABRASIVE P	AD GREEN		_	
	000232	Green Pad	250x120mm (10,4x5")	Box 10 pcs	€ 44,00
	000233	Green Pad	310x140mm (13x5,8")	Box 10 pcs	€ 49,50
	S DIAMOND	TOOLS			
	000000	S2	310x140mm (13x5,8")	Box 2 pcs	€ 59,00
	000303	S3	310x140mm (13x5,8")	Box 2 pcs	€ 59,00
	000304	S4	310x140mm (13x5,8")	Box 2 pcs	€ 59,00
	000305	S5	310x140mm (13x5,8")	Box 2 pcs	€ 59,00
	000306	S6	310x140mm (13x5,8")	Box 2 pcs	€ 59,00
	000307	S7	310x140mm (13x5,8")	Box 2 pcs	€ 59,00
	PPL BRUSH				
The state of the s	000250	PPL Brush	250x120mm (10,4x5")		€ 71,50
Mine	PAD HOLDER	RDELTA			
	000126D	Delta plate	165x215mm (6,5x8")		€ 48,50
		MOND TOOLS			
Eschola III	000302D	S2 DELTA	165x215mm (6,5x8")		€ 59,00
	000303D	S3 DELTA	165x215mm (6,5x8")		€ 59,00
	000304D	S4 DELTA	165x215mm (6,5x8")		€ 59,00
	000305D	S5 DELTA	165x215mm (6,5x8")		€ 59,00
	000306D	S6 DELTA	165x215mm (6,5x8")		€ 59,00
	000307D	S7 DELTA	165x215mm (6,5x8")		€ 59,00
A TEACH		HINE and SPONGELUX DEI			
1	00300KIT	Complete Kit Supershine	165x215mm (6,5x8")		€ 155,50
1	00301DS	Supershine 1 DELTA	165x215mm (6,5x8")		€ 39,50
	00302DS	Supershine 2 DELTA	165x215mm (6,5x8")		€ 39,50
1			105015		€ 39,50
	00302DS	Supershine 3 DELTA	165x215mm (6,5x8")		
		Supershine 3 DELTA Spongelux	165x215mm (6,5x8")		
	00303DS				€ 37,00

Made in Italy

## Maxi Quadra


- Ideal for accurate grinding and polishing, flush with the wall and in the corners.
- Grinds, polishes, washes, restores and sands.
- Environmentally friendly: reduces the consumption of water and chemicals.




Maxi Quadra, powerful single-brush floor care machine with 20"/510mm swinging and rectangular plate, is perfect for working on any surface, both with and without water. Thanks to the complete range of tools, Maxi Quadra is a machine suitable for many applications:

- It can be used to restore and thoroughly clean resin, PVC, linoleum and rubber floors, without the need to use chemicals, thus protecting the environment and the health of users.
- Grinds and sands various surfaces such as wood, marble, concrete, reconstructed stone and stone.
- Polishes like a traditional single-brush floor care machine but with the advantage of being able to reach into corners.
- Thanks to the rectangular plate, it is ideal for working under radiators or to reach tight spaces.
- Thanks to the very low level of noise, it is also recommended for sensitive environments such as hospitals, hotels, etc...
- Ensures water-free and completely dust-free operation, thanks to the powerful dedicated extraction kit (optional).
- \* The price does not include dust extractor, water tank and any other accessories.

TECHNICAL DATA									
Model	Motor Watt max	Volt	Hertz	Number of oscillations	Working width	Water Tank	Measurements WxHxD cm	Weight	Price
MAXI QUADRA TP	1900	110/220	50/60	2890 osc/m	360mm x 510mm	12/18 Lt.	51x117x84	42 Kg	€ 3.395,00
MAXI QUADRA TP VS	1900	110/220	50/60	2100-3000 osc/m	360mm x 510mm	12/18 Lt.	51x117x84	42 Kg	€ 3.995,00





Unlike the circular pad, the rectangular pad reaches corners easily and works evenly flush with the wall.

DATA FOR SHIPPING					
Vol. Packaging	Size Packaging	Weight			
0,72 m³	120x80x75 cm	85 kg			

SIZE

CODE

NAME

**PICTURE** 



SUPERSHINE PLUS											
604360KIT	KIT Supershine Plus	510mm/20"	n.a.								
604360	Supershine Plus 0	510mm/20"	€ 106,00								
604361	Supershine Plus 1	510mm/20"	€ 106,00								
604362	Supershine Plus 2	510mm/20"	€ 106,00								
604363	Supershine Plus 3	510mm/20"	€ 106,00								
604364	Supershine Plus 4	510mm/20"	€ 106,00								
330110	Spongelux	510mm/20"	€ 126,00								



SUPERSHINE SOFT										
603360KIT	KIT Supershine Soft	510mm/20"	€ 247,50							
603360	Supershine Soft 0	510mm/20"	€ 49,50							
603361	Supershine Soft 1	510mm/20"	€ 49,50							
603362	Supershine Soft 2	510mm/20"	€ 49,50							
603363	Supershine Soft 3	510mm/20"	€ 49,50							
603364	Supershine Soft 4	510mm/20"	€ 49,50							



KING CONC			
30909KIT	KIT King Conc	510mm/20"	n.a.
602359	King Conc 00	510mm/20"	€ 59,50
30910	King Conc 0	510mm/20"	€ 59,50
30911	King Conc 1	510mm/20"	€ 59,50
30912	King Conc 2	510mm/20"	€ 59,50
602363	King Conc 3	510mm/20"	€ 59,50
602364	King Conc 4	510mm/20"	€ 59,50



SANDPAPER			
510036	Sandpaper grit 36	510mm/20"	€ 19,50
510060	Sandpaper grit 60	510mm/20"	€ 17,50
510080	Sandpaper grit 80	510mm/20"	€ 16,50
510100	Sandpaper grit 100	510mm/20"	€ 16,50



MESH SCREEN										
510060R	Mesh Screen grit 60	510mm/20"	€ 12,50							
510080R	Mesh Screen grit 80	510mm/20"	€ 12,50							
510120R	Mesh Screen grit 120	510mm/20"	€ 12,50							
510220R	Mesh Screen grit 220	510mm/20"	€ 12,50							

Made in Italy 161 31 YEARS

€



STRIPPWAX: is a pad designed for removing wax from linoleum, pvc, rubber etc. and for removing varnish from parquet. No needs water and chemical wax stripper.

30118 Strippwax 510mm/20" € 11,00





04232 Microfibre Cloths 510mm/20" € 36,50



**FLUID TANK** 45000



AP1201S Extraction Kit 18 I € 795,00

Fluid tank 12 Lt.

SE4501 Fluid tank 18 Lt. € 131,00

€ 108,50

EXTRA WEIGHTS 6.5Kg each It can be fitted with up to 4 extra weights.



UT80101 Extra Weights € 162,00





Perfect grinding in corners and flush with the wall





Restores and removes scratches from marble and stone



Works in tight spaces



Restores and cleans linoleum, PVC, and rubber



Polishes concrete floors




Restores and cleans resin and painted floors

















TIMBA can do, on any type of wood floor, jobs that traditionally are made with 3 different machines:

• It smoothes like a traditional belt sanding machine. • It finishes the floor like a mono-brush. • It sands up to the skirting borders of the walls like a edge machine. ABSOLUTE PLANARITY. With TIMBA an unrivaled floor planarity can be achieved thanks to its planetary system. The 360° multi-directional wheels allow to move the machine in any direction even very close along the border. Work is FASTER AND COST EFFICIENT!

- It is easy to use and doesn't need special training like the belt sanding machines.
- Free of dust thanks to the improved vacuum system.

Complete with: Planetary K800W, directional wheels, transport wheels, vacuum, tuboflex, hood for planetary, hood for pad holder, pad holder 430mm, 3 pcs velcro pad holder 140mm.

	TECHNICAL DATA													
Model	Motor Watt max	Volt	Hertz	Speed motor	Speed Tools	Working Width	Tools Size	Vacuum Tank	Dimensions WxHxD cm	Weight	Price			
TIMBA	2900	220	50/60	155 rpm	800 rpm	450mm	3x140mm (5,5")	18 I	65x135x49	115 kg	€ 5.970,00			
TIMBA VS	3000	220	50/60	100-200 rpm	500-1000 rpm	450mm	3x140mm (5,5")	18 I	65x135x49	126 kg	€ 7.570,00			





DATA	FOR SHIPPIN	IG
Vol. Packaging	Size Packaging	Weight
0,72 m³	80x120x75 cm	150 kg



Ideal to work at the same level of the wall











Bella is the innovative wood sanding machine born in Klindex home. Available with 2900Watt motor is ideal for cleaning, treatment, grinding and polishing wooden surface. Bella features all the interchangeable accessories to overcome all challenges that occur at construction sites. Main Features: • Ergonomically designed handle with hand protection • Sturdy frame, reinforced handle rod • Body carcase in shockproof and scratchproof polyurethane material. • Built in dust vacuum hood. • Centre of the disc water hose release output. • Powerful motors available also with speed controller (VS version). • New compact and modern Made in Italy design • Big wheels for easier transport • Wide range of handle's adjusting positions to permit comfortable working. • Ergonomic carrying handle. • Features the unique K4 planetary system. • High autonomy of water thanks to the 18-liter tank. • Predisposition to the use of dedicated weights. • Power outlet for accessories (optional). • Adjustable height of the wheels. • Led lamp for working in

poorly lit environments (optional). • Along the wall grinding • Designed for working also under heaters.

**TECHNICAL DATA** Speed Tools **Dimensions** Motor Working Vacuum Model Volt Hertz Weight Price Width WxHxD cm Watt max motor size Tank **BELLA SANDER** 2900 230 50 140 rpm 450mm (18") 4x140mm 18 I 70x126x50 68 kg € 3.995,00 **BELLA SANDER VS** 2900 230 50 95-165 rpm 450mm (18") 4x140mm 18 I 70x126x50 69 kg € 5.595,00 **BELLA SANDER TOP** 2900 230 50 450mm (18") 4x140mm 18 I 70x126x50 79 kg € 4.595,00 140 rpm **BELLA SANDER TOP VS** 2900 230 4x140mm 18 I 70x126x50 80 kg € 6.195,00 95-165 rpm 450mm (18")







wood planetary with 8 pad holders 140mm, pad holder 450mm.

Bella Sander Top includes: adjustable wheels, carrying handle, splashguard, K4 wood planetary with 8 pad holders 140mm, dust control kit, pad holder 450mm.

Ergonomic handle for an easy transport

DATA FOR SHIPPING

80x12x72 cm

Weight

92 Kg

Vol. Packaging Size Packaging

0,72 m<sup>3</sup>



New K4 Planetary: designed exclusively for the Bella single brush, allows for sanding, grinding and polishing of all stones, concrete and wooden surfaces. It is easy to install, thanks to its quick attach system the operation only takes few seconds. Its "not visible" gears are protected from dirt, sludge and dust guarantee optimum functionality and durability. The 4 rotating heads (140mm) allow to perform even the most demanding sanding jobs with exceptional results in terms of planarity and finish. The outlet at the centre of the planetary K4 reduces the use of water, improves the performance of diamond disks granting working homogeneity. Easy to use, removes the risk of marks on wooden floors and provides a perfectly flat and smooth surface, smooths up to bare wood and flat all unevenness. Smooths along walls allowing to save time and resources. It 'easy to handle even in tight spaces and

**Built in dust** 

### Possible applications:

- Grinding and polishing of marble and granite
- · Levelling of screeds.


corners.

- · Grinding and polishing of concrete.
- · Sanding of wooden floor and prefinished ones.
- Intermediate wood sanding.

· Grinding and levelling of wood.







Gear protection against dust and slurry



**SPLASH GUARD** 

AP8403 K4 Splash guard € 68,00



**WOOD PLANETARY** 

LU0502LEGNO K4 - 4 heads € 1.565,00



**PAD HOLDER** 

47001 Pad holder 18"/ø450mm € 98,00



### **EXTRACTION KIT**

AP1201S Extraction Kit 18 I € 795,00



**EXTRA WEIGHTS KIT - 8,5Kg** 

CA017502 Extra weight with support € 125,00



### **LED LIGHT**


TE026301 Led light € 333,00





SINGLE DISC

## Kroma Sandar





### Ideal for prefinished parquet.

Professional planetary sanding machine with integrated dust extraction especially designed for sanding and restoring of prefinished parquets. Strong and reliable, very powerful with up to 4HP Motor, delivers exceptional results. The wide range of proposed Accessories permit to perform any kind of application on a wide series of surfaces (from parquet to cement substrates, removal of resins and glues)

0,72 m<sup>3</sup>

Main Features: • Base frame in die-cast aluminium. • Strong 3 gears gearbox. • Reinforced handle rod (version 4HP). • Vacuum cleaner with a stellar filter.

\*Kroma Sander Includes: Kit dust control, Tuboflex, vacuum guard, Multidisk planetary A3-140AS and Pad Holder for 17" sand paper" and standard pad holder

		_											
TECHNICAL DATA													
Model	Motor Watt max	Volt	Hertz	Speed	Working Width	Vacuum Tank	Dimensions WxHxD cm	Weight	Price				
KROMA SANDER 18" TOP	2300	220	50/60	150 rpm	450mm (18")	18	61x118x45	67 kg	€ 3.790,00				
KROMA SANDER 18" TOP	2900	220	50/60	150 rpm	450mm (18")	18	61x118x45	72 kg	€ 3.990,00				
KROMA SANDER 18" VS TOP	3000	220	50/60	150 - 350 rpm	450mm (18")	18 I	61x118x45	73 kg	€ 5.550,00				







80x120x72 cm

81 kg

DaOO Double Sand paper

## Maxi Orbit Sander



Roto-Orbital sanding machine with integrated dust extraction



DATA FOR SHIPPING									
Vol. Packaging Size Packaging Weigl									
0,72 m³	80x120x72 cm	66 kg							

Maxi Orbit Sander is the professional, innovative and multi-functional single-brush that makes working on all surfaces quickly and easily. The oscillating head adapts to all surfaces and allows for easy manoeuvres also on uneven surfaces, thereby minimising operator fatigue. Countless accessories available and the large wheels resting on the ground allow for the work to be simple and efficient. Thanks to the roto-orbital principle with high-frequency oscillations, Maxi Orbit is surprising for its excellent stability and manoeuvrability. The robust and compact frame, the ergonomic handle with reinforced rod, the large wheels, the light weight and the release system of the main components (optional) make Maxi Orbit a durable machine but also one that is easy to transport. Thanks to its roto-orbital movement, Maxi Orbit offers excellent performance while simultaneously maintaining great stability and uniquely simple manoeuvrability, a level of quality that allows the machine to also be used by inexperienced operators or others with no particular physical strength. Thanks to the roto-orbital technology you can even work in homes with old electrical systems because the machine consumes less power than a traditional single-brush. Excellent not only for parquet but also for treatments and washing brick, carpet, marble, etc.

TECHNICAL DATA												
Model	Motor Watt max	Volt	Hertz	Speed	Working width	Vacuum tank	Dimensions WxHxD cm	Weight	Price			
MAXI ORBIT SANDER 1500	1500	230	50	1400 rpm	430mm (17")	18 lt	70x43x128	40 Kg	€ 2.550,00			
MAXI ORBIT SANDER 3000	3000	230	50	1400 rpm	430mm (17")	18 lt	70x43x128	52 Kg	€ 3.195,00			



Grinding and sanding parquet



Velcro pad holder with sandpaper



Oil finishing with raised wheels

GRINDING

SINGLE DISC


SPECIAL

VACUUM





SINGLE DISC





**Ideal for prefinished parquet.**3HP Variable Speed Motor very noiseless and powerful. The price includes:

- KIT DUST CONTROL it allows to work "dust free".
- Pad holder for sand paper ø430mm.
- Pad Holder standard to use abrasive floor pads.
- Multidisk A3 140AS.

DATA FOR SHIPPING									
Vol. Packaging	Weight								
0,72 m³	80x120x72 cm	70 kg							

TECHNICAL DATA											
Model	Motor Watt max	Volt	Hertz	Speed	Working Width	Vacuum Tank	Dimensions WxHxD cm	Weight	Price		
FUTURA SANDER 18"	2200	220	50/60	50-450 rpm	450mm (18")	18 I	61x132x45	60 kg	€ 4.695,00		







Tytan Disc Double Sand paper



### Ideal for prefinished parquet.

UNIKA SANDER is the ideal floor sanding machine for ordinary maintenance and polishing of wood floor. Strong and very powerful thank to its powerful motor with 1,7 Hp and very strong gear box.

UNIKA SANDER BASIC includes: • kit dust control it allows to work "dust free".

 $\bullet$  Pad holder for sand paper ø430mm.  $\bullet$  Standard pad holder to use the machine for all other applications.

UNIKA SANDER TOP includes: • kit dust control it allows to work "dust free".

• Pad holder for sand paper ø430mm. • Standard pad holder • Multidisk A3

DATA FOR SHIPPING				
Vol. Packaging	Size Packaging	Weight		
0,72 m <sup>3</sup>	80x120x72 cm	66 kg		

TECHNICAL DATA									
Model	Motor Watt max	Volt	Hertz	Speed	Working Width	Vacuum Tank	Dimensions WxHxD cm	Weight	Price
UNIKA SANDER 18" BASIC	1450	220	50/60	155 rpm	450mm (18")	18 I	61x132x45	56 kg	€ 2.595,00
UNIKA SANDER 18" TOP	1450	220	50/60	155 rpm	450mm (18")	18 I	61x132x45	56 kg	€ 2.995,00








Tytan Disc D

Made in Italy 171 31 YEARS

## Minfrimba











## Goodbye back pain!

Compact and powerful twin counter-rotating heads sanding machine. It quickly levels very close to the wall, thanks to the two counter-rotating heads which are perfectly balanced, Minitimba is easy to be used even by operators with little experience. Directional wheels drive Minitimba in all directions with the same easiness of a computer mouse. It is ideal for both finishing works and for levelling a screed. Light and easy to carry. Designed to work in tight spaces but its great effectiveness allows to work even in bigger ones. The top handle improves the quality of work allowing to operate in a stand-up position and thanks to the innovative directional and swivel rod, Minitimba is extremely easy to maneuver.

\* Complete with central handle, velcro pad holders and dust guard.

TECHNICAL DATA									
Model	Motor Watt max	Volt	Hertz	Speed Tools	Working Width	Tools Size	Dimensions WxHxD cm	Weight	Price
MINITIMBA	1300	110/220	50/60	1400 rpm	300mm (12")	2x140mm (5,5")	30x110x63	36 kg	€ 2.995,00
MINITIMBA VS	1300	110/220	50/60	1000-2000 rpm	300mm (12")	2x140mm (5,5")	30x110x63	38 kg	€ 3.495,00





Vol. Packaging	Size Packaging	Weight
0,58 m <sup>3</sup>	60x75x123 cm	45 kg
100		100
	X.	

DATA FOR SHIPPING



### **ACCESSORIES FOR WOOD**

PICTURE	CODE
No.	EASY K
	EASYKI
1000	140024
	140036
	140060
	140080
9 4	140100
	430120F
	430220F
100000000000000000000000000000000000000	

### **EASY KIT WOOD**

NAME

Complete kit for Wood.

EASYKITWOOD	Complete kit for Wood.			€ 695,55
140024	Sand paper grit 24	5,5"/ø140mm	Box 30 pcs	included
140036	Sand paper grit 36	5,5"/ø140mm	Box 30 pcs	included
140060	Sand paper grit 60	5,5"/ø140mm	Box 30 pcs	included
140080	Sand paper grit 80	5,5"/ø140mm	Box 30 pcs	included
140100	Sand paper grit 100	5,5"/ø140mm	Box 30 pcs	included
430120R	Mesh Disc grit 120	16"/ø406mm	Box 5 pcs	included
430220R	Mesh Disc grit 220	16"/ø406mm	Box 5 pcs	included
30175	Floor Pad Red	17"/ø430mm	Box 5 pcs	included

**€** ∈ach

SIZE



### PARKET DIAMOND 5,5"/ø140mm 4 Segments

Diamond tools to sand wooden floors

140861AS	Parket Diamond 1	5,5"/ø140mm	K800W, Multidisk 430, K3, K4	€ 145,00
140862AS	Parket Diamond 2	5,5"/ø140mm	K800W, Multidisk 430, K3, K4	€ 145,00



### CARBORUNDUM ø406mm (16")

It is an ideal accessory for levelling cement floors. It eliminates brush marks and surplus materials.

410728	Complete with flange	16"/ø406mm	Timba, Single Discs	€ 230,00
410729	Spare part ring	16"/ø406mm		€ 142,00
410728FUT	Complete with flange	16"/ø406mm	Unika Sander, Futura Sander	€ 230,00
410728BEL	Complete with flange	16"/ø406mm	Bella Sander	€ 230,00



### TYTAN RING VIDIA ø440mm (17,5")

Special vidia discs for quick removal of glue and thick resin coatings and for floor preparation.

430170	Complete with flange	Coarse	Timba, Single Discs	€ 298,00
430180	Spare part ring	Coarse		€ 225,00
430171	Complete with flange	Medium	Timba, Single Discs	€ 298,00
430181	Spare part ring	Medium		€ 198,00
430170FUT	Complete with flange	Coarse	Unika Sander, Futura Sander	€ 298,00
430170BEL	Complete with flange	Coarse	Bella Sander	€ 298,00
430171FUT	Complete with flange	Medium	Unika Sander, Futura Sander	€ 298,00
430171BEL	Complete with flange	Medium	Bella Sander	€ 298,00



### **TYTAN DISK ø430mm (17")**

Special vidia discs for quick removal on cement, painted cement, RESIN floors and on foundations. (To use only by Pad Holder SAND PAPER cod.45027).

431112	TYTAN DISK ø 430	Fine	Timba, Single Discs	€ 139,00
431111	TYTAN DISK ø 430	Medium	Timba, Single Discs	€ 139,00
431110	TYTAN DISK ø 430	Coarse	Timba, Single Discs	€ 139,00



### DA Diamond Tools 5,5"/ø140mm 5 Segments

140819	DA00 grit 20	5,5"/ø140mm	Levighetor 645	€ 129,00
140820	DA0 grit 40	5,5"/ø140mm	Levighetor 645	€ 98,00
140821	DA1 grit 70	5,5"/ø140mm	Levighetor 645	€ 98,00
140822	DA2 grit 140	5,5"/ø140mm	Levighetor 645	€ 98,00



**PICTURE** 

### HARD BRUSH WITHOUT ADAPTER CLUTCH - FOR HEAVY DUTY CLEANING

The prices of brushes does not include the Adapeter Clutch. Please specify if you also want the Clutch. The adapter clutch can be reused when the brush has worn out.

626117S Winnex Brush 17"/ø430mm For any machine 17" and 18" € 159,00



### **VELCRO PAD HOLDER**

CODE

00684	Soft Pad Holder	5,5"/ø140mm	K800W, Multidisk 430, K3, K4	€ 16,50
00683	Hard Pad Holder	5,5"/ø140mm	K800W, Multidisk 430, K3, K4	€ 16,50



### **DIRECTIONAL WHEELS 360°**

CA0405	Kit Directional wheels	360°	Levighetor 600-640-645-650, Timba	€ 755,00
RTO025	Single Sphere		Levighetor 600-640-645-650, Timba	€ 58,00
CA016101	Gasket with sphere		Levighetor 600-640-645-650, Timba	€ 151,00
RTO026	Gasket without sphere		Levighetor 600-640-645-650, Timba	€ 146,00
CA32201	Axle for Directional wheels Kit		Levighetor 600-640-645-650, Timba	€ 32,00



### **DUST CONTROL KIT**

AP6601	Includes vacuum Silurtech, tube and vacuum hood for pad holder.	Levighetor 155, Timba with Pad Holder	€ 860,00
AP6701	Includes vacuum Silurtech, tube and vacuum hood for pad holder.	Levighetor 200 with Pad Holder	€ 860,00
AP6801	Includes vacuum Silurtech, tube and vacuum hood for Planetary with diamond or pavelux.	Levighetor, Timba with Planetary	€ 860,00
AP1201S	Vacuum Silurtech, tube.	Levighetor, Timba, Kroma Sander, Bella Sander, Unika Sander, Futura Sander	€ 795,00



### VACUUM HOOD FOR PAD HOLDER

Vacuum hood includes support ring and vacuum guard.

AP2401	Vacuum hood for Pad Holder	Levighetor 200	€ 215,00
AP0201	Vacuum hood for Pad Holder	Levighetor 155, Timba	€ 215,00
AP1902	Vacuum Guard Pad Holder	Levighetor, Timba	€ 68,00
AP1801P	Plastic ring CPL	Levighetor, Timba	€ 155,00
AP022501	Vacuum Guard H 90mm	Levighetor, Timba	€ 98,00



### **VACUUM HOOD FOR PLANETARY**

Vacuum hood includes support ring and vacuum guard.

AP0501NEW	Vacuum hood Planetary (AP1501 + AP2001)	K800W, K1000, K2000	€ 215,00
AP9601	Vacuum hood Planetary	K1200	€ 370,00
AP0501B	Vacuum hood Planetary (AP9401)	K1500	€ 250,00
AP0501C	Vacuum hood Planetary (AP9401)	Planetary with Spring Holder	€ 250,00
AP9701	Vacuum Guard 115X1565mm	K1200	€ 68,00
AP1501	Vacuum Guard 115X1565mm	K1000, K2000, K800W	€ 68,00
AP9501	Vacuum Guard 115X1750mm	K1500	€ 68,00
AP1701	Vacuum Guard 115X1565mm	Planetary with Pavelux or Antike brushes	€ 68,00
AP8403	Rubber Guard K3 and K4	K3, K4 Planetary	€ 68,00

Made in Italy 175 31 YEARS



TAD HOLDENT	OIT ADITACIVE CANDI AT EITO			
45027	Pad Holder Sand paper	17"/ø430mm	Single Discs, Levighetor, Timba	€ 122,50
45027FUT	Pad Holder Sand paper	17"/ø430mm	Futura Sander	€ 122,50
45027BEL	Pad Holder Sand paper	17"/ø430mm	Bella Sander	€ 122,50
45027MAXIORB	Pad Holder Sand paper	17"/ø430mm	Maxi Orbit	€152,00



CESTIO AND TOOLS					
2000303	Antistatic cloth	60X22mm	1000pcs	€ 82,00	
1100404	Antistatic cloth tools	60X22mm		€ 36,00	





€ each

€ 66,80

€ 64,80

€ 50,75

€ 42,50

€ 42,50

€ 99,00

€ 22,50

€ 20,90

€ 19,50

€ 10,95

€ 7,35

€ 7,35

€ 7,35

€ 7,35

€ 46,50

€ 46,50

€ 46,50

			No.	
1				J
1	WWW	North	vyl)	/

PICTURE	COD€	NAME	SIZE	MACHINE	€ each
. arribition.	KIT BRUSHES T	O ACHIEVE THE ANTIQUE EFF	ECT ON THE PARQ	UET	

14009AS	Steel Brush	5,5"/ø140mm	K800W, Multidisk 430, K3, K4	€ 78,00
153046	Antike Floor grit 46	5,5"/ø140mm	K800W, Multidisk 430, K3, K4	€ 58,00
153070	Antike Floor grit 70	5,5"/ø140mm	K800W, Multidisk 430, K3, K4	€ 58,00
153120	Antike Floor grit 120	5,5"/ø140mm	K800W, Multidisk 430, K3, K4	€ 58,00

€ each

TYPE

THE FLOOR TREATMENT SPECIALIST SINCE 1988



**PICTURE** 

### **WOOD KOLLA 60**

NAME

CODE

One component adhesive, based on sililated polymers, for all types of wooden floorings.

042040 Wood Kolla 60 15 Kg € 158,00

SIZE



### WOOD STUKKO K30

Solvent and nmp-free water-based binder to be mixed with sawdust from any type of wood, including merbau, for grouting wooden floors. Suitable for water-based varnishing cycles and Wood Oil.

042058 Wood Stukko K30 5 | Water based € 49.00



### **WOOD NATURAL 10 BASE**

One-component, rapid-drying, water-based basecoat for preparing wooden floors before applying Wood Natural 11 with low emission of volatile organic compounds and nmp-free.

042050 Wood Natural 10 Base 5 I Water based € 174,00



### **WOOD NATURAL 11**

Two-component, water-based, 100% polyurethane varnish with low emission of volatile organic compounds (VOC). Natural, soft finish for protecting wooden floors in residential and commercial environments.

042051 Wood Natural 11 5,5 I € 210,00



### WOOD HT 20 BASE

Two-component, NMP-free, water-based undercoat with low emission of volatile organic compounds (VOC) and high insulating capacity, for preparing solid and pre-sanded wooden floors and wooden floors under repair for water-based finishing cycles.

042059 Wood HT20 Base 6 I € 148,00



### WOOD HT21

Two-component, 100% polyurethane water-based varnish with high resistance to wear and abrasion with low emission of volatile organic compounds (VOC) for wooden floors. Suitable for floors subject to extremely high pedestrian use.

042060 Wood HT21 5,5 I Water based € 178,00



### WOOD OIL 40 BASE

Low-odour urethane oil finish for wooden floors. It can be painted over with the Klindex Wood finishes.

042070 Wood Oil 40 Base 2,5 I € 130,00



### **WOOD OIL 41 FINISH**

Natural drying resin oil in water dispersion for finishing wooden floors treated with oil.

042072 Wood Oil 41 Finish 5 I € 155,00



### **WOOD OIL WAX 50**

Water and oil-repellent oil/wax finish with very little odour used to protect wooden surfaces and give them a delicate, warm colour.

042071 Wood Oil Wax 50 2,5 I € 124,00

Made in Italy 177 31 YEARS

## Rafter T - Rafter M







Scraper machine designed for formwork rectification in the precasting industry. Ideal also to remove welding residual, varnish, glue and any hard residual.





Scraper machine designed for formwork rectification in the precasting industry. Ideal also to remove welding residual, varnish, glue and any hard residual. Main characteristics: • 4, 5 or 7 HP single-phase or 3-phase motor. • Working section 400/500/580mm. • Ergonomic and strong handle. • Vacuum hood for perfect dust control.

\*Include one set of steel brushes.

	TECHNICAL DATA											
Model	Motor Watt max	Volt	Hertz	Amp	Speed motor	Speed Tools	Working Width	Tools Size	Water Tank	Dimensions WxHxD cm	Weight	Price
RAFTER 400M	2900	220-240	50/60		155 rpm	1000 rpm	400mm (15,5")	3x100mm (4")	18 lt	65x135x43	88 Kg	€ 4.950,00
RAFTER 500M	2900	220-240	50/60		155 rpm	1000 rpm	500mm (19,5")	3x200mm (8")	18 It	65x135x50	88 Kg	€ 5.495,00
RAFTER 500 T	5 HP	380-480	50/60	16	200 rpm	800 rpm	500mm (19,5")	3x200mm (8")	18 lt	95x130x58	130 Kg	€ 5.795,00
RAFTER 580 T	7 HP	380-480	50/60	16	200 rpm	800 rpm	580mm (23")	3x240mm (9,5")	18 lt	95x130x58	160 Kg	€ 7.395,00





DATA FOR SHIPPING						
	Vol. Packaging	Size Packaging	Weight			
Rafter M	0,45 m <sup>3</sup>	60x120x62 cm	94 Kg			
Rafter T	1,25 m³	120x80x130 cm	175 Kg			



### RAFTER ACCESSORIES

		RAFTER ACC	<b>ESSORIES</b>			
ICTURE	COD€	NAME	SIZE	MACHINE	€ each	
- marking a	STEEL BRU	SH	<del></del>			
	10009AS	Steel Brush AS	4"/ø100mm	Rafter 400	€ 68,00	
1 2 V	20009RIC	Steel Brush	8"/ø200mm	Rafter 500	€ 75,00	
ALL STATES	20009QA	Steel Brush QA	8"/ø200mm	Rafter 500	€ 119,00	
	24006RIC	Steel Brush QA	9,5"/ø240mm	Rafter 580	€ 78,00	
7.7 <b>4.</b> 7.07	STEEL SPIK	(ES				
A MARKET	20010	Spikes	8"/ø200mm	Rafter 500	€ 88,00	
tail - AW	20010QA	Spikes QA	8"/ø200mm	Rafter 500	€ 149,00	
<b>,从从外外外</b>	24010EXP	Spikes QA	9,5"/ø240mm	Rafter 580	€ 155,00	
	WINNEX BR	USH grit 120				
AND THE REAL PROPERTY.	155036AS	Winnex Brush AS	4"/ø100mm	Rafter 400	€ 42,50	
	20004	Winnex Brush	8"/ø200mm	Rafter 500	€ 69,00	
	20004QA	Winnex Brush QA	8"/ø200mm	Rafter 500	€ 135,00	
MANAMAN AND AND AND AND AND AND AND AND AND A	24004	Winnex Brush Winnex Brush	9,5"/ø240mm	Rafter 580	€ 120,00	
	24004 24004QA	Winnex Brush QA	9,5"/ø240mm	Rafter 580	€ 120,00 € 165,00	
1534.5	ANTIKE FLO	OR arit 36				
ALE PERSON	155036AS	Antike Floor AS	4"/ø100mm	Rafter 400	€ 42,50	
A STATE OF THE STA	20036	Antike Floor	8"/ø200mm	Rafter 500	€ 95,00	
	20036QA	Antike Floor QA	8"/ø200mm	Rafter 500	€ 155,00	
ATTITUDE.		Antike Floor Antike Floor				
	24036		9,5"/ø240mm	Rafter 580	€ 185,00	
	24036QA	Antike Floor QA	9,5"/ø240mm	Rafter 580	€ 189,00	
00	PLANETARY MULTIDISK A5 Without brushes.					
	00500	Planetary Multidisk A5	21"/ø530mm	Single Disc 17,18,21"	€ 550,00	
, stilliblish.	STEEL BRU		o a a receniu a			
		y cleaning when the spikes are too		AA-JUST-L. AF	0.54.50	
	20009	Steel Brush	8"/ø200mm	Multidisk A5	€ 51,50	
	POLISHING	BRUSH 8"				
The state of the s	Polishing brus	h. Special for terracotta floors.				
Minimal	20005	Polishing brush	8"/ø200mm	Multidisk A5	€ 49,00	
		d Tools 4"/ø100mm 5 Segment				
	100821	DA1 grit 70	4"/ø100mm		€ 95,00	
	DA Diamone	d Tools 8"/ø200mm 6 Segmen	ts			
	200821	DA1 grit 70	8"/ø200mm	Lev.650, Herc.450-451-550-551, Exp 530	€ 126,00	
	DA Diamono	l Tools 9,5"/ø240mm 6 Segme	nts			
	240821	DA1 grit 70	9,5"/ø240mm	Rafter 580	€ 135,00	






INDUSTRIAL DUST EXTRACTORS




## ASC and SC CLEANING SYSTEMS

#### VACUUM



#### AUTOMATIC SELF-CLEANING



Klindex has developed the new line of SUPERVAK dust collectors, specially designed to handle huge quantity of dust powders without any interruption for the filter blinding. Thanks to the ASC PATENT (Automatic Self Cleaning Filters) the new vacuums allow operators to continuously vacuum also the finest powder without filter troubles. The new dust collectors SUPERVAK series ASC are the only vacuums in the world that, thanks to a "timer connected to the VIBRATION and CONTRA BLOWING patented system " clean the filter at a definite time, automatically, allowing you to work continuously without stopping. In the series SC (Self Cleaning Filter) operating by a simple lever it is possible to automatically clean the filters without removing them.

#### Main features:

- Patented system to shake and blow the filter at the same time.
- · Continuous cleaning: vacuum is always working even during filter cleaning
- Electronic Timer (for ASC models) to control the self cleaning: Cleaning cycles can be modified according to the job and to the vacuum dust.
- Big filter surface thanks to the big cartridge filters.
- Easy removal of the collection tank with the chance (optional) to use normal plastic bags.
- Longopac System (standard on series BAG LINE).
- Robust and long lasting aluminium coated cartridge filters, so that the dust doesn't adhere but slips away.
- Anti-static filters to avoid electrostatic shocks (optional).
- Height-reducing telescopic frame which makes transportation much easier even in normal Vans (models 100, 200, 250).

#### How the systems works:

The device consists of three filters in cartridge. During vacuum (fig.1), air passes through the filters to the outside. During automatic self-filter cleaning (fg2): At certain intervals (governed by a timer) the machine automatically cleans the filters one at a time. During this phase the intake air is sent inside the filter producing at the same time two effects:

- It starts an eccentric device that will produce a strong vibration effect of the filter.
- Simultaneously it blows the air out off the filter granting a perfect cleaning. During this phase of cleaning a filter the others two filters still work without stopping to vacuum dust.

Made in Italy 3I YEARS







SUPERVAK 300 is the largest of the Supervak vacuums series. The twin in-series pre-separator cyclones greatly reduce the servicing activities of the filters extending their life time. Its great power allows huge continuous air flow and heavy duty operations. Suitable for stationary and mobile use on lines of production or industrial installations. Engineered to aspirate very fine dusts. Available in ASC or SC versions. The RX version is equipped with a wireless remote control to power on or off the vacuum cleaner. It also has a device that automatically corrects the rotation of the motors.

						TECHNICA	AL DATA					
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Amp	Filter surface cm²	Air flow max m³/h	Noise level dB/(A)	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 300 SC	15 kW	2750	380/480	50/60	32	240000	1250	70	140 I	240x230x85	620 kg	n.a.
SUPERVAK 300 ASC	15 kW	2750	380/480	50/60	32	240000	1250	70	140 I	240x230x85	620 kg	n.a.
SUPERVAK 300 ASC RX	15 kW	2750	380/480	50/60	32	240000	1250	70	140 I	240x230x85	620 kg	n.a.



Immediate tank release



Can also be used without cyclones



Height reduction for transport



Powerful, reliable and equipped with twin cyclones pre-separators



Double Independent Turbines



3 big main Filters



Filter cleaning Controls

uparvak 250 Propana



The propane engine makes Klindex SUPERVAK 250 industrial dust collector the most powerful ever built Kawasaki engine is reliable and sturdy. Perfect to use in combination with big blasting, scarifying or grinding machines. The advanced ASC system allows to keep filters always clean automatically. Large air filtering surface with 3 primary cartridge filters and 2 HEPA secondary filters.

Main advantages: • No limitations due to cables or lack of electric power. • High reliability with Kawasaki engines. • Collapsible frame for easy tranposrtation. • No performance drop and loss of time caused by the power grid. • Free from the hassle and costs of extension cords in the yard. • No need of generator.

Recommended batteries: battery 12V 550 ACC Class.



			TE	CHNICAL	DATA					
Model	Motor	Power	Propane tank	Depress. max mm H <sub>2</sub> O	Filter surface cm <sup>2</sup>	Air flow max m³/h	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 250 Propane	Kawasaki FS603V	12,7kW	9Kg/20lbs	2750	97000	1250	100 lt	154x220x64	342 Kg	€ n.a.





DATA FOR SHIPPING										
Vol. Packaging Size Packaging Weight										
2,70 m³	150x80x225 cm	355 Kg								



2 additional Hepa filters

GRINDING

SPECIAL

VACUUM


**CHEMICALS** 

MARKETING

**klind** 

HEPA Filter included





- A vacuum limitator valve ensures the cooling of the engines even in continuative and heavy duty use.
- A pressure indicator allows the monitoring of any malfunctions or filters clogging.
- A Thermal safety switch stops the motors in case of overheating.
- Two secondary filters protect the engine in case of accidental passage of dust through the main filters.



	TECHNICAL DATA											
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Amp	Filter surface cm <sup>2</sup>	Air flow max m³/h	Noise level dB/(A)	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 250 SC	8 kW	2750	380/480	50/60	16	97000	724	65	100 l	154x220x64	342 kg	€ 16.450,00
SUPERVAK 250 ASC	8 kW	2750	380/480	50/60	16	97000	724	65	100 l	154x220x64	342 kg	€ 17.850,00
SUPERVAK 250 ASC RX	8 kW	2750	380/480	50/60	16	97000	724	65	100 l	154x220x64	342 kg	€ 18.995,00





DATA	DATA FOR SHIPPING								
Vol. Packaging	Size Packaging	Weight							
2,70 m <sup>3</sup>	150x80x225 cm	355 kg							



2 additional Hepa filters

Height reduction for transport







SUPERVAK 200 is the ideal dust collector for all those who have to vacuum big quantities of dust and who have to carry the machine from a place to another. It has been specifically designed to be connected to floor sanders, to grinders, to scarifiers or to shot blasting machines. It is equipped with a telescopic frame which can be used:

- In the "high position" while working to greatly amplify the "cyclone effect" and the filtering power. The higher is the filter chamber, the easier is the separation of dust from the air, resulting in less clogging of filters.
- In the "low" position for transportation in order to reduce its dimensions and to be easily loaded even in small vans.

The ASC series is equipped with a control unit with 4 automatic self-cleaning programs that greatly increases the performance of the vacuum cleaner. A secondary filter protects the engine in case of accidental passage of dust through the main filters.

				TE	CHNIC	AL DATA					
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Amp	Filter surface cm <sup>2</sup>	Air flow max m³/h	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 200 T5 ASC	5,5kW	2400	380/480	50/60	16	97000	640	bag	137x203x60	159 Kg	€ 9.650,00
SUPERVAK 200 T5 ASC RX	5,5 kW	2400	380/480	50/60	16	97000	640	bag	137x203x60	159 Kg	€ 11.295,00





DATA	FOR SHIPP	ING	DATA FOR SHIPPING								
Vol. Packaging	Size Packaging	Weight									
1,26 m <sup>3</sup>	120x60x175 cm	179 kg									



Height reduction for transport

Suparvak Oil



Supervak Oil, separates shavings from oil when cleaning machine tools. Industrial vacuum cleaners to recover and separate oil and shavings when cleaning machine tools for mechanical and automotive industries. Supervak Oil vacuum cleaners are designed and built to suction lubricants, coolants, and emulsions mixed with shavings. Inside the collection drum, a filter separates the liquids from the solids, thereby allowing the suctioned oil to be reused, putting it back into the machine tools with obvious economic benefits. New Klindex vacuum cleaners are powerful and reliable, ideal for tank emptying, 5 times more quickly when compared to conventional methods. They also increase the final level of cleanliness and make the operation safer health-wise for the operator.



Supervak 144-155-175 Oil

	TECHNICAL DATA											
Model	Motor	Depress. max mm H <sub>2</sub> 0	Volt	Hertz	Phases	Blower Type	Air flow max m³/h	Liquid capacity	Shaving capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 144 OIL	4 kW	2750	230/400	50/60	3F	1ST.	362	60 lt.	40 lt.	107x134x70	118 kg	€ 4795,00
SUPERVAK 155 OIL	5,5 kW	2400	230/400	50/60	3F	2ST.	640	60 It.	40 lt.	107x147x70	134 kg	€ 5.295,00
SUPERVAK 175 OIL	7,5 kW	3260	230/400	50/60	3F	2ST.	540	60 lt.	40 lt.	107x147x70	140 kg	€ n.a.

separates shavings from oil







Made in Italy

Vacuum cleaners for liquids, solids and dusts.



Supervak 144-155-175: three-phase vacuum cleaners for liquids, solids and dusts. Like most of Klindex vacuums it finds endless possibilities of application in industrial and professional fields . Vacuum machine with large capacity , power, robustness and reliability, a safe purchase for any company.

• Maintenance free Turbine Engine for 24 hours continuous use.

• Possibility to vacuuming of dusts, liquids and solids at the same time.

- Big filtering surface
- Filter cleaning system with exterior handle
- · Quick release large capacity drum, with bagging possibility

	TECHNICAL DATA											
Model	Motor	Depress. max mm H <sub>2</sub> 0	Volt	Hertz	Phases	Blower Type	Air flow max m³/h	Filter surface cm²	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 144	4 kW	2750	230/400	50/60	3F	1ST.	362	13900	60 lt.	107x134x70	118 kg	€ 4.495,00
SUPERVAK 155	5,5 kW	2400	230/400	50/60	3F	2ST.	640	13900	60 lt.	107x147x70	134 kg	€ 4.995,00
SUPERVAK 175	7,5 kW	3260	230/400	50/60	3F	2ST.	540	13900	60 lt.	107x147x70	140 kg	€ 5.895,00









Supervak 130 and 140 are vacuum cleaners with industrial 3-phase motors at low cost.

Very powerful machine but not big dimension. Excellent for car-washes, small mechanic industry, laboratory etc.

	TECHNICAL DATA									
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Air flow max m³/h	Filter surface cm²	Tank capacity	Noise level dB(A)	IP Protection	Price
SUPERVAK 130	3 kW	2750	230/400	50/60	350	7000	60 It.	69	54	€ 2.650,00
SUPERVAK 130H	3 kW	2750	230/400	50/60	350	7000	60 It.	69	54	€ 2.775,00
SUPERVAK 140	4 kW	3150	230/400	50/60	362	7000	60 It.	69	54	€ 2.850,00
SUPERVAK 140H	4 kW	3150	230/400	50/60	362	7000	60 lt.	69	54	€ 2.995,00







STANDARD for Supervak I30-I40 ø 40

Made in Italy





**HEPA** Filter included

SUPERVAK 90 is a powerful compact vacuum cleaner to vacuum large quantities of dusts such as: plaster, cement, flour, scabs, sawdust, dust materials from ceramic industry as well as dust produced by sanders, grinders, core drills etc. Available both in ASC version "Automatic Self Cleaning Filter" and in SC version "Self Cleaning Filter". Thanks to ASC and SC patent it can work continuously without having to stop to dismantle and clean the filters (which is an operation that everybody always postpones and nobody would want to do because dusty and

annoying). Main feators.  ASC or SC system  Cartridge filters.  Easily removable  Possibility to insense Secondary filter to passage of dust three Available with sing	n: Autor tank. rt a norr o protec ough th	matic and/or S mal plastic ba of the motor in e main filters.	g (optiona n case of a	l). accident				J			6
				TE	CHNI	CAL DATA					
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Amp	Filter surface cm <sup>2</sup>	Air flow max m³/h	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 90 SC	2,2 kW	2300	220	50/60		32000	350	67 I	88x163x65	130 kg	€ 5.195,00
SUPERVAK 90 ASC	2,2 kW	2300	220	50/60		32000	350	67 I	88x163x65	130 kg	€ 6.295,00
SUPERVAK 90 T4 SC	4 kW	2750	380/480	50/60	16	32000	362	67 I	88x163x65	130 kg	€ 5.895,00
SUPERVAK 90 T4 ASC	4 kW	2750	380/480	50/60	16	32000	362	67 I	88x163x65	130 kg	€ 6.895,00
		2.21	7 [	-		_			DATA FOR S	HIPPIN	G





DATA FOR SHIPPING									
Vol. Packaging Size Packaging Weight									
1,23 m³	90x75x182 cm	147 Kg							

klind



Control panel

Suparvak 90M



**HEPA** Filter optional



SUPERVAK 90M is a powerful vacuum cleaner with induction motors and Stellar filter. It is recommended for suction of dust, waste processing, iron chippings etc. The mechanical shaking system ensures excellent cleaning and long life of the filter.

#### Main features:

- Stellar filter.
- Mechanical filter shaking system.
- Easily removable tank.
- Possibility to insert a normal plastic bag (optional).
- Secondary filter to protect the motor.
- Available with single-phase or three-phase motors.
- Hepa filter available on request.

					TECI	HNICAL DA	TA				
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Amp	Filter surface cm²	Air flow max m³/h	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 90 M	2,2 kW	2300	220	50/60		12000	350	67 It	88x163x65	129 Kg	€ 3.595,00
SUPERVAK 90 T3 M	3 kW	2450	380/480	50/60	16	12000	362	67 It	88x163x65	129 Kg	€ 3.860,00
SUPERVAK 90 T4 M	4 kW	2750	380/480	50/60	16	12000	362	67 It	88x163x65	129 Kg	€ 4.270,00





Mechanical filter shaking system

DATA FOR SHIPPING						
Size Packaging	Weight					
100x80x185 cm	146 kg					
	Size Packaging					



Optional H∈pa filter € 465,00

3I YEARS

GRINDING

SINGLE DISC

SPECIAL

VACUUM

**CHEMICALS** 

## Suparvak 777

HEPA Filter included




SUPERVAK 77: are the ideal vacuum cleaner to connect to medium sized grinders. They are Ideal for all works in which big quantity of fine dust have to be vacuumed. Thanks to patented Self Cleaning System they can work continuously without having to stop to dismantle and clean the filters.

#### Main features:

- SC "(Self Cleaning Filter").
- · Longopac system.
- Three powerful independent and detachable motors which can be used as small powerful vacuum cleaners. One of them can be used as a little air blower (optional).
- Secondary filter to protect the motor in case of accidental passage of dust through the main filters.
- Available with cartridge filters (standard) or polyester filter.
- Anti tipping frame.
- Big wheels for easy transport.
- \* Self-Cleaning System is activated simply by pressing a lever.

TECHNICAL DATA										
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Filter surface cm²	Air flow max m³/h	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 77SV Tristadio	3x1600 W	2450	220	50/60	42000	600	bag	114x157x78	90 Kg	€ 4.950,00









Self cleaning system

3 Big self cleaning filters

Hopper opening from outside

GRINDING

SINGLE DISC



Dust collector with built-in cyclonic pre separator and "automatic air pulse" self cleaning system.



- Supervak X3 is equipped with:
   Automatic ASC "Air pulse cleaning system" thank thanks to air blasts regulated by an electronic timer keep filters always cleans.
- · Pre-separator cyclon integreted in the drum, hold over 90% of dust collecting them into plastic bag.
- Shockproof drum with futuristic design 100% Made in italy.
- Powerful motors equipped with Hepa filter.
- High reduction for an easy transport.

TECHNICAL DATA										
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Filter surface cm <sup>2</sup>	Air flow max m³/h	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK X3	3x1600 W	2450	220	50/60	14000	600	bag	125x65x165 Working position 125x65x130 Storage position	125 Kg	€ 5.595,00



Vol. Packaging	Size Packaging	Weight
1,34 m³	80x120x140 cm	125 Kg

DATA FOR SHIPPING

Height reduction for transport

Hepa filters standard

## Supervalk 65-67/



Dust extractors with "Air-Pulse" cleaning system

> HEPA Filter included



SUPERVAK 67-66: Industrial vacuum cleaner with "AIR pulse cleaning system" for filters that ensures a long running time. Ideal to vacuum huge quantities of dust even fine. Suggested to be connected to sanding machines, grinders, core drills, drilling and for medium sized grinding machines.

#### **Main Features:**

- Taller tank with cyclone system to facilitate the settling of the dust.
- Polyester Stellar filter with "Air Pulse System".
- Model 66 equipped with 2 powerful single-phase motors two-stages 1400-watt each.
- Model 67 equipped with 3 powerful single-phase motors two-stages 1400-watt each.
- Robust trolley with big wheels for easy transport on unlevelled floors.
- · Hopper with easy opening for the discharge of the dust.
- 5 meters tuboflex.
- •Basket for Accessories.
- Hepa filter included.
- Longopac system.

	TECHNICAL DATA										
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Filter surface cm²	Air flow max m³/h	Noise level dB/(A)	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 66	2x1400 W	2400	110/220	50/60	12000	430	75	bag	72x142x48	45 Kg	€ 2.295,00
SUPERVAK 67	3x1400 W	2400	110/220	50/60	12000	640	75	bag	72x142x48	40 Kg	€ 2.395,00









Air Pulse Cleaning Stellar filter Hepa filter included

## Suparvak 60

Dust extractor with "Automatic Air Pulse cleaning system"



SUPERVAK 60: Industrial vacuum cleaner with "Air Pulse Cleaning System" for filters that ensures a long running time. Ideal to vacuum huge quantities of dust even fine. Suggested to be connected to sanding machines, grinders, core drills, drilling and for medium sized grinding machines.

#### Main details:

- New powerful motor with 1400 watt max and longer carbon brush.
- Air pulse system to clean the main filter.
- Plastic Bag system to collect the dust.
- HEPA 10 filter standard.
- Tangential inlet and cyclone system to create the effect cyclone dust.
- Special trolley for the best working position.
- Compact system for easy transport.

TECHNICAL DATA											
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Filter surface cm <sup>2</sup>	Air flow max m³/h	Noise level dB/(A)	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK 60	1400 W	3253	220	50/60	9000	144	75	bag	39x110x54	23 kg	€ 1.595,00



Height reduction for transport



Perfect to move during the work



60x75x165 cm

Air Pulse System to Clean filters



GRINDING

SINGLE DISC

Weight

33 kg

Made in Italy 3I YEARS

## Supervak KII

### Vacuum cleaner with cyclonic pre-separator.



Supervak K11: Professional and efficient vacuum cleaner equipped with two stainless steel drums and cyclonic pre-separator. The small size of this vacuum cleaner is the ideal solution for transportation in small vehicles and for operations in tight areas always ensuring performances at the top. It is suitable also for the vacuuming of fine cement dusts, sawdust, scraps and dust in general. Can be connected to sanders, grinders, sanders.

				TECH	NICAL DA	ГА				
Model	Power motor	Motor	Volt	Hertz	Filter surface cm <sup>2</sup>	Air flow max m³/h	Depress. max mm H <sub>2</sub> O	Tank capacity	Weight	Price
SUPERVAK K11	1400 W	1 By-pass	220	50/60	3740	215	2380	23 lt	26 kg	€ 1.235,00



Cyclonic pre-separator.



Perfect to move during the work



Hepa filter

## Supervak Smart 15H





Supervak Smart 15H: Thanks to the insertion of a "spacer ring" it delivers increased dust collecting capacity. The Supervak Smart 15H, with the addition of a KIT BAG (optional) can use "common plastic bags". When it is not required to vacuum large amounts of dust the "spacer ring" can be removed to reduce the dimensions.

- Powerful but easy to carry even on the stairs because it can be easily disassembled into two part.
- Thanks to the SC "self cleaning filter" system, large volumes of dust can be vacuumed unto the filling of the drum without having to constantly clean the filter by hand as in normal vacuum cleaner.

Also usable as a small "air- blower" (optional).

- Secondary filter to protect the motor in case of an accidental passage of dust through the primary filter.
- Hepa filter on request.
- \* The Self-Cleaning System is activated exchanging the positions of the suction pipe.

TECHNICAL DATA										
Model	Motor	Depress. max mm H <sub>2</sub> O	Volt	Hertz	Filter Surface	Air flow max m³/h	Tank capacity	Dimensions WxHxD cm	Weight	Price
SUPERVAK SMART 15HN	1400 W	2350	110/220	50/60	Нера	200	45 I	59x80x39	30 kg	€ 995,00





	iging Size Packaging	Weight
0,30 m <sup>3</sup>	60x80x62cm	40 kg

DATA FOR SHIPPING

Professional use

Made in Italy 197 31 YEARS

New series of pre-separators the best to vacuum huge quantities of dust even from long distance.



Pre-Separators to vacuum huge quantity of dust from the long distance. All the dust is collected into the pre-separator while only the minimum fine dust reach the vacuum. It is possible to vacuum directly into the pre-separator even from long distance 40-50 meters. The preseparator increases highly the productivity of the vacuum cleaner and the quality of its performances. It collects and separates large particles, larger chips, pieces of metal, screws, pieces of glass and other things that can occur on a construction site, before reaching the vacuum cleaners. This system increases the dust extractor's overall capacity and extends the life of the filters.



#### PRE-SEPARATOR 400 STEEL

Pre-separator with stainless steel tank of

Pre-separator 400 steel € 485.00



#### PRE-SEPARATOR 400B STEEL

Pre-separator with swinging stainless steel tank of 114 Lt.

Pre-separator 400B steel € 535,00



#### PRE-SEPARATOR 400 COMPACT

Pre-separator with plasti tank of 90 Lt., ideal for vacuuming liquid and acid materials.

Pre-separator 400 Compact

€ 550,00



#### **PRE-SEPARATOR CYCLON 76**

This series has been designed for heavy duty application like connecting to floor grinding machines. These special preseparators are equipped with:

• Special "cyclon system" that collects about 95 % of the dust.

- · LONGOPAC system to collects easily the dust in the plastic bag.
- · Robust trolley for easy transport even in construction areas.

Pre-separator Cyclon 76

€ 1.795,00



### ACCESSORIES FOR SUPERVAK



ACCESSORIES Ø5	0mm - SUPERVAK 80/90/100/200/250/300 inlet ø70mm	
07434K5	Flexible hose ø70/50 mm - 5 mt	€ 118,00
07434K10	Flexible hose ø70/50 mm - 10 mt	€ 168,00
07243K5	Flexible hose Anti abrasion-antistatic ø70/50 mm - 5 mt	€ 178,00
07243K10	Flexible hose Anti abrasion-antistatic ø70/50 mm - 10 mt	€ 295,00
R7243	Double elbow chromate steel	€ 87,00
R7865	Suction brush for dust	€ 107,00
R7246	Suction brush for wet and dry	€ 97,00
06866	60 cm Flat lance Chromate Steel	€ 29,50
07067	Elbow shaped flat lance chromate steel	€ 29,50
07177	30 cm Flat lance Chromate Steel	€ 21,50
R7240	Inox bristle brush	€ 78,50
R7259	Complete rubber Brush	€ 28,50
R7260	Complete flat lance - Rubber	€ 25,50
2367K	connection tuboflex ø50 mm	€ 18,00



ACCESSORIES	ø40mm - SUPERVAK 80/90/100	0/200/250/300 inlet ø70mm	
07428/70K5	Flexible ø60/40 - 5 mt.		€ 108,00
R0580	Double elbow Chromate steel		€ 26,50
R7241	Horsehair bristle brush		€ 64,50
06404	85 cm Stainless steel tube		€ 39,50
2773	Connection 60/40		€ 6,50
2774	Connection 60/40		€ 6,50
3892K	Floor brush (for 0580)		€ 19,50
3893K	Squeegee brush (for 0580)		€ 20,50
0003K	flat lance		€ 3,70
6295K	Brush		€ 4,50



ACCESSORIES ø40mm - SUPERVAK 40/70/75/76/77/623/SMART								
R1325	Accessories kit 38-40mm standard.	€ 99,50						
3892	Floor brush (for 0580)	€ 19,50						
3893	Squeegee brush (for 0580).	€ 20,50						
3894	Carpet brush (for 0580).	€ 26,50						
R0580	Steel double elbow	€ 26,50						
2333K	Rubber lath (for 6385,3893).	€ 4,40						
2327K	Lath with front strip (for 6385,6393)	€ 6,90						
3895	Lath with back strip (for 6385,6393)	€ 3,60						
0008XK	Tuboflex 3mt ø38	€ 26,50						
0003	Flat lance	€ 3,70						
6295	Round Brush	€ 4,50						
0001K	Extension tube mt 0,5	€ 5,10						




TUBOFLEX		'
00520K3	Flexible hose ø50/50 cpl mt3	€ 46,00
00520K5	Flexible hose ø50/50 cpl mt5	€ 69,00
00520K10	Flexible hose ø50/50 cpl mt10	€ 125,00
07410K5	Tuboflex Anti abrasion-antistatic cpl ø50/50 mt5	€ 178,00
07410K10	Tuboflex Anti abrasion-antistatic cpl ø50/50 mt10	€ 295,00
07797S5	Superflex hose Anti abrasion-antistatic cpl ø50/50 mt5	€ 255,00
07797S10	Superflex hose Anti abrasion-antistatic cpl ø50/50 mt10	€ 445,00
00082K	Tuboflex standard ø38 per meter	€ 6,90
07261K	Tuboflex Anti abrasion-antistatic ø38 per meter	€ 17,50
00624K	Tuboflex standard ø32 per meter	€ 4,95





#### Drum 200 I Tipping





\*The CPL version includes: Drum, Trolley, Head motor, Tuboflex 2.5m, Double elbow and Vacuum brush for

\*The KIT version includes: Head motor, cover with hole for head connecting, Tuboflex 2.5m, Double elbow and Vacuum brush for liquids.



	TECHNICAL DATA									
Model	N. Motor	Power	Volt	Depress. max mm H <sub>2</sub> 0	Air flow max m³/h	Noise level dB/(A)	Tank	Dimensions WxHxD cm	Weight	Price
DRUM 629 CPL	2 By-pass	2800 W max	1-phase	2180	430	74	200 I	89x160x94	110 kg	€ 2.565,00
DRUM 640 CPL	3 By-pass	3500 W max	1-phase	2180	640	74	200 I	89x160x94	110 kg	€ 2.665,00
KIT DRUM 629	2 By-pass	2800 W max	1-phase	2180	430	74		n.a.	n.a.	€ 895,00
KIT DRUM 640	3 By-pass	3500 W max	1-phase	2180	640	74		n.a.	n.a.	€ 995,00
TROLLEY only								n.a.	n.a.	€ 1.570,00
DRUM only							200	n.a.	n.a.	€ 195,00





Quick hitch and secure





Tap Optional


GRINDING



The JUNIOR INOX series has been designed with the most advanced technology and build with:

- Independent self cooling motors. Stainless steel tank. Anti foam system. Anticollision trolley. Strong grip handle. Strong directionable wheels.
- \* The prices include the standard accessories.

TECHNICAL DATA									
Model	N. Motor	Power	Volt	Depress. max mm H <sub>2</sub> O	Air flow max m³/h	Tank	Dimensions WxHxD cm	Price	
JUNIOR INOX101 WET-DRY	1 By-pass	1200 W max	1-phase	2380 mm	170 m3/h	23 I	39x54x39	€ 249,00	
JUNIOR INOX 303	1 By-pass	1400 W max	1-phase	2380 mm	215 m3/h	23 I	39x66x39	€ 330,00	
JUNIOR INOX 503	1 By-pass	1400 W max	1-phase	2380 mm	215 m3/h	37 I	52x87x52	€ 373,00	
JUNIOR INOX 423	2 By-pass	2600 W max	1-phase	2380 mm	430 m3/h	62 I	52x87x52	€ 549,00	
JUNIOR INOX 423 M	2 By-pass	2600 W max	1-phase	2380 mm	430 m3/h	62 I	56x91x53	€ 631,00	
JUNIOR INOX 423 B	2 By-pass	2600 W max	1-phase	2380 mm	430 m3/h	77 I	58x107x68	€ 698,00	
JUNIOR INOX 433	3 By-pass	3600 W max	1-phase	2380 mm	645 m3/h	62 I	52x87x52	€ 698,00	
JUNIOR INOX 433 M	3 By-pass	3600 W max	1-phase	2380 mm	645 m3/h	62 I	56x91x53	€ 738,00	
JUNIOR INOX 433 B	3 By-pass	3600 W max	1-phase	2380 mm	645 m3/h	77 I	58x107x68	€ 798,00	







Standard for IOI

Version B: Tipping

423B





423M



The JUNIOR COMPACT series are made with the most advanced technology. The are the best vacuum cleaners in the market. • Independent self cooling motors. • Crack proof tank. •Anti foam system. • Anticollision trolley. • Strong grip handle.

• Directionable wheels. • The M version has in the back a special pipe device to discharge the water collected. • The B version has a tipping tank.

\*The prices include the standard accessories.

	TECHNICAL DATA										
Model	N. Motor	Power	Volt	Depress. max mm H <sub>2</sub> O	Air flow max m³/h	Tank	Dimensions WxHxD cm	Price			
COMPACT 303	1 by pass	1400 W max	1-phase	2380 mm	215 m3/h	37 I	38x70x38	€ 366,00			
COMPACT 423 M	2 by pass	2600 W max	1-phase	2380 mm	430 m3/h	90 I	57x90x57	€ 680,00			
COMPACT 423 B	2 by pass	2600 W max	1-phase	2380 mm	430 m3/h	114	57x108x60	€ 810,00			
COMPACT 433 M	3 by pass	3600 W max	1-phase	2380 mm	640 m3/h	90 I	57x90x57	€ 778,00			
COMPACT 433 B	3 by pass	3600 W max	1-phase	2380 mm	640 m3/h	114	57x108x60	€ 908,00			







Standard accessories

**Tipping** 

Market

# Junior Telecontrol



TELECONTROL: These models come with built in electrical socket to connect power tools. On request it is available the version to connect air power tools. Stainless steel tank.

TECHNICAL DATA								
Model	N. Motor	Power	Volt	Depress. max mm H <sub>2</sub> O	Air flow max m³/h	Tank	Dimensions WxHxD cm	Price
JUNIOR 315 TELECONTROL	1 By-pass	1200 W max	1-phase	2200 mm	170 m3/h	23	39x66x39	€ 375,00
JUNIOR 429 TELECONTROL	2 By-pass	2400 W max	1-phase	2400 mm	340 m3/h	62 I	52x87x52	€ 587,00



Accessories ø 36

## alcon, Scup & Hot Flash



Hot Flash is the evolution of cold water extractor. Thanks to a boiler fixed inside the head, it produces hot water guaranteeing a better quality of cleaning.

Falcon are multipurpose equipments which, thank to their injection-extraction system, help you to clean and wash all kind of surface such as: carpet, curtains, sofas, pavements, walls, wallpaper etc. The two powerful motors allow to dry the surface in faster time. Ideal for car-wash and for cleaning contractors. All these machines can be used as a normal vacuum cleaner. \*Falcon Series includes art.2551 Tuboflex, art.03240 Filter Kit and art.R0752 Nozzle for couch.

TECHNICAL DATA												
Model	N. Motor	Power max	Volt	Depress. max mm H <sub>2</sub> O	Air flow max m³/h	Power Boiler W	Flow Pomp	Pomp W	Pomp pressure bar	Tank Detergent	Tank	Price
SCUP	1	1200 W	230	2200 mm	170 m3/h			80	2	11 lt	32 lt	€ 658,00
FALCON 650	2	2400 W	220	2200 mm	340 m3/h			48	2	25 lt	62 lt	€ 925,00
FALCON 700	2	2400 W	200	2200 mm	340 m3/h			90	2	25 lt	62 It	€ 1.095,00
HOT FLASH	2	2400 W	220	2200 mm	340 m3/h	950 W	0,8 l/min		2	25	62 I	€ 1.678,00



Optional accessories Falcon & Hot Flash



Standard accessories ø 38 Falcon & Hot Flash



Special Covering for fast drying of car seat with hot air.





#### **NEW STEAM CLEANERS**

The new line of professional steam cleaners, with vacuum system, to make cleaning and sanification easier and quicker saving time and money.

Vapor Little the most practical and efficient steam cleaner. It is especially designed for restaurants, canteens, butcher's shop, kitchens and for everywhere HACCP regulations have to be fulfilled. Thanks to its full range of exclusive accessories it is possible to clean and to disinfect kitchen tools, windows, bathrooms, walls, carpets and anything needs perfect cleaning. It is equipped with separate tank, for water reloading, not under pressure, which automatically feeds the boiler guaranteeing no stop steam.

Vapor Max the most powerful steam cleaner. It is especially designed for big restaurants, canteens, big butcher's shop, food factories, hospital and for everywhere it needs to apply regulation of HAC. Thanks to its full range of exclusive accessories it is possible to clean and to disinfect kitchen tools, windows, bathrooms, walls, carpets and anything needs perfect cleaning. It is equipped with separate tank, for water reloading, not under pressure, which automatically feeds the boiler guaranteeing an unlimited autonomy.

	TECHNICAL DATA												
Model	Volt	Power max	Power Boiler	Power Vacuum	Boiler capacity	Hot air power	Working pressure	Temperature boiler	Water Tank	Waste Tank capacity	Dimensions WxHxD cm	Weight	Price
VAPOR LITTLE 300	230	2900 W	1700 W	1200 W	21		4 bar	140 °c	36 I	61			€ 1.365,00
VAPOR MAX	220-240		1800 W	1400 W	2,8	1400 W	4 bar	140 °c	36 I	61	57x46x100	41 kg	€ 3.950,00







Standard accessories

Standard accessories

Made in Italy 207 31 YEARS

# Polish Powder

The most popular polishing powders!



€ each

### POLISH POWDER



**PICTURE** 

**POLISH KP85** An excellent powder for polishing marble and terrazzo after grinding but it can also be used for daily maintenance of polished marble, terrazzo, porcelain and glass surfaces. KP85 is a mix of fine abrasive powders to be mixed with water to quickly remove caked-on soil, soap scum, and embedded stains from grout virtually immediately. It is the ideal product to be used in commercial areas, kitchens, restaurants, shopping malls, etc. On either polished, honed and flamed or other rough-textured stone surfaces.

SIZE

000663	KP 85	kg 5	€ 69,00
000662	KP 85	kg 20	€ 215,00



#### **POLISH KMT**

CODE

For soft marbles like Carrara, limestone etc.

NAME

000647 KMT kg 5	€ 86,00
-----------------	---------



#### **POLISH GREY**

For palladina, terrazzo and marbles not easy to polish.

000661	Grey	kg 5	€ 174,00
000001	Gley	kg 5	€ 174,



#### POLISH KP 92

For standard marbles and limestone.

000650Box	KP 92	Box 6x1 kg	€ 129,00
00650	KP 92	kg 5	€ 82,00



#### **POLISH COLOR**

For green marble and marble containing iron.

000649	Color	kg 5	€ 146,50
--------	-------	------	----------



#### **POLISH TERRAZZO**

For terrazzo, mosaic and palladiana.

000648	Terrazzo	kg 5	€ 155,00
--------	----------	------	----------



#### **POLISH KG**

For granite.

000659	KG Clear	kg 5	€ 195,00
000657	KG	kg 5	€ 195,00



#### **POLISH GRES**

To polish porcelain tiles after proper honing.

000666	KG Gres	kg 5	€ 165,00
--------	---------	------	----------



#### POLISH KP92 CREAM

Ready and easy to use polishing cream for marble. It doesn't smell!

00656kg5	KP92 Cream	kg 5	€ 73,50
00656PZ	KP92 Cream	kg 1,5	€ 25,50
00656Box	KP92 Cream	Box 6x1 kg	€ 147,00

Made in Italy 209 31 YEARS

### **SPECIAL PRODUCTS**

PICTURE	COD€	NAME	S	IZ€	TYPE	€ each
	SMAKKIO					
	04832	Smakkio Oil	11	It removes	oil spots.	€ 22,00
MARCO OIL	04830	Smakkio Wine & Coffee	11	It removes	wine and coffee spots.	€ 22,00
W VI	04831	Smakkio Urine	11	It removes	spots left by urine, leaves, wood etc.	€ 22,00
	04834	Smakkio Mold	11	It removes	spots due to mold, lichen and weed.	€ 22,00
The second second	04837	Smakkio Bust	11	To remove	rust	€ 17.50



#### KI WATERPROOFING

Water repellant waterproofing agent/sealer for both indoor and outdoor applications.

00646Box	KI-Waterproofing	12 x 1 Lt	Solvent Based	€ 295,00
00646	KI-Waterproofing	1 Lt	Solvent Based	€ 26,50



#### KORREKTOR

An effective stone colour enhancer ideal for darker-coloured stones such as marble, granite, sandstone, etc.

01122BLUWB	Korrektor	11	Blue	€ 46,50
01122NWB	Korrektor	11	Black	€ 46,50
01122VWB	Korrektor	11	Green	€ 46,50
01122RWB	Korrektor	11	Red	€ 46,50



#### **RITOCCO**

Self-polishing varnish. Ideal for polishing hard-to-reach where it is not easy to polish by machine.

00645	Ritocco	1 Lt	€ 19,50
00645Box	Ritocco	12 x 1 Lt	€ 228,00



#### **BRILL&MORE**

It also water-proofs the surface of the stone. Ideal for routine maintenance.

01126SB	Brill&More	1 Lt	Solvent Based	€ 23,90
01126SBBox	Brill&More	12 x 1 Lt	Solvent Based	€ 245,00
01126WB	Brill&More	1 Lt	Water Based	€ 19,50
01126WBBox	Brill&More	12 x 1 Lt	Water Based	€ 224,00



#### ANTIKO 60

Water and oil-repellant for indoor use to produce a satin finish antique look.

00619	Antiko 60	1 Lt	Solvent Based	€ 19,50
00619Box	Antiko 60	12 x 1 Lt	Solvent Based	€ 210,00



#### SPLENDUR CREAM

Water-based wax to polish marble and other stones. It polishes while water-proofing the treated surface.

00644SB	Splendur Cream	0,75 kg	Solvent Based	€ 19,50
00644SBBox	Splendur Cream	12 x 0,75 kg	Solvent Based	€ 212,00
00644WB	Splendur Cream	0,75 kg	Water Based	€ 19,50
00644SBBox	Splendur Cream	12 x 0,75 kg	Water Based	€ 212,00



### SPECIAL PRODUCT FOR PVC, LINOLEUM, RUBBER, CORK







Follow these recommendations: • 1) Make sure to remove any dirt, coatings, wax or other floor finishes by using our Blitz wax stripper. • 2) If there are no coatings or waxes, the floor can be thoroughly cleaned using our heavy-duty floor cleaner strong. • 3) Rinse thoroughly with clean water and dry the floor using a wet vacuum cleaner. • 4) Apply two coats of Metalwax. For cork floors we recommend a third coat. 5) For daily cleaning, use our PH neutral floor cleaner Emmerol, so as not to damage the floor.

PICTURE	COD€	NAME	SIZE	€ each



STRONG

Heavy-duty cleaner for floors.

04104 Strong Box 4x5Lt € 118,00



#### RI IT7

Wax stripper. Very good to degrease floors.

04108 Blitz Box 4x5Lt € 118,00



#### METALWAX

Self-polishing metallic wax for floor finishing.

04110 Metalwax Box 4x5Lt € 216,00



#### **EMMEROL**

PH neutral floor detergent for daily maintenance. Ideal for polished floors!

4102 Emmerol Box 4x5Lt € 106,00



#### **EMME 2000**

To be used with a regular or high-speed rotary cleaning machine and a red nylon pad.

04836 Emme 2000 Box 12x0,75Lt € 90,00

### SECIAL PRODUCTS FOR TERRACOTTA FLOORS







There is a special feeling of warmth in a terracotta floor, but it needs special care! We recommend the following procedure: •1) Wash thoroughly with DK 100 floor cleaner using WINNEX brushes with the Planetary A5. •2) Apply one coat of KI WATERPROOFING to protect the floor from sodium nitrate (saltpeter) formation. •3) Protect it with two coats of METALWAX. • 4) For routine maintenance clean with a pH neutral detergent like EMMEROL. When an additional finish is needed, apply KLINLUX.

PICTURE	CODE	NAME	SIZE	€ each



#### DK100

It cleans and eliminates sodium nitrate build-up.

04105	DK100	Box 4x5Lt	€ 92,00
-------	-------	-----------	---------



#### KLINLUX

Polishing wax carnauba based.

04120	Klinlux	Box 4x5Lt	€ 132.00



#### **METALWAX**

Self-polishing metallic wax for floor finishing.

04110	Metalwax	Box 4x5Lt	€ 216.00
0-110	Wictaiwax	DOX TROLL	C 210,00



#### **EMMEROL**

PH neutral floor detergent for daily maintenance. Ideal for polished floors!

04102	Emmerol	Box 4x5Lt	€ 106,00
-------	---------	-----------	----------



#### ANTIKO 60

Water and oil-repellant for indoor use to produce a satin finish antique look.

00619	Antiko 60	1 Lt	Solvent Based	€ 19,50
00619Box	Antiko 60	12 x 1 l	Solvent Based	€ 210,00



#### KI WATERPROOFING

Water and oil-repellant for indoor use to produce a satin finish antique look.

00646SB	KI-Waterproofing	11	Solvent Based	€ 26,50
00646SBBox	KI-Waterproofing	12 x 1 l	Solvent Based	€ 295,00

Made in Italy 213 31 YEARS

### THE BEST MASTIC







Klindex offers a full range of stucco for filling and gluing all types of marble and granite. Available in: solid, semisolid, liquid, transparent, straw, White and coloured.

PICTURE CODE NAME SIZE TYPE € each



#### **FULL STUKKO TIXO**

A polyester stucco for marble and granite for general repairing, bonding and for vertical application.

01112PBox	Tixo	12 x 1 kg	Straw	€ 108,00
01112BBox	Tixo	12 x 1 kg	White	€ 108,00
01112NBox	Tixo	12 x 1 kg	Black	€ 108,00
01112VBox	Tixo	12 x 1 kg	Green	€ 108,00
01112RBox	Tixo	12 x 1 kg	Red	€ 108,00



**FULL STUKKO LIQUID** Flowing polyester stucco for general repairing and bonding of horizontal pieces. Also suitable for filling cracks and holes. Very good to use on travertine and terrazzo floors.

01117PBox	Liquid	12 x 1 kg	Straw	€ 108,00
01117BBox	Liquid	12 x 1 kg	White	€ 108,00
01117NBox	Liquid	12 x 1 kg	Black	€ 108,00
01117VBox	Liquid	12 x 1 kg	Green	€ 108,00
01117RBox	Liquid	12 x 1 kg	Red	€ 108,00



#### **FULL STUKKO TIXO GOLD TRANSPARENT**

Colourless and very transparent polyester stucco. Ideal for consolidating stone or repairing fine cracks or fractures. Faster curing time and more suitable for wide cracks. Easily coloured to match any stone using Mix-Colour. Excellent for travertine.

01114SBox	Transparent Gold	12 x 1 kg	Tixo / Cream	€ 214,00
01114LBox	Transparent Gold	12 x 1 kg	Liquid	€ 204,00



#### **FULL EPOX**

Epoxy resin with hardener (4:2), ideal for consolidating stone or REPAIRING fine cracks or fractures. Faster curing time and more suitable for wide cracks. EASILY coloured to match any stone using Mix-Colour.

01138	Full Epox	1 kg	Solido / Solid	€ 26,50
01139	Hardener			€ 22,50



#### MIX-COLOUR (5 pcs)

Product for polyester and acrylic mastic. Available in many colours.

01115	Mix Color	5 pcs	€ 44,00

PICTURE	COD€	NAME	SIZE	TYPE	€ each
	STUCCO STIC Stucco stick Box		ous colours. Ideal for small repairs	on polished floors.)	
	00631MIX	Stucco Stick	3 kg	Mix Color	€ 59,70
	00631BEIGE	Stucco Stick	1 kg / 4 Stick	Beige	€ 19,90
	00631BIANCO	Stucco Stick	1 kg / 4 Stick	White	€ 19,90
	00631GIALLO	Stucco Stick	1 kg / 4 Stick	Yellow	€ 19 90



Stucco stick Box 4 Pcs (available in various colours, ideal for small repairs on polished floors.)					
00631MIX	Stucco Stick	3 kg	Mix Color	€ 59,70	
00631BEIGE	Stucco Stick	1 kg / 4 Stick	Beige	€ 19,90	
00631BIANCO	Stucco Stick	1 kg / 4 Stick	White	€ 19,90	
00631GIALLO	Stucco Stick	1 kg / 4 Stick	Yellow	€ 19,90	
00631GRIGIOCH	Stucco Stick	1 kg / 4 Stick	Grey	€ 19,90	
00631NERO	Stucco Stick	1 kg / 4 Stick	Black	€ 19,90	
00631NOCCIOLA	Stucco Stick	1 kg / 4 Stick	Hazel	€ 19,90	
00631PAGLIERINO	Stucco Stick	1 kg / 4 Stick	Straw	€ 19,90	
00631ROSACH	Stucco Stick	1 kg / 4 Stick	Pink	€ 19,90	
00631ROSSO	Stucco Stick	1 kg / 4 Stick	Red	€ 19,90	
00631VERDE	Stucco Stick	1 kg / 4 Stick	Green	€ 19,90	

THE FLOOR TREATMENT SPECIALIST SINCE 1988



#### **ELECTRIC MASTIC-HEATER**

00642	Electric Mastic-Heater	110 Volt	€ 142,00
00632	Electric Mastic-Heater	220 Volt	€ 142,00



#### SCRUBBER TO REMOVE EXCESS STUCCO

05153	Scrubber complete		€ 18,50
05157	Blade spare part	10 pcs	€ 9.50



Made in Italy

### **SPARE PARTS**

		SPARE PARTS		
PICTURE	COD€	NAME	MACHINE	€ each
	PLASTIC HA	NDLE R-L		
	CM01301	Handle Covering (2pcs)		€ 45,00
	CM00301	Level to adjust Handle		€ 20,70
	CM00403	Left Starting Level		€ 20,70
	CM00503	Right Starting Level		€ 20,70
	CM00702	Aluminium hose for Handle gear		€ 87,00
	PLS004	Switch ON/OFF		€ 45,00
	CAPACITOR	220V 50Hz		
	CEG056	Starting capacitor	Unika, Rocky	€ 42,00
1.5	CEG013	Working capacitor	Unika, Kroma 2,5hp, Rocky	€ 42,00
1	CEG002	Starting capacitor	Kroma, Levighetor, Timba	€ 51,00
	CEG003	Working capacitor	Kroma, Levighetor, Timba	€ 42,00
	MOT023	Centrifugal switch	Unika, Kroma, Lev., Timba	€ 68,00
	CONNECTIO	ON CLUTCH		
	RD10301	Connection Clutch	Unika,	€ 51,00
	RD04101	Connection Clutch	LEV.200rpm	€ 57,00
	11004101	Connection Older	ΕΕν.2001μπ	6 37,00
	SATELLITE			
	RD21901	Pinion	Unika,	€ 51,00
July Miller Con	RD21801	Helicoidal Satellite	Unika,	€ 50,00
	RD22901	Pinion	Lev.155rpm, Timba	€ 47,50
	RD31002	Plastic Satellite	Kroma	€ 53,50
The state of the s	RD24001	Pinion	Lev.200rpm	€ 80,00
	RD26201	Metallic Satellite	Lev.200rpm	€ 61,00
	RD26401	Plastic Satellite	Lev.155rpm, Timba	€ 32,50
	RD23001	Metallic Satellite	Lev.155rpm, Timba	€ 70,50
	SPLASH GU	ARD FOR GRINDING MACHINES		
	AP4501	Splash Guard 155x11,5cm	K800, K1000, K2000, K3, K4	€ 68,00
	AP4501H	Splash Guard 155x15cm	K800, K1000, K2000 with brushes	€ 68,00
	AP12601	Splash Guard 166x11,5cm	K1200	€ 68,00
	AP12601H	Splash Guard 166x155cm	K1200 with brushes	€ 68,00
	AP8403	Splash Guard 184x11,5cm	K1500, Rotoklin 400	€ 68,00
	AP8401H	Splash Guard 184x15cm	K800, K1000, K2000 with Spring Holder System	€ 63,50
	AP4602	Splash Guard 215x15cm	Levighetor Max	€ 72,50
	VACUUM CI	JARD FOR GRINDING MACHINES		
			K000M K4000 K0000	6.60.00
	AP1501	Vacuum Guard 156x11,5cm	K800W, K1000, K2000	€ 68,00
	AP9701	Vacuum Guard 175v11 Fam	K1200	€ 68,00
	AP9501	Vacuum Guard 175x11,5cm Vacuum Guard 175x15cm	K1500	€ 68,00
	AP9501H		K1500 with Spring holder	€ 68,00
	AP018103	Vacuum Guard Kit	Expander 650	€ 256,00
	AP30903	Vacuum Guard without ping union	Expander 750	€ 285,00 € 185,00
	AP30803	Vacuum Guard Kit	Expander 750	€ 185,00
	AP018002	Vacuum Guard Without air a union	Expander 850	€ 298,00
	AP30403	Vacuum Guard Without pipe union	Expander 850	€ n.a.
	AP018303	Vacuum Guard Kit	Expander 950	€ 345,00
	AP31502	Vacuum Guard without pipe union	Expander 950	€ 278,00
	AP021801	Counterguard with pipe union	Expander 950-850-750-650	€ 85,00



#### **HANDLE**

MAN005	Handle	€ 12,50
--------	--------	---------



#### ANTISHOCK SYSTEM.

GUA004	Antishock	€ 94,00
GUA004	Antisnock	€ 94,00



#### PLASTIC CLUTCH

01010P	Clutch Unika, Futura, Kroma, Levighetor, Timba	€ 12,50
00621	Clutch Rocky, Futura	€ 12,50



#### **ABSORBER PAD HOLDER**

Important to use for grinding marble floors and for grinding on very uneven concrete floors.

PL27007	Absorber 240mm	€ 145,00
PD2901	Absorber 340mm	€ 170,00



#### PLATE with 3 ATTACKS ø100mm-AS

Aluminium Plate to use with Expander and Levighetor Max. It allows you to use metal, reinoid and 100 mm diameter AS Pavelux tools, that is to say the same tools designed for Levighetor 640.

PD2701	Plate 240mm A3-100mm	€ 185,00
PD3001	Plate 340mm A3-100mm	€ 199,00



#### **VELCRO BACKED PAD HOLDER**

With quick attachment for resin diamond disc and floor pads 9" (The machine needs 3 pieces).

PD40901	Pad holder 200mm	€ 82,00
PD05805	Pad holder 240mm	€ 82,00
PD42901	Pad holder 340mm	€ 98,00



#### PAD HOLDER 240MM FOR PAVELUX AND RESINBOND

PD1601	Pad holder 240mm to use pavelux 240mm	€ 88,00
--------	---------------------------------------	---------



#### PAD HOLDER FOR BRUSHES AND SPIKES

For brushes 240mm and Spikes 200mm (needs 3 pcs for 1 set)

UT43402	Tools holder 240mm	€ 75,00
---------	--------------------	---------



#### PAD HOLDER for TRAPEZOID TOOLS

Holder to use trapezoid tools or diamond butterfly.

UT43402	Pad holder 200mm	€ 89,00
PL28003	Pad holder 240mm	€ 89,00
PD43001	Pad holder 340mm	€ 98,00



#### JUMBO PAD HOLDER

AP011102	Pad holder Jumbo 9,5"/ø240mm Kit 3 pcs	€ 590,00
PD3201	Pad holder Jumbo 13"/ø340mm Kit 3 pcs	€ 630,00

Made in Italy 217 31 YEARS

Electric Panel for construction job sites, with stand and wheels, cable winder and 25 m. extension tube 5G6 with plug of 32A 5P 400V.

TFG20101/SPRT Electric Panel € 1.009,00



- 2 sockets of 16A 1Ph 200V.
  - 1 socket of 16A 3Ph 5P 400V.
  - 1 socket of 32A 3Ph 5P 400V.
  - Fiberglass Box Self-extringuishing V0.
  - Protection grade IP 65.
  - 2 m H07RN-F cable and plug CEE IP 67.
  - Sockets protected by interlocked magnetothermic differential.
  - Emergency button always present.
  - · Earthed screw.
  - Thermosetting resin handle for portable use.
  - Brackets for fastening to wall.
  - Fiberglass cable winder.
  - Stand and wheels.

Especially suited for construction job sites and difficult environments.

The Electric Panel features a new LED system that helps you to check the line of your building site. Allows you to immediately identify the location of the fault. The LED system also displays the arrival of the earth, allowing you to work safely.



#### **Electric Panel**

TFG20101C Electric Panel € 862,00

- 2 sockets of 16A 1Ph 200V.
- 1 socket of 16A 3Ph 5P 400V.
- 1 socket of 32A 3Ph 5P 400V.
- Fiberglass Box Self-extringuishing V0.
- Protection grade IP 65.
- 2 m H07RN-F cable and plug CEE IP 67.
- Sockets protected by interlocked magnetothermic differential.
- Emergency button always present.
- Earthed screw.
- Thermosetting resin handle for portable use.
- Brackets for fastening to wall.

Especially suited for construction job sites and difficult environments.



The Electric Panel features a new LED system that helps you to check the line of your building site. Allows you to immediately identify the location of the fault. The LED system also displays the arrival of the earth, allowing you to work safely.



#### 25 mt. Extension tube 5G6 with plug 32A 5P 400V.

PR38073056 Extension € 483,00



#### Extension tube Robust 200 - 25 mt. 5G6 3P+N+T with 32A socket - HQ series

CM035701 Extension tube € 699,00



#### Extension tube Robust 200 - 25 mt. 3G4 2P+T with 16A socket - HQ series

CM036501 Extension tube € 348,00



#### Extension tube Robust 200 - 25 mt. 5G6 3P+N+T with 16A socket - HQ series

CM036101 Extension tube € 675,00



#### Extension tube Robust 200 - 25 mt. 5G10 3P+N+T with 63A socket - HQ series

CM035301 Extension tube € 1.200,00



#### Multiple - 3 exits 3P+N+T with cable 400V/200V

VB1850 Multiple € 119,00



#### Multiple - 3 exits 1P+N+T with cable 200V

VB1552 Multiple € 57,00

Made in Italy 219 31 YEARS

## Edward cardboard shreddar

# Cardboard Shredder Edward Unique in the world with 3 cutting styles: elastic net, chips and strips.

We are pleased to introduce the new range of cardboard shredder series EDWARD: a professional line of industrial, ecological, economic and compact shredders. Enough useless waste and improvised packaging! EDWARD frees space in the warehouse by transforming the cartons into cardboard elastic mesh perfect for packing.

#### Why buy the Edward cardboard shredder?

- Transforms your used cartons in precious packaging material, without wasting time and effort!
- You can protect your products inside the boxes, without buying polystyrene and bubble wrap.
- Due to its flexibility the carboard mesh produced is easily adaptable, to any type of packaging with remarkable impact resistance.
- Frees warehouse space needed to store packaging material.
- It cuts the costs of waste disposal and packaging.
- It frees space, ecological and economical.

#### Technical Advantages:

- Simple and easy to use by means of an on/off switch.
- Sturdy structure and stainless steel crankcase suitable for intensive use in shipping department.
- All models are transportable on wheels.
- Conforms to all norms of national and international safety regulations.
- All models are equipped with a dust suction connection.
- Super-sized engine for optimum reliability.







Net Strips Chips


#### Edward strenghts:

- Long lasting steel blades.
- Special gears for hard working cycles.
- Monolithic body structure.
- 12m/minute high cutting speed.
- Bearings for high radial loads.
- Heavy overall machine weight for professional applications.
- · Wheels equipped for easy moving.
- Vacuum ready.
- · Blades checking window.
- Scratch proof powder coating.
- Anti wear treated.
- Coriander version available, chop the cardboard into small sized corianders.
- Simple and practical to use with two-position switch: on / off.
- Heavy duty body and stainless steel carter suitable for intensive use in freight forwarding departments.
- Complies with all relevant national and international safety standards.
- Over-sized engine for optimum reliability.






## 299<mark>5eries</mark>



## 300**5**eries



## 4005eries



#### **NET** series

					TEC	HNICAL DATA					
Model	Motor	Volt	Hertz	Cutter feed width	Cutter feed height	Cutting capacity of not pre-processed material	Cutting speed	Continuous run time	Dimensions (with legs kit) WxHxD	Weight	Price
Edward 299R*	1 Hp	220-240	50-60	300mm	10mm	2 m³ per hour	8m/min	8 hours	55x45x28cm (without legs)	38 Kg	€ 2.495,00
Edward 300R*	3 Hp	220-240	50-60	300mm	14mm	4 m³ per hour	14m/min	8 hours	85x105x50cm	120 Kg	€ 3.950,00
Edward 300R*	ЗНр	380-400	50-60	300mm	14mm	4 m³ per hour	14m/min	8 hours	85x105x50cm	120 Kg	€ 3.995,00
Edward 400R*	4 Hp	220-240	50-60	400mm	16mm	6 m³ per hour	14m/min	8 hours	90x105x50cm	130 Kg	€ 4.450,00
Edward 400R*	4 Hp	380-400	50-60	400mm	16mm	6 m³ per hour	14m/min	8 hours	90x105x50cm	130 Kg	€ 4.750,00
Edward 500R**	4 Hp	220-240	50-60	500mm	18mm	10 m³ per hour	14m/min	8 hours	130x116x83cm	300 Kg	€ 6.350,00
Edward 500R**	4 Hp	380-400	50-60	500mm	18mm	10 m³ per hour	14m/min	8 hours	130x116x83cm	300 Kg	€ 6.350,00
Edward 700R**	4 Hp	380-400	50-60	700mm	25mm	15m³ per hour	20m/min	8 hours	130x116x83cm	400 Kg	€ 12.995,00

#### **CHIPS** series

TECHNICAL DATA											
Model	Motor	Volt	Hertz	Cutter feed width	Cutter feed height	Cutting capacity of not pre-processed material	Cutting speed	Continuous run time	Dimensions (with legs kit) WxHxD	Weight	Price
Edward 300C***	3 Нр	220-240	50-60	300mm	14mm	4 m³ per hour	14m/min	8 hours	85x105x50cm	120 Kg	€ 4.950,00
Edward 300C***	ЗНр	380-400	50-60	300mm	14mm	4 m³ per hour	14m/min	8 hours	85x105x50cm	120 Kg	€ 5.350,00
Edward 400C***	3 Нр	220-240	50-60	400mm	16mm	6 m³ per hour	14m/min	8 hours	90x105x50cm	130 Kg	€ 5.750,00
Edward 400C***	4Нр	380-400	50-60	400mm	16mm	6 m³ per hour	14m/min	8 hours	90x105x50cm	130 Kg	€ 5.950,00
Edward 500C**	4Нр	220-240	50-60	500mm	18mm	10 m³ per hour	14m/min	8 hours	130x116x83cm	300 Kg	€ 7.850,00
Edward 500C**	4Hp	380-400	50-60	500mm	18mm	10 m³ per hour	14m/min	8 hours	130x116x83cm	300 Kg	€ 7.850,00
Edward 700C**	4hp	380-400	50-60	700mm	25mm	15m³ per hour	20m/min	8 hours	130x116x83cm	400 Kg	€ 14.500,00

#### **STRIPS** series

					TEC	HNICAL DATA					
Model	Motor	Volt	Hertz	Cutter feed width	Cutter feed height	Cutting capacity of not pre-processed material	Cutting speed	Continuous run time	Dimensions (with legs kit) WxHxD	Weight	Price
Edward 300S*	3 Hp	220-240	50-60	300mm	14mm	4 m³ per hour	14m/min	8 hours	85x105x50cm	120 Kg	€ 3.950,00
Edward 300S*	ЗНр	380-400	50-60	300mm	14mm	4 m³ per hour	14m/min	8 hours	85x105x50cm	120 Kg	€ 3.995,00
Edward 400S*	3 Hp	220-240	50-60	400mm	16mm	6 m³ per hour	14m/min	8 hours	90x105x50cm	130 Kg	€ 4.450,00
Edward 400S*	4Нр	380-400	50-60	400mm	16mm	6 m³ per hour	14m/min	8 hours	90x105x50cm	130 Kg	€ 4.750,00
Edward 500S**	4Нр	220-240	50-60	500mm	18mm	10 m³ per hour	14m/min	8 hours	130x116x83cm	300 Kg	€ 6.350,00
Edward 500S**	4Нр	380-400	50-60	500mm	18mm	10 m³ per hour	14m/min	8 hours	130x116x83cm	300 Kg	€ 6.350,00
Edward 700S**	4hp	380-400	50-60	700mm	25mm	15m³ per hour	20m/min	8 hours	130x116x83cm	400 Kg	€ 12.995,00

<sup>\*</sup>Legs and wheels kit OPTIONAL for Edward 300 and 400 net and strips version € 445,00 \*\*\* Legs kit INCLUDED. Wheels Kit OPTIONAL for Edward 500 and 700 € 336,00 \*\*\* Legs and wheels kit INCLUDED for Edward 300 and 400 chips version.

## **Edward** Office

#### Document shredder

Edward Office has been designed to destroy huge quantity of documents and guarantee longlasting high performances.


Thanks to its wide cutter feed Edward Office allow to cut up to 30 A3 sheets of 80 grammes. An emergency stop lever to protect the user in case of accidental feeding of hairs, ties, scarves or other clothes.


#### Main Features:

- Wide cutting feed.
- Emergency stop lever.
- Shreds CD, credit cards, staples.
- Switch on/off and reverse.
- 100% Made in Italy
- \* HEPA13 vacuum Optional.



TECHNICAL DATA									
Model	Motor	Volt	Hertz	Cutter feed width	Cutter feed height	Cutting speed	Cutting capacity	Weight	Price
Edward Office	1 Hp	230V or 110V	50 or 60	330mm	6mm	6m/min	30 pages 80gr. 297x420mm (A3)	45 Kg	€ 1.995,00







Made in Italy 223 31 YEARS

MONOSPAZZOLE

**LEVIGATRICI** 

UTENSILI

SPECIALI

# MARKETING

### MARKETING SUPPORT





KLINDEX POLO				
Man	Woman			
100102	100106	S	€ 35,00	
100103	100107	М	€ 35,00	
100104	100108	L	€ 35,00	
100105	100109	XL	€ 35.00	



SUMMER	& WINTE	R PAN	ITS
Summer	Winter		
100110	100110P	46	€ 48,00
100111	100111P	48	€ 48,00
100112	100112P	50	€ 48,00
100113	100113P	52	€ 48,00
100114	100114P	54	€ 48,00



T-SHIRT LEV.COLOR				
100143T	S	€ 14,50		
100144T	М	€ 14,50		
100145T	L	€ 14,50		
100146T	XL	€ 14,50		



T-SHIRT KLINDEX BLUE				
100151T	S	€ 14,50		
100152T	М	€ 14,50		
100153T	L	€ 14,50		
100154T	XL	€ 14,50		



KLINDEX SWE	ATSHI	RT
100123 - 100123B	М	€ 34,00
100124 - 100124B	L	€ 34,00
100125 - 100125B	XL	€ 34,00
100126 - 100126B	XXL	€ 34,00



KLINDEX J	IACKET	
100123G	М	€ 80,00
100124G	L	€ 80,00
100125G	XL	€ 80,00
100126G	XXL	€ 80,00





SAFETY HELMET					
100126	53-63cm	€ 29,00			



KLINDEX	SHIRT	
IDA405XS	XS	€ 84,00
IDA405S	S	€ 84,00
IDA405M	М	€ 84,00
IDA405L	L	€ 84,00



T-SHIRT K	LINDEX YEL	LOW
100147T	S	€ 14,50
100148T	М	€ 14,50
100149T	L	€ 14,50
100150T	XL	€ 14,50



T-SHIRT	LEV.BLAC	K
100119T	S	€ 14,50
100120T	M	€ 14,50
100121T	L	€ 14,50
100122T	XL	€ 14,50




KLINDEX GILET		
100115	46	€ 43,00
100116	48	€ 43,00
100117	50	€ 43,00
100118	52	€ 43,00

€ 150,00

€ 150,00

€ 150,00







SHOPPER KLINDEX		
A4SHOP	35x44cm	€ 3.00



KLINDEX BLOCK NOTES and PEN			
100155	A4	call	
100156	A5	call	
100157	black	€ 1.10	



## FLAG KLINDEX Print on canvas nautical. Complete with carrying bag. ESPGOCC 1x3m € 320,00



WINTER H	AT KLINDEX	
10011001P	Hat	€ 11,00

## PICTURE COD. SIZE € each KEY CHAIN 100166 Key chain € 6,00



KLINDEX COFFEE MUG		
100165	€ 10,00	



KLINDEX DVD VIDEO TRAINING

- Marble
- Granite
- Gres
- Superconcrete
- Supershine

dvd free



**BADGE HOLDER** 

100123 7cm € 4,00



NECK WARMER

KLINSC € 11,00

#### KLINDEX LIGHT ROLLER and TOTEM















PICTURE CODE NAME SIZE € each



POSTER LIGH	ROLLER 80x200 cm		
100149LR	Bella Sander	80 x 200 cm	€ 180,00
ROLLSC	Superconcrete	80 x 200 cm	€ 180,00
100147LR	Floor Grinder	80 x 200 cm	€ 180,00
100145LR	Supervak	80 x 200 cm	€ 180,00
100143LR	Timba	80 x 200 cm	€ 180,00
100144LR	Minitimba	80 x 200 cm	€ 180,00
ESPOSITORE	Totem	170 cm	€ 190,00

## ...and much more on www.klindex.com

Made in Italy 225 31 YEARS

### MARKETING SUPPORT

























English Bro	ochures
broch01ENG	Antike Flo

•			
broch01ENG	Antike Floor	broch17ENG	Propane series
broch02ENG	Bella Stone	broch18ENG	Ready Cool & Quick Lock
broch03ENG	Edward	broch19ENG	Special Machines
broch04ENG	Elica	broch20ENG	Stone Soap
broch05ENG	Expander series	broch21ENG	Superclean
broch06ENG	Flash Diamond	broch22ENG	Superconcrete
broch07ENG	Hercules series	broch22ENG	Superconcrete tools
broch08ENG	King Conc	broch23ENG	Supershine
broch09ENG	Klindex wood	broch24ENG	Supervak
broch10ENG	Levighetor series	broch25ENG	Supervak Oil
broch11ENG	Maxi Orbit	broch26ENG	Supervak X series
broch12ENG	Maxi Quadra	broch27ENG	Triple K
broch13ENG	Mini Orbit	broch28ENG	Ufo
broch14ENG	MinTimba	broch29ENG	Waterfire
broch15ENG	Single Discs	broch30ENG	X-line
broch16ENG	Natural Stone tools	Cat18ENG	Product Catalogue 2018











#### **English Working guides**

Guide01ENG	Superconcrete	A4	free
Guide02ENG	Marble	A4	free
Guide03ENG	Granite	A4	free
Guide04ENG	Wood	A4	free
Guide05ENG	Supershine & Spongelux	A4	free

















KEMBEXTOOT	<b>-</b> 11		
100139	best Grinder	70x100cm	free
100140	Expander 1000	70x100cm	free
100141	Spice	70x100cm	free
100142	Gamma	70x100cm	free
100161	Evolution	70x100cm	free
100162	Spongelux H130cm	H 130cm	free
100163	Supershine	70x100cm	free
100164	Superconcrete	70x100cm	free

#### **UNIT OF MEASURE**


1" = 25,4mm 1 Libre = 0,454 kg 1 Gallon = 3,78 Litri R.P.M. = Rotazion/min Pcs = Pieces


#### **KLINDEX GRAFTS TOOLS**













GRINDING

SINGLE DISC

**S**100L

SPECIAL

VACUUM

CHEMICALS

MARKETING

#### GENERAL TERMS OF SALE

By placing the order the customer accepts without reserve the following conditions:

- 1) goods are delivered ex our warehouse in Manoppelo Italy.
- 2) upon customer's request for a deliver EX-WORK FOB CIF – C&F OR or other one to place of his choice, the cost of every deliveries will be invoiced to him.
- 3) Goods travel at consignee's risk even if under terms of sale free place of destination. Klindex packs shipments as carefully as possible. All claim for merchandise damaged in transit or for shortage of goods must be filled with the DELIVERING CARRIER. Klindex will not be responsible for any defects or statements of shortage of goods. Please check all cartons before you sign for the delivered goods.
- 4) Complaints for defects or statements of shortage of goods will be take into consideration within 8 days from receipt of goods, without prejudice to the disposition of point 3.
- 5) Payment must be absolutely carried our within the agreed terms.
- 6) The cost of packing will be invoiced at cost price.
- 7) Any dispute between the parties will be submitted to arbitration in Pescara Italy before the competent Court under its rules.
- 8) The characteristic of all machines showed in this catalogue are general and not binding for the factory. Klindex has the right to change any characteristic without any communications.
- 9) The following information must be always be specified in order: a) code and model b) exact electronically characteristics (in accordance with our available models).
- 10) RETURN GOODS POLICY. KLINDEX cannot accept returned items after 30 days from purchase. Any return made after 30 days will not be accepted and will be returned at expense of the customer – In addition, returned items that exhibit obvious misuse will be shipped back to the sender and no credit will be issued.
- 10a) Non-stocking special order items are not returnable. Machines or other equipment with after market alteration that were not pre-approved by Klindex are not returnable.
- 10b) Written consent must be obtained by Klindex prior to return. No returns will be accepted without a return authorization number.
- 10c) Freight charges must be prepaid.
- 10d) A 15 % restocking fee will be deducted from the credit note for any non defective returns.
- 10e) Full credit will be allowed for Klindex's fault or if defects in material or in workmanship is the cause for the return.
- 11) CLAIM FOR DEFECTIVE MATERIAL
- 11a) Defective goods must be returned and evaluated for approval before replacement occurs.
- 11b) all claims must include an evaluation report to be filled on defective material.

11c) Klindex provides only those warranties identified in the printer literature that is distributed with the products. No other warranty effective unless it is signed only by Klindex. 11d) Klindex disclaims any and al implied statutory warranty, including warranty without limitation, the warranty or merchantability and warranty of fitness for particular purpose not authorized.

11e) Klindex srl shall not be liable for any injury, loss or damage, direct, incidental or consequential, arising from of the miss use

for of the product. Before using, the user shall determinate the suitability of the product for the intended use and the user assumes all risk and liability whatsoever in connection therewith. 11f) the total liability of Klindex in any way related to the products sold hereunder, including liability for contract, breach or warranty, tort negligence, strict liabilityor otherwise, shall in no event exceed the amount of paid by the Buyer to the Seller. 11g) Klindex srl will not be liable for delay in shipping

due to circumstances beyond the control of Klindex srl.

12) PRICING INFORMATION:

All pricing is subject to change without notice. Klindex will do its best to maintain catalogue prices throughout the year, but with the fluctuation in the foreign exchange rates, it may necessary for us to adjust price periodically throughout the year. This may lead to an increase or decrease in our list prices.

#### **WARRANTY CONDITIONS**

#### Liability for defects

- 1) KLINDEX srl ITALY shall by repair or replacement any defected in the Klindex machine resulting from fault design, materials or workmanship. Klindex is not liable for defects arising out of materials provided by or a design stipulated or specified by the purchaser.
- 2) The WARRANTY for machines equipped with "hours counter " is extended up to 2 years or 600 hours ( the first expiring). To receive the extended warranty the customer only need to follow the service plan program performed by an authorized KLINDEX servicing assistance point. The first service has to be done within 500 hours or within 1 vear.

The warranty for machine not equipped with "hours counter " is valid for 1 ( one ) year.

- 3) If the machine should cease to be in working order, the machine will be repaired or , according the KLINDEX estimation, the machine will be exchanged. The spare parts are either new or equivalent with new or repaired.
- 4) Defective parts which are replaced as stated above shall be placed at KLINDEX' s disposal and shall become KLINDEX's property

#### Complaint.

5) A complaint shall be made within the warranty period. If any difficulties develop with the machine you should:

- KLINDEX CUSTOMER **ASSISTANCE** DEPARMENT 65024 MANOPPELLO Via Tiburtina Km 209,200 Italia Tel +39 085 8596546 Fax +39 085 8599224 info@klindex.it
- b) Return the product to the KLINDEX customer Assistance Service Point. Transportation charges from and to the Service Point or to our head office has to be prepaid by the purchaser. Valid warranty certification or other paper that confirm the date of the delivery machine shall be presented at the time for the compliant.
- c) A complaint shall be made within the warranty period. Limitation.
- 6) KLINDEX shall not be liable for any defects that are caused by circumstances that appear after the machine have been delivered and whilst it is in the possession of the purchaser.

The warranty is void if the purchaser hasn't followed the maintenance plan stipulated by the warranty certificate. If a maintenance plan is not stipulated by the warranty certificate the warranty is void if the time of goods have been used exceeds 500 hours.

The warranty doesn't include normal wear or perishable parts such as electrical cables, rubbers parts, hoses, brushes, capacitors and electronic parts.

7) KLINDEX' s liability does not cover defects which are caused by faulty maintenance, incorrect manoeuvre or faulty repair by the purchaser, or by alteration carried our KLINDEX' s consent in writing. The same applies to any alterations of the machines or service performed by another party than KLINDEX or KLINDEX appointed distributor or KLINDEX approved service point.

The warranty is not applicable on defect that arises in caused to connection with equipment or grinding tools that not can be assigned to KLINDEX' s original assortment.

There are not warranty which extend beyond this description. No warranties, including but not limited to warranty of merchantability, shall be implied. In case of a malfunction or defect, the producer is not responsible for any eventual uncompleted work by the customer or income loss.

- 8) Previous mentioned measures in p. 7 results in that the warranty from KLINDEX ceases to exist.
- 9) At complaint when no defect is found for which KLINDEX is liable, KLINDEX shall be entitled to compensation for the labour and costs which KLINDEX has incurred as result of the notice
- 10) If KLINDEX fails to fulfil its obligation within a reasonable time, the purchaser maybe by written notice require KLINDEX to do so within a final time. If KLINDEX fails to fulfil its obligation within that time, the purchaser may demand a reduction of the purchase price in proportion to the reduced value of the machine, provided that under no circumstances such reduction exceeds 15% of the purchase price. In the defect must be considered substantial, the purchaser may instead choose to terminate the contract

by written notice to KLINDEX, In case of termination the purchaser shell be entitled to compensation for the loss he has suffered. The compensation shall, however, not exceed 15 % of the purchase price.

- 11) Save as stipulated in clauses 1-5 KLINDEX shall not be liable for defects. This applies to any loss the defect may cause including cost of transportation, loss of production, loss of profit and any other economic cost. If KLIDNEX has been guilty of gross negligence, the purchaser shall be entitled to compensation for the loss he has suffered. The total compensation shall, however not exceed the sales values on the machine.
- 12) Furthermore KLINDEX shall not be liable for delay caused by circumstance beyond the control of KLINDEX
- 13) There isn't any warranty for tools and/or for consumable. The operator must ensure that the tool selected is suitable for use that he needs. No responsibility can be attributed to KLINDEX for incorrect use of the tool or accessory.

#### Other:

14) The warranty certificate shall be considered as valid only if it is dated by KLINDEX or by KLINDEX appointed distributor and complete with the machine's type and serial number concerning the nature of the goods and their suitability for the use to which they will be put. Accordingly, all information on this Catalogue is supplied without any express warranty, condition or other term as to the quality of any specified goods, their suitability for any particular purpose or non-infringement of any intellectual property rights, and all implied warranties, conditions or terms of the same kind are hereby expressly excluded. KLINDEX will not under any circumstances be liable for any loss of income, profit, business, contracts or goodwill or any indirect or financial loss suffered by a party, whether arising in contact, negligence or otherwise. The information on this Catalogue may include technical inaccuracies or typographical errors. Information may be changed or updated without notice. KLINDEX may also make improvements and/or changes in the products described in this Catalogue without notice.

Made in Italy 3I YEARS















## klindex®

Klindex s.r.l.
SS 5 Tiburtina Valeria km 209+200
Manoppello (PE) Italy
Tel +39 085 859 546
Fax +39 085 8599 224
www.klindex.com
info@klindex.com











Your Local Distributor:

